



Reference Bibliography

for NIH
Conference
on Dietary
Supplements,
Coagulation, and
Antithrombotic
Therapies

January 13–14, 2005
National Institutes of Health
Bethesda, MD



Compiled by the National Institutes of Health Library
and the Office of Dietary Supplements

Post-conference Bibliography: Dietary Supplements, Coagulation, and Antithrombotic Therapies

January 1965 through July 2005

987 Citations

Prepared by

Susan M. Pilch, Ph.D., M.L.S., National Institutes of Health Library, NIH

Rebecca B. Costello, Ph.D., Office of Dietary Supplements, NIH

Sindhu Srivatsal, M.B.B.S., Office of Dietary Supplements, NIH

Amy R. Mobley, M.S., R.D., Office of Dietary Supplements, NIH

DIETARY SUPPLEMENTS, COAGULATION, AND ANTITHROMBOTIC THERAPIES

The original version of this bibliography was prepared in support of the National Institutes of Health (NIH) Conference on Dietary Supplements, Coagulation, and Antithrombotic Therapies, in Bethesda, Maryland, January 13-14, 2005. NIH co-sponsors of the workshop include the National Heart, Lung, and Blood Institute (NHLBI), the Office of Dietary Supplements (ODS), the NIH Clinical Center (CC), the National Center for Complementary and Alternative Medicine (NCCAM), the National Institute of Neurological Disorders and Stroke (NINDS), the Office of Rare Diseases (ORD), and the NIH Foundation. This bibliography provides a list of journal articles that contain data on the effects of dietary supplements on hemostasis and antithrombotic therapies in humans and has been updated to reflect articles published in the literature through July 2005.

The bibliography is divided into six sections. The first four sections include citations to individual studies of various designs that provide evidence about the effects of vitamins, minerals, fatty acids, herbal/other botanical supplements, and other dietary supplements, and foods: randomized controlled trials, controlled (non-randomized) clinical trials, other clinical/human studies, and case reports. The fifth section presents citations to review articles, including systematic reviews and meta-analyses. The sixth section provides additional selected references, comprising practice guidelines, surveys/monitoring studies, pertinent basic and animal studies studies on effects of dietary supplements on hemostasis and antithrombotic therapies, and other references from the conference speakers' bibliographies.

A variety of relevant online databases were searched to locate journal articles reporting clinical/human studies for this bibliography. The search strategy developed for the National Library of Medicine's MEDLINE®/PubMed® and adapted for the other databases encompassed the use of both Medical Subject Headings (MeSH®) and text words, including an extensive list of terms and synonyms for individual dietary supplements. MeSH terms searched included Hemostasis or Thrombosis or Blood Coagulation Disorders or Blood Coagulation Tests or Fibrinolytic Agents or Thrombolytic Therapy to retrieve articles on the subjects of hemostasis, anticoagulation, and antithrombotic therapies, together with Dietary Supplements or Vitamins or Trace Elements or Micronutrients or Calcium, dietary or Iron, dietary or Fatty Acids, Omega-3 or Ethnopharmacology or Medicine, Herbal or Plant Preparations or Plants, Medicinal or Phytotherapy or Food-Drug Interactions to retrieve information on vitamin, mineral, fatty acid, herbal/botanical, and other dietary supplements and food. Retrieval of journal articles from the searches was limited to randomized controlled trials, controlled clinical trials, other clinical trials/human studies, case reports, and review articles that deal with human studies but was not restricted by year of publication or language.

TABLE OF CONTENTS

	<i>page</i>
Randomized Controlled Trials	
Vitamins	1
Minerals	8
Fatty Acids	9
Herbal/Other Botanical Supplements	17
Other Dietary Supplements, Nutrients, and Drugs	21
Foods	22
Controlled (Non-randomized) Clinical Trials	
Vitamins	24
Minerals	25
Fatty Acids	26
Herbal/Other Botanical Supplements	27
Other Dietary Supplements, Nutrients, and Drugs	28
Foods	28
Other Clinical/Human Studies	
Vitamins	30
Minerals	36
Fatty Acids	37
Herbal/Other Botanical Supplements	41
Other Dietary Supplements, Nutrients, and Drugs	43
Foods	44
Case Reports	
Vitamins	45
Minerals	52
Fatty Acids	53
Herbal/Other Botanical Supplements	53
Other Dietary Supplements, Nutrients, and Drugs	56
Foods	56
Review Articles	
Systematic Reviews/Meta Analyses	58
Vitamins	58
Minerals	68
Fatty Acids	69
Herbal/Other Botanical Supplements	73
Other Dietary Supplements, Nutrients, and Drugs	77
Foods	79
Additional References	
Practice Guidelines	80
Surveys/Monitoring Studies	80
Basic/Animal Studies	82
Other References	87
Alphabetical Listing by Author	89

RANDOMIZED CONTROLLED TRIALS

Vitamins

Ageno W, Crowther M, Steidl L, Ultori C, Mera V, Dentali F, Squizzato A, Marchesi C, Venco A. Low dose oral vitamin K to reverse acenocoumarol-induced coagulopathy: a randomized controlled trial. *Thromb Haemost* 2002;88(1):48-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12152676&dopt=Abstract

Ambasta SS, Shukla KK, Dube RK, Dube B. Haemostatic status in prostatectomy & the effect of para-aminomethyl benzoic acid on anti-fibrinolysis. *Indian J Med Res* 1988;88:57-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3263323&dopt=Abstract

Antoniades C, Tousoulis D, Tentolouris C, Toutouza M, Marinou K, Goumas G, Tsiofis C, Toutouzas P, Stefanadis C. Effects of antioxidant vitamins C and E on endothelial function and thrombosis/fibrinolysis system in smokers. *Thromb Haemost* 2003;89(6):990-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12783111&dopt=Abstract

Bakhshi S, Deorari AK, Roy S, Paul VK, Singh M. Prevention of subclinical vitamin K deficiency based on PIVKA-II levels: oral versus intramuscular route. *Indian Pediatr* 1996;33(12):1040-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9141807&dopt=Abstract

Bellinghieri G, Savica V, Barbera CM, Ricciardi B, Egitto M, Torre F, Valentini G, D'Iddio S, Bagiella E, Mallamace A. L-carnitine and platelet aggregation in uremic patients subjected to hemodialysis. *Nephron* 1990;55(1):28-32. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2141109&dopt=Abstract

Booth SL, Golly I, Sacheck JM, Roubenoff R, Dallal GE, Hamada K, Blumberg JB. Effect of vitamin E supplementation on vitamin K status in adults with normal coagulation status. *Am J Clin Nutr* 2004;80(1):143-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15213041&dopt=Abstract

Calzada C, Bruckdorfer KR, Rice-Evans CA. The influence of antioxidant nutrients on platelet function in healthy volunteers. *Atherosclerosis* 1997;128(1):97-105. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9051202&dopt=Abstract

Chesney CM, Elam MB, Herd JA, Davis KB, Garg R, Hunninghake D, Kennedy JW, Applegate WB. Effect of niacin, warfarin, and antioxidant therapy on coagulation parameters in patients with peripheral arterial disease in the Arterial Disease Multiple Intervention Trial (ADMIT). *Am Heart J* 2000;140(4):631-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11011338&dopt=Abstract

Chia S, Wilson R, Ludlam CA, Webb DJ, Flapan AD, Newby DE. Endothelial dysfunction in patients with recent myocardial infarction and hyperhomocysteinaemia: effects of vitamin supplementation. *Clin Sci (Lond)* 2005;108(1):65-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15367100&dopt=Abstract

Clarke R, Harrison G, Richards S. Effect of vitamins and aspirin on markers of platelet activation, oxidative stress and homocysteine in people at high risk of dementia. *J Intern Med* 2003;254(1):67-75. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12823643&dopt=Abstract

Colette C, Pares-Herbute N, Monnier LH, Cartry E. Platelet function in type I diabetes: effects of supplementation with large doses of vitamin E. *Am J Clin Nutr* 1988;47(2):256-61. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2963532&dopt=Abstract

- Cordova C, Musca A, Violi F, Alessandri C, Vezza E. Improvement of some blood coagulation factors in cirrhotic patients treated with low doses of heparin. *Scand J Haematol* 1982;29(3):235-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7146823&dopt=Abstract
- Cornelissen EA, Kollee LA, De Abreu RA, van Baal JM, Motohara K, Verbruggen B, Monnens LA. Effects of oral and intramuscular vitamin K prophylaxis on vitamin K1, PIVKA-II, and clotting factors in breast fed infants. *Arch Dis Child* 1992;67(10):1250-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1444522&dopt=Abstract
- Corrigan JJ, Jr., Ulfers LL. Effect of vitamin E on prothrombin levels in warfarin-induced vitamin K deficiency. *Am J Clin Nutr* 1981;34(9):1701-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7282596&dopt=Abstract
- Crowther MA, Douketis JD, Schnurr T, Steidl L, Mera V, Ultori C, Venco A, Ageno W. Oral vitamin K lowers the international normalized ratio more rapidly than subcutaneous vitamin K in the treatment of warfarin-associated coagulopathy. A randomized, controlled trial. *Ann Intern Med* 2002;137(4):251-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12186515&dopt=Abstract
- Crowther MA, Julain J, McCarty D. Vitamin K lowered the international normalised ratio into the therapeutic range in patients receiving warfarin. *Evid Based Med* 2001;6(4):115.
- Crowther MA, Julian J, McCarty D, Douketis J, Kovacs M, Biagoni L, Schnurr T, McGinnis J, Gent M, Hirsh J, Ginsberg J. Treatment of warfarin-associated coagulopathy with oral vitamin K: a randomised controlled trial. *Lancet* 2000;356(9241):1551-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11075768&dopt=Abstract
- d'Arcangues C, Piaggio G, Brache V, Aissa RB, Hazelden C, Massai R, Pinol A, Subakir SB, Su-Juan G. Effectiveness and acceptability of vitamin E and low-dose aspirin, alone or in combination, on Norplant-induced prolonged bleeding. *Contraception* 2004;70(6):451-462. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15541406&dopt=Abstract
- de Gaetano G. Low-dose aspirin and vitamin E in people at cardiovascular risk: a randomised trial in general practice. Collaborative Group of the Primary Prevention Project. *Lancet* 2001;357(9250):89-95. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11197445&dopt=Abstract
- de Lorgeril M, Boissonnat P, Salen P, Monjaud I, Monnez C, Guidollet J, Ferrera R, Dureau G, Ninet J, Renaud S. The beneficial effect of dietary antioxidant supplementation on platelet aggregation and cyclosporine treatment in heart transplant recipients. *Transplantation* 1994;58(2):193-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8042237&dopt=Abstract
- Dickson RC, Stubbs TM, Lazarchick J. Antenatal vitamin K therapy of the low-birth-weight infant. *Am J Obstet Gynecol* 1994;170(1 Pt 1):85-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8296850&dopt=Abstract
- Dmoszynska-Giannopoulou A, Janicka L, Sokolowska B, Ksiazek A, Orlowska G, Janicki K. The effect of sulphapyrazone and alpha-tocopherol on platelet activation and function in haemodialysed patients. *Int Urol Nephrol* 1990;22(6):561-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2093696&dopt=Abstract

- Ellis GR, Anderson RA, Chirkov YY, Morris-Thurgood J, Jackson SK, Lewis MJ, Horowitz JD, Frenneaux MP. Acute effects of vitamin C on platelet responsiveness to nitric oxide donors and endothelial function in patients with chronic heart failure. *J Cardiovasc Pharmacol* 2001;37(5):564-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11336107&dopt=Abstract
- Ferns GA, Forster LA, Williams JC, Tull SP, Verma PK, Starkey B, Gershlick AH. Effect of vitamin E supplementation on circulating cell adhesion molecules pre- and post-coronary angioplasty. *Ann Clin Biochem* 2000;37 (Pt 5):649-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11026517&dopt=Abstract
- Fondevila CG, Grosso SH, Santarelli MT, De Tezanos Pinto M. Reversal of excessive oral anticoagulation with a low oral dose of vitamin K1 compared with acenocoumarine discontinuation. A prospective, randomized, open study. *Blood Coagul Fibrinolysis* 2001;12(1):9-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11229833&dopt=Abstract
- Franco V, Polanczyk CA, Clausell N, Rohde LE. Role of dietary vitamin K intake in chronic oral anticoagulation: Prospective evidence from observational and randomized protocols. *Am J Med* 2004;116(10):651-656. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15121490&dopt=Abstract
- Galan P, de Bree A, Mennen L, Potier de Courcy G, Preziozi P, Bertrais S, Castetbon K, Hercberg S. Background and rationale of the SU.FOL.OM3 study: double-blind randomized placebo-controlled secondary prevention trial to test the impact of supplementation with folate, vitamin B6 and B12 and/or omega-3 fatty acids on the prevention of recurrent ischemic events in subjects with atherosclerosis in the coronary or cerebral arteries. *J Nutr Health Aging* 2003;7(6):428-35. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14625623&dopt=Abstract
- Green B, Cairns S, Harvey R, Pettit M. Phytomenadione or menadiol in the management of an elevated international normalized ratio (prothrombin time). *Aliment Pharmacol Ther* 2000;14(12):1685-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11121919&dopt=Abstract
- Greer FR, Marshall SP, Severson RR, Smith DA, Shearer MJ, Pace DG, Joubert PH. A new mixed micellar preparation for oral vitamin K prophylaxis: randomised controlled comparison with an intramuscular formulation in breast fed infants. *Arch Dis Child* 1998;79(4):300-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9875038&dopt=Abstract
- Hesseling PB, Girdle-Brown B, Oosthuysen E, Smit J. Treatment of onyalai with prednisolone, intravenous gammaglobulin and ascorbic acid. A prospective clinical trial. *S Afr Med J* 1984;66(24):917-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6095468&dopt=Abstract
- Jain SK, Krueger KS, McVie R, Jaramillo JJ, Palmer M, Smith T. Relationship of blood thromboxane-B2 (TxB2) with lipid peroxides and effect of vitamin E and placebo supplementation on TxB2 and lipid peroxide levels in type 1 diabetic patients. *Diabetes Care* 1998;21(9):1511-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9727900&dopt=Abstract
- Jorgensen FS, Felding P, Vinther S, Andersen GE. Vitamin K to neonates. Peroral versus intramuscular administration. *Acta Paediatr Scand* 1991;80(3):304-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2035325&dopt=Abstract
- Kazzi NJ, Ilagan NB, Liang KC, Kazzi GM, Poland RL, Grietsell LA, Fujii Y, Brans YW. Maternal administration of vitamin K does not improve the coagulation profile of preterm infants. *Pediatrics* 1989;84(6):1045-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2587133&dopt=Abstract

- Kim JM, White RH. Effect of vitamin E on the anticoagulant response to warfarin. *Am J Cardiol* 1996;77(7):545-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8629604&dopt=Abstract
- Klerk M, Verhoef P, Verbruggen B, Schouten EG, Blom HJ, Bos GM, den Heijer M. Effect of homocysteine reduction by B-vitamin supplementation on markers of clotting activation. *Thromb Haemost* 2002;88(2):230-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12195694&dopt=Abstract
- Koh KK, Blum A, Hathaway L, Mincemoyer R, Csako G, Waclawiw MA, Panza JA, Cannon RO, 3rd. Vascular effects of estrogen and vitamin E therapies in postmenopausal women. *Circulation* 1999;100(18):1851-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10545428&dopt=Abstract
- Labinjoh C, Newby DE, Wilkinson IB, Megson IL, MacCallum H, Melville V, Boon NA, Webb DJ. Effects of acute methionine loading and vitamin C on endogenous fibrinolysis, endothelium-dependent vasomotion and platelet aggregation. *Clin Sci (Lond)* 2001;100(2):127-35. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11171280&dopt=Abstract
- Liede KE, Haukka JK, Saxen LM, Heinonen OP. Increased tendency towards gingival bleeding caused by joint effect of alpha-tocopherol supplementation and acetylsalicylic acid. *Ann Med* 1998;30(6):542-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9920356&dopt=Abstract
- Liu M, Wallmon A, Olsson-Mortlock C, Wallin R, Saldeen T. Mixed tocopherols inhibit platelet aggregation in humans: potential mechanisms. *Am J Clin Nutr* 2003;77(3):700-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12600864&dopt=Abstract
- Loots D, Oosthuizen W, Pieters M, Spies C, Vorster HH. Foodstate vitamin C complex may beneficially affect haemostasis and fibrin network structure in hyperlipidaemic patients. *Blood Coagul Fibrinolysis* 2004;15(8):677-85. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15613923&dopt=Abstract
- Lubetsky A, Yonath H, Olchovsky D, Loebstein R, Halkin H, Ezra D. Comparison of oral vs intravenous phytonadione (vitamin K1) in patients with excessive anticoagulation: a prospective randomized controlled study. *Arch Intern Med* 2003;163(20):2469-73. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14609783&dopt=Abstract
- Mensink RP, van Houwelingen AC, Kromhout D, Hornstra G. A vitamin E concentrate rich in tocotrienols had no effect on serum lipids, lipoproteins, or platelet function in men with mildly elevated serum lipid concentrations. *Am J Clin Nutr* 1999;69(2):213-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9989682&dopt=Abstract
- Meydani SN, Meydani M, Blumberg JB, Leka LS, Pedrosa M, Diamond R, Schaefer EJ. Assessment of the safety of supplementation with different amounts of vitamin E in healthy older adults. *Am J Clin Nutr* 1998;68(2):311-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9701188&dopt=Abstract
- Mezey E, Potter JJ, Rennie-Tankersley L, Caballeria J, Pares A. A randomized placebo controlled trial of vitamin E for alcoholic hepatitis. *J Hepatol* 2004;40(1):40-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14672612&dopt=Abstract

Miyamoto S, Kawano H, Takazoe K, Soejima H, Sakamoto T, Hokamaki J, Yoshimura M, Nakamura H, Yodoi J, Ogawa H. Vitamin E improves fibrinolytic activity in patients with coronary spastic angina. *Thromb Res* 2004;113(6):345-351. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15226088&dopt=Abstract

Morales WJ, Angel JL, O'Brien WF, Knuppel RA, Marsalisi F. The use of antenatal vitamin K in the prevention of early neonatal intraventricular hemorrhage. *Am J Obstet Gynecol* 1988;159(3):774-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3421279&dopt=Abstract

Morel O, Jesel L, Hugel B, Douchet MP, Zupan M, Chauvin M, Freyssinet JM, Toti F. Protective effects of vitamin C on endothelium damage and platelet activation during myocardial infarction in patients with sustained generation of circulating microparticles. *J Thromb Haemost* 2003;1(1):171-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12871555&dopt=Abstract

Motohara K, Endo F, Matsuda I. Effect of vitamin K administration on acarboxy prothrombin (PIVKA-II) levels in newborns. *Lancet* 1985;2(8449):242-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2862419&dopt=Abstract

Nee R, Doppenschmidt D, Donovan DJ, Andrews TC. Intravenous versus subcutaneous vitamin K1 in reversing excessive oral anticoagulation. *Am J Cardiol* 1999;83(2):286-8, A6-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10073841&dopt=Abstract

O'Connor ME, Addiego JE, Jr. Use of oral vitamin K1 to prevent hemorrhagic disease of the newborn infant. *J Pediatr* 1986;108(4):616-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3514830&dopt=Abstract

Paiva SA, Sepe TE, Booth SL, Camilo ME, O'Brien ME, Davidson KW, Sadowski JA, Russell RM. Interaction between vitamin K nutriture and bacterial overgrowth in hypochlorhydria induced by omeprazole. *Am J Clin Nutr* 1998;68(3):699-704. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9734750&dopt=Abstract

Patel RJ, Witt DM, Saseen JJ, Tillman DJ, Wilkinson DS. Randomized, placebo-controlled trial of oral phytonadione for excessive anticoagulation. *Pharmacotherapy* 2000;20(10):1159-66. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034038&dopt=Abstract

Pedersen FM, Hamberg O, Hess K, Ovesen L. The effect of dietary vitamin K on warfarin-induced anticoagulation. *J Intern Med* 1991;229(6):517-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2045759&dopt=Abstract

Pellegrini MP, Newby DE, Johnston NR, Maxwell S, Webb DJ. Vitamin C has no effect on endothelium-dependent vasomotion and acute endogenous fibrinolysis in healthy smokers. *J Cardiovasc Pharmacol* 2004;44(1):117-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15175566&dopt=Abstract

Pengo V, Banzato A, Garelli E, Zasso A, Biasiolo A. Reversal of excessive effect of regular anticoagulation: low oral dose of phytonadione (vitamin K1) compared with warfarin discontinuation. *Blood Coagul Fibrinolysis* 1993;4(5):739-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8292723&dopt=Abstract

- Pereira SP, Shearer MJ, Williams R, Mieli-Vergani G. Intestinal absorption of mixed micellar phylloquinone (vitamin K1) is unreliable in infants with conjugated hyperbilirubinaemia: implications for oral prophylaxis of vitamin K deficiency bleeding. *Arch Dis Child Fetal Neonatal Ed* 2003;88(2):F113-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12598499&dopt=Abstract
- Qureshi AA, Qureshi N, Wright JJ, Shen Z, Kramer G, Gapor A, Chong YH, DeWitt G, Ong A, Peterson DM, et al. Lowering of serum cholesterol in hypercholesterolemic humans by tocotrienols (palmvitee). *Am J Clin Nutr* 1991;53(4 Suppl):1021S-1026S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2012010&dopt=Abstract
- Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, Nicolucci A. Primary Prevention of Cardiovascular Events with Low Dose Aspirin and Vitamin E in Type 2 Diabetic Patients: Results of the Primary Prevention Project (PPP) trial. *Diabetes Care* 2003;26(12):3264-3272. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14633812&dopt=Abstract
- Salonen JT, Salonen R, Seppanen K, Rinta-Kiikka S, Kuukka M, Korpela H, Alftthan G, Kantola M, Schalch W. Effects of antioxidant supplementation on platelet function: a randomized pair-matched, placebo-controlled, double-blind trial in men with low antioxidant status. *Am J Clin Nutr* 1991;53(5):1222-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1826987&dopt=Abstract
- Schindler TH, Lewandowski E, Olszewski M, Hasler K, Solzbach U, Just H. [Effect of vitamin C on platelet aggregation in smokers and nonsmokers]. *Med Klin (Munich)* 2002;97(5):263-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12078386&dopt=Abstract
- Schoene NW, Chanmugam P, Reynolds RD. Effect of oral vitamin B6 supplementation on in vitro platelet aggregation. *Am J Clin Nutr* 1986;43(5):825-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3706190&dopt=Abstract
- Sermet A, Aybak M, Ulak G, Guzel C, Denli O. Effect of oral pyridoxine hydrochloride supplementation on in vitro platelet sensitivity to different agonists. *Arzneimittelforschung* 1995;45(1):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7893263&dopt=Abstract
- Sharma RK, Marwaha N, Kumar P, Narang A. Effect of oral water soluble vitamin K on PIVKA-II levels in newborns. *Indian Pediatr* 1995;32(8):863-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8635828&dopt=Abstract
- Stampfer MJ, Jakubowski JA, Faigel D, Vaillancourt R, Deykin D. Vitamin E supplementation effect on human platelet function, arachidonic acid metabolism, and plasma prostacyclin levels. *Am J Clin Nutr* 1988;47(4):700-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3128100&dopt=Abstract
- Stanojevic M, Gjuric G. [Comparison between peroral and intramuscular vitamin K-1 administration to the newborns with prothrombin time of 4-6 weeks old infants]. *Paediatr Croat* 1995;39(1):7-11.
- Steiner M. Effect of alpha-tocopherol administration on platelet function in man. *Thromb Haemost* 1983;49(2):73-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6868015&dopt=Abstract

- Steiner M, Glantz M, Lekos A. Vitamin E plus aspirin compared with aspirin alone in patients with transient ischemic attacks. *Am J Clin Nutr* 1995;62(6 Suppl):1381S-1384S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7495235&dopt=Abstract
- Thorp JA, Caspers DR, Cohen GR, Zucker ML, Strope BD, McKenzie DR. The effect of combined antenatal vitamin K and phenobarbital therapy on umbilical blood coagulation studies in infants less than 34 weeks' gestation. *Obstet Gynecol* 1995;86(6):982-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7501353&dopt=Abstract
- Tofler GH, Stec JJ, Stubbe I, Beadle J, Feng D, Lipinska I, Taylor A. The effect of vitamin C supplementation on coagulability and lipid levels in healthy male subjects. *Thromb Res* 2000;100(1):35-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11053614&dopt=Abstract
- Tognoni G, Avanzini F, Pangrazzi J, Roncaglioni MC, Bertele V, De Gaetano G, Caimi V, Tombesi M, Colombo F, Barlera S, Clerici F, Palumbo A, Sgaroni G, Geraci E, Del Favero A, Decarli A, Alli C, Beghi E, Coen D, Volpi A, Accattoli P, Agneta A, Alberino S, Amoroso U, Angeletti M, Antiga G, Ariutti R, Armani F, Bacci G, Balzan C, Banchi G, Barba G, Baron P, Barone A, Bartoli M, Bartoli PL, Barucca G, Bedon R, Bellini M, Bencivenni A, Benetti R, Beretta E, Bertini L, Bertolissi S, Berton G, Besozzi E, Bevilacqua S, Bianchi A, Bigotto D, Bini MI, Bizzarri G, Boldini L, Bosisio Pioltelli M, Bossi S, Bozzetto RM, Brizzi A, Bruno B, Bussorti A, Buzzatti A, Cadioli T, Calciano FP, Caldarini L, Calienno S, Caltaginone P, Cancian M, Cantamessa GL, Caporali N, Carli M, Cascini G, Casella P, Casella M, Caso C, Cassanelli M, Catalano A, Cavallini M, Cazzaniga F, Cedaro P, Celia M, Celli L, Chiara P, Ciardullo AV, Ciccone G, Ciociano C, Cipolla A, Ciprietti E, Cocco L, Cocconi F, Conio S, Corasaniti F, Cozzani L, Cressotti ML, Cuozzo E, Cusmai L, D'Errico GB, D'Innocente G, De Angelis C, De Chirico C, De Grandi M, et al. Low-dose aspirin and vitamin E in people at cardiovascular risk: A randomised trial in general practice. *Lancet* 2001;357(9250):89-95. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11197445&dopt=Abstract
- Tousoulis D, Antoniades C, Tountas C, Bosinakou E, Kotsopoulou M, Toutouzas P, Stefanadis C. Vitamin C affects thrombosis/ fibrinolysis system and reactive hyperemia in patients with type 2 diabetes and coronary artery disease. *Diabetes Care* 2003;26(10):2749-53. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14514574&dopt=Abstract
- Tsai AC, Kelley JJ, Peng B, Cook N. Study on the effect of megavitamin E supplementation in man. *Am J Clin Nutr* 1978;31(5):831-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=347918&dopt=Abstract

Ulusahin N, Arsan S, Ertogan F. Effects of oral and intramuscular vitamin K prophylaxis on PIVKA-II assay parameters in breastfed infants in Turkey. *Turk J Pediatr* 1996;38(3):295-300. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8827897&dopt=Abstract

Unchern S, Laoharuangpanya N, Phumala N, Sipankapracha P, Pootrakul P, Fucharoen S, Wanachivanawin W, Chanthalaksri U. The effects of vitamin E on platelet activity in beta-thalassaemia patients. *Br J Haematol* 2003;123(4):738-744. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14616980&dopt=Abstract

van Poppel G, Hospers J, Nieuwenhuizen W, Laterveer R. No influence of beta-carotene on haemostatic balance in healthy male smokers. *Blood Coagul Fibrinolysis* 1995;6(1):55-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7795155&dopt=Abstract

Weschler A, Aviram M, Levin M, Better OS, Brook JG. High dose of L-carnitine increases platelet aggregation and plasma triglyceride levels in uremic patients on hemodialysis. *Nephron* 1984;38(2):120-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6472539&dopt=Abstract

Wilkinson IB, Megson IL, MacCallum H, Sogo N, Cockcroft JR, Webb DJ. Oral vitamin C reduces arterial stiffness and platelet aggregation in humans. *J Cardiovasc Pharmacol* 1999;34(5):690-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10547085&dopt=Abstract

Wu HP, Tai TY, Chuang LM, Lin BJ, Wang JD, Teng CM. Effect of tocopherol on platelet aggregation in non-insulin-dependent diabetes mellitus: ex vivo and in vitro studies. *J Formos Med Assoc* 1992;91(3):270-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1354687&dopt=Abstract

Yang YM, Simon N, Maertens P, Brigham S, Liu P. Maternal-fetal transport of vitamin K1 and its effects on coagulation in premature infants. *J Pediatr* 1989;115(6):1009-13. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2585215&dopt=Abstract

Zipursky A, Milner RA, Blanchette VS, Johnston MA. Effect of vitamin E therapy on blood coagulation tests in newborn infants. *Pediatrics* 1980;66(4):547-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7001332&dopt=Abstract

Minerals

Bonham M, O'Connor JM, McAnena LB, Walsh PM, Downes CS, Hannigan BM, Strain JJ. Zinc supplementation has no effect on lipoprotein metabolism, hemostasis, and putative indices of copper status in healthy men. *Biol Trace Elem Res* 2003;93(1-3):75-86. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12835492&dopt=Abstract

Hasselmark L, Malmgren R, Zetterstrom O, Unge G. Selenium supplementation in intrinsic asthma. *Allergy* 1993;48(1):30-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8457023&dopt=Abstract

Ravn HB, Lassen JF, Bergenhem N, Kristensen AT. Intravenous magnesium does not influence the activity of the coagulation cascade. *Blood Coagul Fibrinolysis* 2001;12(4):223-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11460004&dopt=Abstract

Ravn HB, Vissinger H, Kristensen SD, Wennmalm A, Thygesen K, Husted SE. Magnesium inhibits platelet activity--an infusion study in healthy volunteers. *Thromb Haemost* 1996;75(6):939-44. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8822590&dopt=Abstract

Salonen JT, Salonen R, Seppanen K, Rinta-Kiikka S, Kuukka M, Korpela H, Alfthan G, Kantola M, Schalch W. Effects of antioxidant supplementation on platelet function: a randomized pair-matched, placebo-controlled, double-blind trial in men with low antioxidant status. *Am J Clin Nutr* 1991;53(5):1222-9.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1826987&dopt=Abstract

Shechter M, Merz CN, Paul-Labrador M, Meisel SR, Rude RK, Molloy MD, Dwyer JH, Shah PK, Kaul S. Oral magnesium supplementation inhibits platelet-dependent thrombosis in patients with coronary artery disease. *Am J Cardiol* 1999;84(2):152-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10426331&dopt=Abstract

Shechter M, Merz CN, Paul-Labrador M, Meisel SR, Rude RK, Molloy MD, Dwyer JH, Shah PK, Kaul S. Beneficial antithrombotic effects of the association of pharmacological oral magnesium therapy with aspirin in coronary heart disease patients. *Magnes Res* 2000;13(4):275-84.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11153897&dopt=Abstract

Van Dokkum W, Van der Torre HW, Schaafsma G, Kistemaker C, Ockhuizen T. Supplementation with selenium-rich bread does not influence platelet aggregation in healthy volunteers. *Eur J Clin Nutr* 1992;46(6):445-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1639053&dopt=Abstract

Yang M, Collis CS, Kelly M, Diplock AT, Rice-Evans C. Do iron and vitamin C co-supplementation influence platelet function or LDL oxidizability in healthy volunteers? *Eur J Clin Nutr* 1999;53(5):367-74. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10369491&dopt=Abstract

Fatty acids

Adam O, Wolfram G, Zollner N. [Comparison of the effect of linolenic acid and eicosapentaenoic acid on prostaglandin biosynthesis and thrombocyte function in humans]. *Klin Wochenschr* 1986;64(6):274-80. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2872365&dopt=Abstract

Allman MA, Pena MM, Pang D. Supplementation with flaxseed oil versus sunflowerseed oil in healthy young men consuming a low fat diet: effects on platelet composition and function. *Eur J Clin Nutr* 1995;49(3):169-78. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7774533&dopt=Abstract

Allman-Farinelli MA, Hall D, Kingham K, Pang D, Petocz P, Favoloro EJ. Comparison of the effects of two low fat diets with different alpha-linolenic:linoleic acid ratios on coagulation and fibrinolysis. *Atherosclerosis* 1999;142(1):159-68. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9920517&dopt=Abstract

Almendingen K, Seljeflot I, Sandstad B, Pedersen JI. Effects of partially hydrogenated fish oil, partially hydrogenated soybean oil, and butter on hemostatic variables in men. *Arterioscler Thromb Vasc Biol* 1996;16(3):375-80. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8630662&dopt=Abstract

Andrioli G, Carletto A, Guarini P, Galvani S, Biasi D, Bellavite P, Corrocher R. Differential effects of dietary supplementation with fish oil or soy lecithin on human platelet adhesion. *Thromb Haemost* 1999;82(5):1522-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10595648&dopt=Abstract

- Armstrong RA, Chardigny JM, Beaufreire B, Bretillon L, Vermunt SH, Mensink RP, Macvean A, Elton RA, Sebedio JL, Riemersma RA. No effect of dietary trans isomers of alpha-linolenic acid on platelet aggregation and haemostatic factors in European healthy men. The TRANSLinE study. *Thromb Res* 2000;100(3):133-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11108899&dopt=Abstract
- Bender NK, Kraynak MA, Chiquette E, Linn WD, Clark GM, Bussey HI. Effects of marine fish oils on the anticoagulation status of patients receiving chronic warfarin therapy. *J Thromb Trombolysis* 1998;5(3):257-261. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10767122&dopt=Abstract
- Benito P, Nelson GJ, Kelley DS, Bartolini G, Schmidt PC, Simon V. The effect of conjugated linoleic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. *Lipids* 2001;36(3):221-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11337976&dopt=Abstract
- Berg KJ, Skaga E, Skjaeggstad O, Stormorken H. Effect of linseed oil on platelet adhesiveness and bleeding-time in patients with coronary heart-disease. *Lancet* 1965;2(7420):980-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4159214&dopt=Abstract
- Blonk MC, Bilo HJ, Nauta JJ, Popp-Snijders C, Mulder C, Donker AJ. Dose-response effects of fish-oil supplementation in healthy volunteers. *Am J Clin Nutr* 1990;52(1):120-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2141757&dopt=Abstract
- Boberg M, Pollare T, Siegbahn A, Vessby B. Supplementation with n-3 fatty acids reduces triglycerides but increases PAI-1 in non-insulin-dependent diabetes mellitus. *Eur J Clin Invest* 1992;22(10):645-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1459169&dopt=Abstract
- Boberg M, Vessby B, Selinus I. Effects of dietary supplementation with n-6 and n-3 long-chain polyunsaturated fatty acids on serum lipoproteins and platelet function in hypertriglyceridaemic patients. *Acta Med Scand* 1986;220(2):153-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3535392&dopt=Abstract
- Bordet JC, Trzeciak MC, Durbin S, Dechavanne M. Dose-response studies of platelet aggregation and bleeding time during eicosapentaenoic acid intake. *Thromb Haemost* 1991;65(1):110. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2024234&dopt=Abstract
- Brister SJ, Buchanan MR. Effects of linoleic acid and/or marine fish oil supplements on vessel wall thromboresistance in patients undergoing cardiac surgery. *Adv Exp Med Biol* 1997;433:275-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9561151&dopt=Abstract
- Burri BJ, Dougherty RM, Kelley DS, Iacono JM. Platelet aggregation in humans is affected by replacement of dietary linoleic acid with oleic acid. *Am J Clin Nutr* 1991;54(2):359-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1858699&dopt=Abstract
- Calzada C, Chapuy P, Lagarde M, Vericel E. Intake of small amounts of n-3 fatty acids decreases platelet lipid peroxidation in elderly people. *Lipids* 1999;34 Suppl:S311. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10419188&dopt=Abstract

- Conquer JA, Cheryk LA, Chan E, Gentry PA, Holub BJ. Effect of supplementation with dietary seal oil on selected cardiovascular risk factors and hemostatic variables in healthy male subjects. *Thromb Res* 1999;96(3):239-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10588467&dopt=Abstract
- Croset M, Vericel E, Rigaud M, Hanss M, Courpron P, Dechavanne M, Lagarde M. Functions and tocopherol content of blood platelets from elderly people after low intake of purified eicosapentaenoic acid. *Thromb Res* 1990;57(1):1-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2105538&dopt=Abstract
- Dehmer GJ, Popma JJ, van den Berg EK, Eichhorn EJ, Prewitt JB, Campbell WB, Jennings L, Willerson JT, Schmitz JM. Reduction in the rate of early restenosis after coronary angioplasty by a diet supplemented with n-3 fatty acids. *N Engl J Med* 1988;319(12):733-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2842680&dopt=Abstract
- Donnelly SM, Ali MA, Churchill DN. Effect of n-3 fatty acids from fish oil on hemostasis, blood pressure, and lipid profile of dialysis patients. *J Am Soc Nephrol* 1992;2(11):1634-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1610984&dopt=Abstract
- Eritsland J, Arnesen H, Gronseth K, Fjeld NB, Abdelnoor M. Effect of dietary supplementation with n-3 fatty acids on coronary artery bypass graft patency. *Am J Cardiol* 1996;77(1):31-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8540453&dopt=Abstract
- Eritsland J, Arnesen H, Seljeflot I, Kierulf P. Long-term effects of n-3 polyunsaturated fatty acids on haemostatic variables and bleeding episodes in patients with coronary artery disease. *Blood Coagul Fibrinolysis* 1995;6(1):17-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7795149&dopt=Abstract
- Eritsland J, Arnesen H, Smith P, Seljeflot I, Dahl K. Effects of highly concentrated omega-3 polyunsaturated fatty acids and acetylsalicylic acid, alone and combined, on bleeding time and serum lipid profile. *J Oslo City Hosp* 1989;39(8-9):97-101. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2809856&dopt=Abstract
- Eritsland J, Seljeflot I, Abdelnoor M, Arnesen H. Long-term influence of omega-3 fatty acids on fibrinolysis, fibrinogen, and serum lipids. *Fibrinolysis* 1994;8(2):120-125.
- Finnegan YE, Howarth D, Minihane AM, Kew S, Miller GJ, Calder PC, Williams CM. Plant and marine derived (n-3) polyunsaturated fatty acids do not affect blood coagulation and fibrinolytic factors in moderately hyperlipidemic humans. *J Nutr* 2003;133(7):2210-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12840180&dopt=Abstract
- Fischer S, Honigmann G, Hora C, Schimke E, Beitz J, Hanefeld M, Leonhardt W, Haller H, Forster W, Schliack V. [Results of linseed oil and olive oil therapy in hyperlipoproteinemia patients]. *Dtsch Z Verdau Stoffwechselkr* 1984;44(5):245-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6391903&dopt=Abstract
- Freese R, Mutanen M. Postprandial changes in platelet function and coagulation factors after high-fat meals with different fatty acid compositions. *Eur J Clin Nutr* 1995;49(9):658-64. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7498102&dopt=Abstract
- Fumeron F, Brigant L, Ollivier V, de Prost D, Driss F, Darce P, Bard JM, Parra HJ, Fruchart JC, Apfelbaum M. n-3 polyunsaturated fatty acids raise low-density lipoproteins, high-density lipoprotein 2, and plasminogen-activator inhibitor in healthy young men. *Am J Clin Nutr* 1991;54(1):118-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2058572&dopt=Abstract

Galan P, de Bree A, Mennen L, Potier de Courcy G, Preziozi P, Bertrais S, Castetbon K, Hercberg S. Background and rationale of the SU.FOL.OM3 study: double-blind randomized placebo-controlled secondary prevention trial to test the impact of supplementation with folate, vitamin B6 and B12 and/or omega-3 fatty acids on the prevention of recurrent ischemic events in subjects with atherosclerosis in the coronary or cerebral arteries. *J Nutr Health Aging* 2003;7(6):428-35. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14625623&dopt=Abstract

Gazso A, Kaliman J, Horrobin D, Sinzinger H. Effects of omega-3 fatty acids on the prostaglandin system in healthy volunteers. *Prog Clin Biol Res* 1989;301:517-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2508117&dopt=Abstract

Grigg LE, Kay TW, Valentine PA, Larkins R, Flower DJ, Manolas EG, O'Dea K, Sinclair AJ, Hopper JL, Hunt D. Determinants of restenosis and lack of effect of dietary supplementation with eicosapentaenoic acid on the incidence of coronary artery restenosis after angioplasty. *J Am Coll Cardiol* 1989;13(3):665-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2537349&dopt=Abstract

Haines AP, Sanders TA, Imeson JD, Mahler RF, Martin J, Mistry M, Vickers M, Wallace PG. Effects of a fish oil supplement on platelet function, haemostatic variables and albuminuria in insulin-dependent diabetics. *Thromb Res* 1986;43(6):643-55. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3020732&dopt=Abstract

Hansen J, Grimsgaard S, Nordoy A, Bonaa KH. Dietary supplementation with highly purified eicosapentaenoic acid and docosahexaenoic acid does not influence PAI-1 activity. *Thromb Res* 2000;98(2):123-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10713313&dopt=Abstract

Heller AR, Fischer S, Rossel T, Geiger S, Siegert G, Ragaller M, Zimmermann T, Koch T. Impact of n-3 fatty acid supplemented parenteral nutrition on haemostasis patterns after major abdominal surgery. *Br J Nutr* 2002;87 Suppl 1:S95-101. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11895160&dopt=Abstract

Hellsten G, Boman K, Saarem K, Hallmans G, Nilsson TK. Effects on fibrinolytic activity of corn oil and a fish oil preparation enriched with omega-3-polyunsaturated fatty acids in a long-term study. *Curr Med Res Opin* 1993;13(3):133-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8222740&dopt=Abstract

Hendra TJ, Britton ME, Roper DR, Wagaine-Twabwe D, Jeremy JY, Dandona P, Haines AP, Yudkin JS. Effects of fish oil supplements in NIDDM subjects. Controlled study. *Diabetes Care* 1990;13(8):821-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2209315&dopt=Abstract

Herrmann W, Biermann J, Kostner GM. Comparison of effects of N-3 to N-6 fatty acids on serum level of lipoprotein(a) in patients with coronary artery disease. *Am J Cardiol* 1995;76(7):459-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7653444&dopt=Abstract

Hong H, Xu ZM, Pang BS, Cui L, Wei Y, Guo WJ, Mao YL, Yang XC. Effects of simvastatin combined with omega-3 fatty acids on high sensitive C-reactive protein, lipidemia, and fibrinolysis in patients with mixed dyslipidemia. *Chin Med Sci J* 2004;19(2):145-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15250255&dopt=Abstract

- Hwang DH, Chanmugam PS, Ryan DH, Boudreau MD, Windhauser MM, Tulley RT, Brooks ER, Bray GA. Does vegetable oil attenuate the beneficial effects of fish oil in reducing risk factors for cardiovascular disease? *Am J Clin Nutr* 1997;66(1):89-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9209174&dopt=Abstract
- Iacoviello L, Amore C, De Curtis A, Tacconi MT, de Gaetano G, Cerletti C, Donati MB. Modulation of fibrinolytic response to venous occlusion in humans by a combination of low-dose aspirin and n-3 polyunsaturated fatty acids. *Arterioscler Thromb* 1992;12(10):1191-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1390591&dopt=Abstract
- Kaul U, Sanghvi S, Bahl VK, Dev V, Wasir HS. Fish oil supplements for prevention of restenosis after coronary angioplasty. *Int J Cardiol* 1992;35(1):87-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1563884&dopt=Abstract
- Lau CS, McLaren M, Belch JJ. Effects of fish oil on plasma fibrinolysis in patients with mild rheumatoid arthritis. *Clin Exp Rheumatol* 1995;13(1):87-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7774110&dopt=Abstract
- Levinson PD, Iosifidis AH, Saritelli AL, Herbert PN, Steiner M. Effects of n-3 fatty acids in essential hypertension. *Am J Hypertens* 1990;3(10):754-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2222942&dopt=Abstract
- Lindman AS, Pedersen JI, Hjerkinn EM, Arnesen H, Veierod MB, Ellingsen I, Seljeflot I. The effects of long-term diet and omega-3 fatty acid supplementation on coagulation factor VII and serum phospholipids with special emphasis on the R353Q polymorphism of the FVII gene. *Thromb Haemost* 2004;91(6):1097-1104. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15175795&dopt=Abstract
- Marckmann P, Sandstrom B, Jespersen J. Low-fat, high-fiber diet favorably affects several independent risk markers of ischemic heart disease: observations on blood lipids, coagulation, and fibrinolysis from a trial of middle-aged Danes. *Am J Clin Nutr* 1994;59(4):935-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8147341&dopt=Abstract
- Marra F, Riccardi D, Melani L, Spadoni S, Galli C, Fabrizio P, Tosti-Guerra C, Carloni V, Gentilini P, Laffi G. Effects of supplementation with unsaturated fatty acids on plasma and membrane lipid composition and platelet function in patients with cirrhosis and defective aggregation. *J Hepatol* 1998;28(4):654-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9566835&dopt=Abstract
- Mesa MD, Buckley R, Minihane AM, Yaqoob P. Effects of oils rich in eicosapentaenoic and docosahexaenoic acids on the oxidizability and thrombogenicity of low-density lipoprotein. *Atherosclerosis* 2004;175(2):333-343. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15262190&dopt=Abstract
- Moller JM, Svaneborg N, Lervang HH, Varming K, Madsen P, Dyerberg J, Schmidt EB. The acute effect of a single very high dose of N-3 fatty acids on coagulation and fibrinolysis. *Thromb Res* 1992;67(5):569-77. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1448789&dopt=Abstract
- Mori TA, Beilin LJ, Burke V, Morris J, Ritchie J. Interactions between dietary fat, fish, and fish oils and their effects on platelet function in men at risk of cardiovascular disease. *Arterioscler Thromb Vasc Biol* 1997;17(2):279-86. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9081682&dopt=Abstract

- Mueller BA, Talbert RL, Tegeler CH, Prihoda TJ. The bleeding time effects of a single dose of aspirin in subjects receiving omega-3 fatty acid dietary supplementation. *J Clin Pharmacol* 1991;31(2):185-190. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2010565&dopt=Abstract
- Muller H, Seljeflot I, Solvoll K, Pedersen JI. Partially hydrogenated soybean oil reduces postprandial t-PA activity compared with palm oil. *Atherosclerosis* 2001;155(2):467-76. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11254919&dopt=Abstract
- Myrup B, Rossing P, Jensen T, Parving HH, Holmer G, Gram J, Kluft C, Jespersen J. Lack of effect of fish oil supplementation on coagulation and transcapillary escape rate of albumin in insulin-dependent diabetic patients with diabetic nephropathy. *Scand J Clin Lab Invest* 2001;61(5):349-56. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11569481&dopt=Abstract
- Nilsen DW, Almdahl SM, Svensson B, Vaage J, Rasmussen K, Osterud B. Lipopolysaccharide induced monocyte thromboplastin synthesis and coagulation responses in patients undergoing coronary bypass surgery after preoperative supplementation with n-3 fatty acids. *Thromb Haemost* 1993;70(6):900-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8165608&dopt=Abstract
- Nilsen DW, Dalaker K, Nordoy A, Osterud B, Ingebretsen OC, Lyngmo V, Almdahl S, Vaage J, Rasmussen K. Influence of a concentrated ethylester compound of n-3 fatty acids on lipids, platelets and coagulation in patients undergoing coronary bypass surgery. *Thromb Haemost* 1991;66(2):195-201. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1771612&dopt=Abstract
- Nordoy A, Bona KH, Sandset PM, Hansen JB, Nilsen H. Effect of omega-3 fatty acids and simvastatin on hemostatic risk factors and postprandial hyperlipidemia in patients with combined hyperlipidemia. *Arterioscler Thromb Vasc Biol* 2000;20(1):259-65. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10634827&dopt=Abstract
- Osterud B, Ellevoll E, Barstad H, Brox J, Halvorsen H, Lia K, Olsen JO, Olsen RL, Sissener C, Rekdal O, et al. Effect of marine oils supplementation on coagulation and cellular activation in whole blood. *Lipids* 1995;30(12):1111-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8614301&dopt=Abstract
- Pantaleo P, Marra F, Vizzutti F, Spadoni S, Ciabattoni G, Galli C, La Villa G, Gentilini P, Laffi G. Effects of dietary supplementation with arachidonic acid on platelet and renal function in patients with cirrhosis. *Clin Sci (Lond)* 2004;106(1):27-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12877651&dopt=Abstract
- Park Y, Harris W. EPA, but not DHA, decreases mean platelet volume in normal subjects. *Lipids* 2002;37(10):941-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12530552&dopt=Abstract
- Poppitt SD, Keogh GF, Mulvey TB, Phillips A, McArdle BH, MacGibbon AKH, Cooper GJS. Effect of moderate changes in dietary fatty acid profile on postprandial lipaemia, haemostatic and related CVD risk factors in healthy men. *Eur J Clin Nutr* 2004;58(5):819-827. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15116086&dopt=Abstract
- Prisco D, Filippini M, Francalanci I, Paniccia R, Gensini GF, Serneri GG. Effect of n-3 fatty acid ethyl ester supplementation on fatty acid composition of the single platelet phospholipids and on platelet functions. *Metabolism* 1995;44(5):562-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7752902&dopt=Abstract

- Prisco D, Paniccia R, Filippini M, Francalanci I, Bandinelli B, Comeglio P, Rostagno C, Abbate R, Neri Serneri GG. No changes in PAI-1 levels after four-month n-3 PUFA ethyl ester supplementation in healthy subjects. *Thromb Res* 1994;76(3):237-44. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7863474&dopt=Abstract
- Salachas A, Papadopoulos C, Sakadamis G, Styliadis J, Voudris V, Oakley D, Saynor R. Effects of a low-dose fish oil concentrate on angina, exercise tolerance time, serum triglycerides, and platelet function. *Angiology* 1994;45(12):1023-1031. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7985829&dopt=Abstract
- Sanchez-Muniz FJ, Oubina P, Rodenas S, Benedi J, Cuesta C. Platelet aggregation, thromboxane production and thrombogenic ratio in postmenopausal women consuming high oleic acid-sunflower oil or palmolein. *Eur J Nutr* 2003;42(6):299-306. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14673602&dopt=Abstract
- Sanders TA, de Grassi T, Acharya J, Miller GJ, Humphries SE. Postprandial variations in fibrinolytic activity in middle-aged men are modulated by plasminogen activator inhibitor I 4G-675/5G genotype but not by the fat content of a meal. *Am J Clin Nutr* 2004;79(4):577-81. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15051600&dopt=Abstract
- Sanders TA, Roshanai F. The influence of different types of omega 3 polyunsaturated fatty acids on blood lipids and platelet function in healthy volunteers. *Clin Sci (Lond)* 1983;64(1):91-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6295686&dopt=Abstract
- Schmidt EB, Kristensen SD, Dyerberg J. The effect of fish oil on lipids, coagulation and fibrinolysis in patients with angina pectoris. *Artery* 1988;15(6):316-29. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3178506&dopt=Abstract
- Schmitz PG, McCloud LK, Reikes ST, Leonard CL, Gellens ME. Prophylaxis of hemodialysis graft thrombosis with fish oil: Double-blind, randomized, prospective trial. *J Am Soc Nephrol* 2002;13(1):184-190. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11752036&dopt=Abstract
- Scholtz SC, Pieters M, Oosthuizen W, Jerling JC, Bosman MJ, Vorster HH. The effect of red palm olein and refined palm olein on lipids and haemostatic factors in hyperfibrinogenaemic subjects. *Thromb Res* 2004;113(1):13-25. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15081561&dopt=Abstract
- Sorensen JD, Olsen SF, Secher NJ, Jespersen J. Effects of fish oil supplementation in late pregnancy on blood lipids, serum urate, coagulation and fibrinolysis. A randomised controlled study. *Fibrinolysis* 1994;8(1):54-60.
- Svaneborg N, Kristensen SD, Hansen LM, Bullow I, Husted SE, Schmidt EB. The acute and short-time effect of supplementation with the combination of n-3 fatty acids and acetylsalicylic acid on platelet function and plasma lipids. *Thromb Res* 2002;105(4):311-316. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12031825&dopt=Abstract
- Temme EH, Mensink RP, Hornstra G. Effects of diets enriched in lauric, palmitic or oleic acids on blood coagulation and fibrinolysis. *Thromb Haemost* 1999;81(2):259-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10064003&dopt=Abstract

- Tholstrup T, Marckmann P, Jespersen J, Vessby B, Jart A, Sandstrom B. Effect on blood lipids, coagulation, and fibrinolysis of a fat high in myristic acid and a fat high in palmitic acid. *Am J Clin Nutr* 1994;60(6):919-25. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7985634&dopt=Abstract
- Toft I, Bonaa KH, Ingebretsen OC, Nordoy A, Jenssen T. Fibrinolytic function after dietary supplementation with omega3 polyunsaturated fatty acids. *Arterioscler Thromb Vasc Biol* 1997;17(5):814-819. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9157942&dopt=Abstract
- Tomer A, Kasey S, Connor WE, Clark S, Harker LA, Eckman JR. Reduction of pain episodes and prothrombotic activity in sickle cell disease by dietary n-3 fatty acids. *Thromb Haemost* 2001;85(6):966-74. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11434703&dopt=Abstract
- Tremoli E, Maderna P, Marangoni F, Colli S, Eligini S, Catalano I, Angeli MT, Pazzuconi F, Gianfranceschi G, Davi G. Prolonged inhibition of platelet aggregation after n-3 fatty acid ethyl ester ingestion by healthy volunteers. *Am J Clin Nutr* 1995;61(3):607-13. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7872228&dopt=Abstract
- Turini ME, Powell WS, Behr SR, Holub BJ. Effects of a fish-oil and vegetable-oil formula on aggregation and ethanolamine-containing lysophospholipid generation in activated human platelets and on leukotriene production in stimulated neutrophils. *Am J Clin Nutr* 1994;60(5):717-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7942578&dopt=Abstract
- von Schacky C, Weber PC. Metabolism and effects on platelet function of the purified eicosapentaenoic and docosahexaenoic acids in humans. *J Clin Invest* 1985;76(6):2446-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3001149&dopt=Abstract
- Walker T, Singh PK, Wyatt KM, O'Brien PMS. The effect of prostanoid precursors and inhibitors on platelet angiotensin II binding. *J Obstet Gynaecol* 1999;19(1):56-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15512224&dopt=Abstract
- Wensing AG, Mensink RP, Hornstra G. Effects of dietary n-3 polyunsaturated fatty acids from plant and marine origin on platelet aggregation in healthy elderly subjects. *Br J Nutr* 1999;82(3):183-91. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10655965&dopt=Abstract
- Westerveld HT, de Graaf JC, van Breugel HH, Akkerman JW, Sixma JJ, Erkelenz DW, Banga JD. Effects of low-dose EPA-E on glycemic control, lipid profile, lipoprotein(a), platelet aggregation, viscosity, and platelet and vessel wall interaction in NIDDM. *Diabetes Care* 1993;16(5):683-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8495604&dopt=Abstract
- Wheaton DH, Hoffman DR, Locke KG, Watkins RB, Birch DG. Biological safety assessment of docosahexaenoic acid supplementation in a randomized clinical trial for X-linked retinitis pigmentosa. *Arch Ophthalmol* 2003;121(9):1269-78. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12963609&dopt=Abstract
- Woodman RJ, Mori TA, Burke V, Pudsey IB, Barden A, Watts GF, Beilin LJ. Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. *Atherosclerosis* 2003;166(1):85-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12482554&dopt=Abstract

Herbal/Other Botanical Supplements

- Agarwal RK, Dewar HA, Newell DJ, Das B. Controlled trial of the effect of cycloalliin on the fibrinolytic activity of venous blood. Atherosclerosis 1977;27(3):347-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=332196&dopt=Abstract
- Andrianova IV, Ionova VG, Demina EG, Shabalina AA, Karabasova Ia A, Liutova LI, Povorinskaia TE, Orekhov AN. [Use of allikor for the normalization of fibrinolysis and hemostasis in patients with chronic cerebrovascular diseases]. Klin Med (Mosk) 2001;79(11):55-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11811113&dopt=Abstract
- Arruzazabala ML, Mas R, Molina V, Carbajal D, Mendoza S, Fernandez L, Valdes S. Effect of policosanol on platelet aggregation in type II hypercholesterolemic patients. Int J Tissue React 1998;20(4):119-24. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10093795&dopt=Abstract
- Arruzazabala ML, Molina V, Mas R, Fernandez L, Carbajal D, Valdes S, Castano G. Antiplatelet effects of policosanol (20 and 40 mg/day) in healthy volunteers and dyslipidaemic patients. Clin Exp Pharmacol Physiol 2002;29(10):891-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12207568&dopt=Abstract
- Arruzazabala ML, Valdes S, Mas R, Carbajal D, Fernandez L. Comparative study of policosanol, aspirin and the combination therapy policosanol-aspirin on platelet aggregation in healthy volunteers. Pharmacol Res 1997;36(4):293-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9425618&dopt=Abstract

Arruzazabala ML, Valdes S, Mas R, Fernandez L, Carbajal D. Effect of policosanol successive dose increases on platelet aggregation in healthy volunteers. Pharmacol Res 1996;34(5-6):181-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9076841&dopt=Abstract

Baillargeon L, Drouin J, Desjardins L, Leroux D, Audet D. [The effects of Arnica Montana on blood coagulation. Randomized controlled trial]. Can Fam Physician 1993;39:2362-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7903572&dopt=Abstract

Bal dit Sollier C, Caplain H, Drouet L. No alteration in platelet function or coagulation induced by EGb761 in a controlled study. Clin Lab Haematol 2003;25(4):251-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12890165&dopt=Abstract

Bordia A, Bansal HC, Arora SK, Singh SV. Effect of the essential oils of garlic and onion on alimentary hyperlipidemia. Atherosclerosis 1975;21(1):15-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1131298&dopt=Abstract

Bordia A, Chuttani SK. Effect of gum guggulu on fibrinolysis and platelet adhesiveness in coronary heart disease. Indian J Med Res 1979;70:992-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=396237&dopt=Abstract

Carbajal D, Arruzazabala ML, Valdes S, Mas R. Effect of policosanol on platelet aggregation and serum levels of arachidonic acid metabolites in healthy volunteers. Prostaglandins Leukot Essent Fatty Acids 1998;58(1):61-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9482167&dopt=Abstract

Castano G, Fernandez L, Mas R, Illnait J, Mesa M, Fernandez JC. Comparison of the effects of policosanol and atorvastatin on lipid profile and platelet aggregation in patients with dyslipidaemia and type 2 diabetes mellitus. Clin Drug Invest 2003;23(10):639-650.

Castano G, Mas R, Arruzazabala ML, Noa M, Illnait J, Fernandez JC, Molina V, Menendez A. Effects of policosanol and pravastatin on lipid profile, platelet aggregation and endothelema in older hypercholesterolemic patients. Int J Clin Pharmacol Res 1999;19(4):105-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10939028&dopt=Abstract

Chung KF, Dent G, McCusker M, Guinot P, Page CP, Barnes PJ. Effect of a ginkgolide mixture (BN 52063) in antagonising skin and platelet responses to platelet activating factor in man. Lancet 1987;1(8527):248-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2880069&dopt=Abstract

Conquer JA, Maiani G, Azzini E, Raguzzini A, Holub BJ. Supplementation with quercetin markedly increases plasma quercetin concentration without effect on selected risk factors for heart disease in healthy subjects. J Nutr 1998;128(3):593-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9482769&dopt=Abstract

de Maat MP, Pijl H, Kluft C, Princen HM. Consumption of black and green tea had no effect on inflammation, haemostasis and endothelial markers in smoking healthy individuals. Eur J Clin Nutr 2000;54(10):757-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11083483&dopt=Abstract

Duan X, Yang D, Sun X. [Effect of yimai jiangya extract on platelet activation and fibrinolytic activity and angiotensin II in aged patients with essential hypertension]. Zhongguo Zhong Xi Yi Jie He Za Zhi 2000;20(7):508-10. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11789207&dopt=Abstract

Engelsen J, Nielsen JD, Hansen KF. [Effect of Coenzyme Q10 and Ginkgo biloba on warfarin dosage in patients on long-term warfarin treatment. A randomized, double-blind, placebo-controlled cross-over trial]. Ugeskr Laeger 2003;165(18):1868-71. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12772396&dopt=Abstract

Engelsen J, Nielsen JD, Winther K. Effect of coenzyme Q10 and Ginkgo biloba on warfarin dosage in stable, long-term warfarin treated outpatients. A randomised, double blind, placebo-crossover trial. Thromb Haemost 2002;87(6):1075-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12083489&dopt=Abstract

Hansen AS, Marckmann P, Dragsted LO, Finne Nielsen I-L, Nielsen SE, Gronbaek M. Effect of red wine and red grape extract on blood lipids, haemostatic factors, and other risk factors for cardiovascular disease. Eur J Clin Nutr 2005;59(3):449-455. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674304&dopt=Abstract

Hu JX, Jia GX, Yan ZR. [Clinical and experimental study of shenshao tongguan pian in treating angina pectoris of coronary heart disease]. Zhong Xi Yi Jie He Za Zhi 1990;10(10):596-9, 580. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2268917&dopt=Abstract

Janssen K, Mensink RP, Cox FJ, Harryvan JL, Hovenier R, Hollman PC, Katan MB. Effects of the flavonoids quercetin and apigenin on hemostasis in healthy volunteers: results from an in vitro and a dietary supplement study. Am J Clin Nutr 1998;67(2):255-62. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9459373&dopt=Abstract

Janssen PLTMK, Meyboom S, Van Staveren WA, De Vegt F, Katan MB. Consumption of ginger (*Zingiber Officinale Roscoe*) does not affect ex vivo platelet thromboxane production in humans. *Eur J Clin Nutr* 1996;50(11):772-774. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8933126&dopt=Abstract

Jia WC, Zhang YC, Wei AP. [Immune functional changes in patients of acute Henoch-Schonlein purpura and regulatory effect of integrated Traditional Chinese and Western medicine on it]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2001;21(8):585-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12575571&dopt=Abstract

Jiang X, Williams KM, Liauw WS, Ammit AJ, Roufogalis BD, Duke CC, Day RO, McLachlan AJ. Effect of St John's wort and ginseng on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2004;57(5):592-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15089812&dopt=Abstract

Jiang X, Williams KM, Liauw WS, Ammit AJ, Roufogalis BD, Duke CC, Day RO, McLachlan AJ. Effect of St John's wort and ginseng on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2004;57(5):592-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15089812&dopt=Abstract

Jung F, Mrowietz C, Kiesewetter H, Wenzel E. Effect of Ginkgo biloba on fluidity of blood and peripheral microcirculation in volunteers. *Arzneimittelforschung* 1990;40(5):589-93. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2383302&dopt=Abstract

Kiesewetter H, Jung F, Jung EM, Blume J, Mrowietz C, Birk A, Koscielny J, Wenzel E. Effects of garlic coated tablets in peripheral arterial occlusive disease. *Clin Investig* 1993;71(5):383-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8508009&dopt=Abstract

Kiesewetter H, Jung F, Jung EM, Mrowietz C, Koscielny J, Wenzel E. Effect of garlic on platelet aggregation in patients with increased risk of juvenile ischaemic attack. *Eur J Clin Pharmacol* 1993;45(4):333-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8299665&dopt=Abstract

Kiesewetter H, Jung F, Mrowietz C, Pindur G, Heiden M, Wenzel E, Gu LD. Effects of garlic on blood fluidity and fibrinolytic activity: a randomised, placebo-controlled, double-blind study. *Br J Clin Pract Suppl* 1990;69:24-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2128029&dopt=Abstract

Kohler S, Funk P, Kieser M. Influence of a 7-day treatment with Ginkgo biloba special extract EGb 761 on bleeding time and coagulation: A randomized, placebo-controlled, double-blind study in healthy volunteers. *Blood Coagul Fibrinolysis* 2004;15(4):303-309. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15166915&dopt=Abstract

Krivoy N, Pavlotzky E, Chribasik S, Eisenberg E, Brook G. Effect of salicis cortex extract on human platelet aggregation. *Planta Med* 2001;67(3):209-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11345689&dopt=Abstract

Legnani C, Frascaro M, Guazzaloca G, Ludovici S, Cesarano G, Coccheri S. Effects of a dried garlic preparation on fibrinolysis and platelet aggregation in healthy subjects. *Arzneimittelforschung* 1993;43(2):119-22. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8457236&dopt=Abstract

- Luley C, Lehmann-Leo W, Moller B, Martin T, Schwartzkopff W. Lack of efficacy of dried garlic in patients with hyperlipoproteinemia. *Arzneimittelforschung* 1986;36(4):766-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3521619&dopt=Abstract
- Lumb AB. Effect of dried ginger on human platelet function. *Thromb Haemost* 1994;71(1):110-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8165628&dopt=Abstract
- Luo YG, Liu YQ, Hu J. [Clinical study on effect of recombinant roasted licorice decoction combined with low-dose glucocorticoids in treating idiopathic thrombocytopenic purpura]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2001;21(7):501-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12575392&dopt=Abstract
- Miao YN, Chen MC, Huang Z. [Clinical observation on treatment of snake bite induced disseminated intravascular coagulation by qinwen baidu decoction]. *Zhongguo Zhong Yao Za Zhi* 2003;23(8):590-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14503057&dopt=Abstract
- Morris J, Burke V, Mori TA, Vandongen R, Beilin LJ. Effects of garlic extract on platelet aggregation: a randomized placebo-controlled double-blind study. *Clin Exp Pharmacol Physiol* 1995;22(6-7):414-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8582091&dopt=Abstract
- Steiner M, Li W. Aged garlic extract, a modulator of cardiovascular risk factors: a dose-finding study on the effects of AGE on platelet functions. *J Nutr* 2001;131(3s):980S-4S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11238801&dopt=Abstract
- Tang QZ, Huang CX, Jiang H. [Effect of buyang huanwu decoction on platelet function and fibrinolytic activity of unstable angina pectoris patients]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1997;17(9):523-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10322871&dopt=Abstract
- Valdes S, Arruzazabala ML, Fernandez L, Mas R, Carbalal D, Aleman C, Molina V. Effect of policosanol on platelet aggregation in healthy volunteers. *Int J Clin Pharmacol Res* 1996;16(2-3):67-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9063758&dopt=Abstract
- Verma SK, Bordia A. Ginger, fat and fibrinolysis. *Indian J Med Sci* 2001;55(2):83-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11482162&dopt=Abstract
- Wang J, Jing L, Zhong JB, Wang YY, Ma LH, Liu JG. [Clinical study on compatibility and dismantlement of Xuefu Zhuyu decoction]. *Zhongguo Zhong Yao Za Zhi* 2004;29(8):803-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15506300&dopt=Abstract
- Wang J, Xu J, Zhong JB. [Effect of Radix notoginseng saponins on platelet activating molecule expression and aggregation in patients with blood hyperviscosity syndrome]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2004;24(4):312-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15143716&dopt=Abstract
- Winther K, Kharazmi A, Himmelstrup H, Drabaek H, Mehlsen J. PADMA-28, a botanical compound, decreases the oxidative burst response of monocytes and improves fibrinolysis in patients with stable intermittent claudication. *Fibrinolysis* 1994;8(SUPPL. 2):47-49.

Yuan CS, Wei G, Dey L, Garrison T, Nahlik L, Maleckar S, Kasza K, Ang-Lee M, Moss J. Brief communication: American ginseng reduces warfarin's effect in healthy patients: a randomized, controlled Trial. Ann Intern Med 2004;141(1):23-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15238367&dopt=Abstract

Zeng FC, Hong F, Yang YQ. [Clinical study of zhinu-I,-II in treating 61 patients with idiopathic thrombocytopenic purpura]. Zhongguo Zhong Xi Yi Jie He Za Zhi 1996;16(4):207-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9206241&dopt=Abstract

Zha LL, Shen ZY, Zhang P. [Clinical and experimental research of buyang huanwu tang granule in treatment of ischemic apoplexy]. Zhongguo Zhong Xi Yi Jie He Za Zhi 1994;14(2):74-6, 67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8044011&dopt=Abstract

Zhang RJ, You C, Cai BW, Wan Y, He M, Li H. Effect of compound Salvia injection on blood coagulation in patients with traumatic cerebral infarction. Zhongguo Zhong Xi Yi Jie He Za Zhi 2004;24(10):882-884. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15553818&dopt=Abstract

Zhang XH, Lowe D, Giles P, Fell S, Board AR, Baughan JA, Connock MJ, Maslin DJ. A randomized trial of the effects of garlic oil upon coronary heart disease risk factors in trained male runners. Blood Coagul Fibrinolysis 2001;12(1):67-74. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11229829&dopt=Abstract

Ziae S, Hantoshzadeh S, Rezasoltani P, Lamyian M. The effect of garlic tablet on plasma lipids and platelet aggregation in nulliparous pregnants at high risk of preeclampsia. Eur J Obstet Gynecol Reprod Biol 2001;99(2):201-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11788172&dopt=Abstract

Other Dietary Supplements, Nutrients, and Drugs

Adams MR, Forsyth CJ, Jessup W, Robinson J, Celermajer DS. Oral L-arginine inhibits platelet aggregation but does not enhance endothelium-dependent dilation in healthy young men. J Am Coll Cardiol 1995;26(4):1054-1061. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7560599&dopt=Abstract

Bode-Boger SM, Boger RH, Galland A, Frolich JC. Differential inhibition of human platelet aggregation and thromboxane A₂ formation by L-arginine in vivo and in vitro. Naunyn Schmiedebergs Arch Pharmacol 1998;357(2):143-150. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9521487&dopt=Abstract

Chen YF, Lin YT, Wu SC. Effectiveness of coenzyme Q10 on myocardial preservation during hypothermic cardioplegic arrest. J Thorac Cardiovasc Surg 1994;107(1):242-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8283892&dopt=Abstract

Dent SB, Peterson CT, Brace LD, Swain JH, Reddy MB, Hanson KB, Robinson JG, Alekel DL. Soy protein intake by perimenopausal women does not affect circulating lipids and lipoproteins or coagulation and fibrinolytic factors. J Nutr 2001;131(9):2280-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11533267&dopt=Abstract

Engelsen J, Nielsen JD, Hansen KF. [Effect of Coenzyme Q10 and Ginkgo biloba on warfarin dosage in patients on long-term warfarin treatment. A randomized, double-blind, placebo-controlled cross-over trial]. Ugeskr Laeger 2003;165(18):1868-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12772396&dopt=Abstract

Engelsen J, Nielsen JD, Winther K. Effect of coenzyme Q10 and Ginkgo biloba on warfarin dosage in stable, long-term warfarin treated outpatients. A randomised, double blind, placebo-crossover trial. *Thromb Haemost* 2002;87(6):1075-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12083489&dopt=Abstract

Gooderham MH, Adlercreutz H, Ojala ST, Wahala K, Holub BJ. A soy protein isolate rich in genistein and daidzein and its effects on plasma isoflavone concentrations, platelet aggregation, blood lipids and fatty acid composition of plasma phospholipid in normal men. *J Nutr* 1996;126(8):2000-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8759372&dopt=Abstract

Menendez-Jandula B, Souto JC, Oliver A, Montserrat I, Quintana M, Gich I, Bonfill X, Fontcuberta J. Comparing self-management of oral anticoagulant therapy with clinic management: a randomized trial. *Ann Intern Med* 2005;142(1):1-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15630104&dopt=Abstract

Roughead ZK, Hunt JR, Johnson LK, Badger TM, Lykken GI. Controlled substitution of soy protein for meat protein: effects on calcium retention, bone, and cardiovascular health indices in postmenopausal women. *J Clin Endocrinol Metab* 2005;90(1):181-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15483071&dopt=Abstract

Siani A, Pagano E, Iacone R, Iacoviello L, Scopacasa F, Strazzullo P. Blood pressure and metabolic changes during dietary L-arginine supplementation in humans. *Am J Hypertens* 2000;13(5 Pt 1):547-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10826408&dopt=Abstract

Teede HJ, Dalais FS, Kotsopoulos D, McGrath BP, Malan E, Gan TE, Peverill RE. Dietary soy containing phytoestrogens does not activate the hemostatic system in postmenopausal women. *J Clin Endocrinol Metab* 2005;90(4):1936-1941. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15657372&dopt=Abstract

Wolf A, Zalpour C, Theilmeier G, Wang B, Ma A, Anderson B, Tsao PS, Cooke JP. Dietary L-arginine supplementation normalizes platelet aggregation in hypercholesterolemic humans. *J Am Coll Cardiol* 1997;29(3):479-485. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9060881&dopt=Abstract

Foods

Biong AS, Muller H, Seljeflot I, Veierod MB, Pedersen JI. A comparison of the effects of cheese and butter on serum lipids, haemostatic variables and homocysteine. *Br J Nutr* 2004;92(5):791-797. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15533268&dopt=Abstract

Challen AD, Branch WJ, Cummings JH. The effect of pectin and wheat bran on platelet function and haemostasis in man. *Hum Nutr Clin Nutr* 1983;37(3):209-17. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6307933&dopt=Abstract

Duttaroy AK, Jorgensen A. Effects of kiwi fruit consumption on platelet aggregation and plasma lipids in healthy human volunteers. *Platelets* 2004;15(5):287-92. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15370099&dopt=Abstract

Freese R, Vaarala O, Turpeinen AM, Mutanen M. No difference in platelet activation or inflammation markers after diets rich or poor in vegetables, berries and apple in healthy subjects. *Eur J Nutr* 2004;43(3):175-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15168040&dopt=Abstract

Hansen AS, Marckmann P, Dragsted LO, Finne Nielsen I-L, Nielsen SE, Gronbaek M. Effect of red wine and red grape extract on blood lipids, haemostatic factors, and other risk factors for cardiovascular disease. Eur J Clin Nutr 2005;59(3):449-455. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674304&dopt=Abstract

Kalus U, Pindur G, Jung F, Mayer B, Radtke H, Bachmann K, Mrowietz C, Koscielny J, Kiesewetter H. Influence of the onion as an essential ingredient of the Mediterranean diet on arterial blood pressure and blood fluidity. Arzneimittelforschung 2000;50(9):795-801. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11050695&dopt=Abstract

Lazarus SA, Bowen K, Garg ML. Tomato juice and platelet aggregation in type 2 diabetes. JAMA 2004;292(7):805-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15315994&dopt=Abstract

CONTROLLED (NON-RANDOMIZED) CLINICAL TRIALS

Vitamins

Andersen P, Godal HC. Predictable reduction in anticoagulant activity of warfarin by small amounts of vitamin K. *Acta Med Scand* 1975;198(4):269-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1189983&dopt=Abstract

Bordia AK. The effect of vitamin C on blood lipids, fibrinolytic activity and platelet adhesiveness in patients with coronary artery disease. *Atherosclerosis* 1980;35(2):181-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7352955&dopt=Abstract

Brown KM, Morrice PC, Duthie GG. Vitamin E supplementation suppresses indexes of lipid peroxidation and platelet counts in blood of smokers and nonsmokers but plasma lipoprotein concentrations remain unchanged. *Am J Clin Nutr* 1994;60(3):383-387. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8074069&dopt=Abstract

Canfield LM, Corrigan JJ, Jr., Plezia PM, Jeter M, Sayers S, Alberts DS. Effects of chronic beta-carotene supplementation on vitamin K status in adults. *Nutr Cancer* 1990;13(4):263-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2189123&dopt=Abstract

Gisinger C, Jeremy J, Speiser P, Mikhailidis D, Dandona P, Schernthaler G. Effect of vitamin E supplementation on platelet thromboxane A2 production in type I diabetic patients. Double-blind crossover trial. *Diabetes* 1988;37(9):1260-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3044891&dopt=Abstract

Goossens N. [On activation of fibrinolysis in vitro and in vivo by nicotinic acid, heparin and their mixtures]. *Med Welt* 1967;14:899-903. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4869469&dopt=Abstract

Huraib S, Tanimu D, Shaheen F, Hejaili F, Giles C, Pagayon V. Effect of vitamin-E-modified dialysers on dialyser clotting, erythropoietin and heparin dosage: a comparative crossover study. *Am J Nephrol* 2000;20(5):364-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11092992&dopt=Abstract

Kurnik D, Loebstein R, Rabinovitz H, Austerweil N, Halkin H, Almog S. Over-the-counter vitamin K1-containing multivitamin supplements disrupt warfarin anticoagulation in vitamin K1-depleted patients. A prospective, controlled trial. *Thromb Haemost* 2004;92(5):1018-24. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15543329&dopt=Abstract

Malik S, Udani RH, Bichile SK, Agrawal RM, Bahrainwala AT, Tilaye S. Comparative study of oral versus injectable vitamin K in neonates. *Indian Pediatr* 1992;29(7):857-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1428134&dopt=Abstract

Marongiu F, Sorano GG, Conti M, Mameli G, Biondi G, Licheri D, Balastrieri A. Known vitamin K intake and management of poorly controlled oral anticoagulant therapy. *Lancet* 1992;340(8818):545-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1354291&dopt=Abstract

Memin Y, Najean Hueber E. [Double-blind study based upon a quantitative appreciation scale of treating chronic cerebrovascular disorders]. *Therapeutique* 1973;49(9):605-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4600040&dopt=Abstract

Nakamura K, Toyohira H, Kariyazono H, Ishibashi M, Saigenji H, Shimokawa S, Taira A. Anticoagulant effects of warfarin and kinetics of K vitamins in blood and feces. Artery 1994;21(3):148-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7794122&dopt=Abstract

Roncaglioni MC. Aspirin but not vitamin E prevented cardiovascular events in patients at risk. Evid Based Med 2001;6(4):112.

Senturk UK, Yalcin O, Gunduz F, Kuru O, Meiselman HJ, Baskurt OK. Effect of antioxidant vitamin treatment on the time course of hematological and hemorheological alterations after an exhausting exercise episode in human subjects. J Appl Physiol 2005;98(4):1272-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15579575&dopt=Abstract

Suttie JW, Mumma-Schendel LL, Shah DV, Lyle BJ, Greger JL. Vitamin K deficiency from dietary vitamin K restriction in humans. Am J Clin Nutr 1988;47(3):475-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3348159&dopt=Abstract

Suzuki S. [Changes brought about in blood coagulation in the newborn by administration of vitamin K2. I. Studies of the physiology of coagulation (author's transl)]. Z Kinderheilkd 1973;115(3):245-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4770088&dopt=Abstract

Suzuki S, Kanagawa K, Maki M, Shirahama K, Terao T. [Effect of vitamin K2 syrup in neonatal hypoprothrombinemia]. Monatsschr Kinderheilkd 1984;132(5):290-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6749152&dopt=Abstract

Suzuki S, Maki M, Shirakawa K, Terao T. The effects of vitamin K2 syrup on neonatal hypoprothrombinemia--double blind study. Nippon Ketsueki Gakkai Zasshi 1982;45(4):876-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7136474&dopt=Abstract

Turazza G, Spreafico PL, Frandoli G. Comparative investigations on the effect of nicotinic acid alone and in association with a synthetic, heparin-like sulfated polyanion on fibrinolysis, platelet aggregation and lipidic fractions. Arzneimittelforschung 1973;23(5):654-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4575777&dopt=Abstract

Usui Y, Tanimura H, Nishimura N, Kobayashi N, Okanoue T, Ozawa K. Vitamin K concentrations in the plasma and liver of surgical patients. Am J Clin Nutr 1990;51(5):846-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2333843&dopt=Abstract

Williams JC, Forster LA, Tull SP, Wong M, Bevan RJ, Ferns GA. Dietary vitamin E supplementation inhibits thrombin-induced platelet aggregation, but not monocyte adhesiveness, in patients with hypercholesterolaemia. Int J Exp Pathol 1997;78(4):259-66. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9505937&dopt=Abstract

Minerals

Kurtoglu E, Ugur A, Baltaci AK, Halifeoglu I. Effects of trace element levels on platelet aggregation. Biol Trace Elem Res 2004;99(1-3):93-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15235144&dopt=Abstract

Mutanen M, Viita L, Mykkanen HM. Selenium supplementation does not alter platelet activation in subjects with normal selenium status. *Int J Vitam Nutr Res* 1989;59(3):309-13. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2532184&dopt=Abstract

Fatty acids

Bach R, Schmidt U, Jung F, Kiesewetter H, Hennen B, Wenzel E, Schieffer H, Bette L, Heyden S. Effects of fish oil capsules in two dosages on blood pressure, platelet functions, haemorheological and clinical chemistry parameters in apparently healthy subjects. *Ann Nutr Metab* 1989;33(6):359-67. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2694923&dopt=Abstract

Driss F, Vericel E, Lagarde M, Dechavanne M, Darcet P. Inhibition of platelet aggregation and thromboxane synthesis after intake of small amount of icosapentaenoic acid. *Thromb Res* 1984;36(5):389-96. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6098051&dopt=Abstract

Freese R, Mutanen M. Alpha-linolenic acid and marine long-chain n-3 fatty acids differ only slightly in their effects on hemostatic factors in healthy subjects. *Am J Clin Nutr* 1997;66(3):591-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9280178&dopt=Abstract

Freese R, Mutanen M, Valsta LM, Salminen I. Comparison of the effects of two diets rich in monounsaturated fatty acids differing in their linoleic/alpha-linolenic acid ratio on platelet aggregation. *Thromb Haemost* 1994;71(1):73-77. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7909389&dopt=Abstract

Hansen JB, Olsen JO, Wilsgard L, Osterud B. Effects of dietary supplementation with cod liver oil on monocyte thromboplastin synthesis, coagulation and fibrinolysis. *J Intern Med Suppl* 1989;225(731):133-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2539830&dopt=Abstract

Nelson GJ, Schmidt PC, Bartolini G, Kelley DS, Kyle D. The effect of dietary arachidonic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. *Lipids* 1997;32(4):421-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9113631&dopt=Abstract

Nelson GJ, Schmidt PS, Bartolini GL, Kelley DS, Kyle D. The effect of dietary docosahexaenoic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. *Lipids* 1997;32(11):1129-36. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9397397&dopt=Abstract

Pirich C, Gaszo A, Granegger S, Sinzinger H. Effects of fish oil supplementation on platelet survival and ex vivo platelet function in hypercholesterolemic patients. *Thromb Res* 1999;96(3):219-227. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10588465&dopt=Abstract

Pyzh MV, Gratsiansky NA, Dobrovolsky AB. [The effect of the long-term use of a diet enriched with omega-3 polyunsaturated fatty acids on the fatty acid composition, fibrinolytic system indices and lipid spectrum of the blood in patients with ischemic heart disease]. *Kardiologiiia* 1993;33(10):46-50+5-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8139173&dopt=Abstract

Salonen R, Nikkari T, Seppanen K, Venalainen JM, Ihnainen M, Rissanen V, Rauramaa R, Salonen JT. Effect of omega-3 fatty acid supplementation on platelet aggregability and platelet produced thromboxane. *Thromb Haemost* 1987;57(3):269-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3660329&dopt=Abstract

Smith P, Arnesen H, Opstad T, Dahl K, Eritsland J. Influence of highly concentrated N-3 fatty acids on serum lipids and hemostatic variables in survivors of myocardial infarction receiving either oral anticoagulants or matching placebo. *Thromb Res* 1989;53(5):467-474. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2660319&dopt=Abstract

Suehiro A, Higasa S, Ueda M, Oura Y, Kakishita E. Combination effect of eicosapentaenoic acid and platelet suppressive agents on platelets. *Curr Ther Res Clin Exp* 1994;55(6):653-659.

Turpeinen AM, Pajari AM, Freese R, Sauer R, Mutanen M. Replacement of dietary saturated by unsaturated fatty acids: Effects on platelet protein kinase C activity, urinary content of 2,3-dinor-TXB₂ and in vitro platelet aggregation in healthy man. *Thromb Haemost* 1998;80(4):649-655. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9798986&dopt=Abstract

Herbal/Other Botanical Supplements

Azizov AP. [Effects of eleutherococcus, elton, leuzea, and leveton on the blood coagulation system during training in athletes]. *Eksp Klin Farmakol* 1997;60(5):58-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9483409&dopt=Abstract

Belch JJ, Shaw B, O'Dowd A, Saniabadi A, Leiberman P, Sturrock RD, Forbes CD. Evening primrose oil (Efamol) in the treatment of Raynaud's phenomenon: a double blind study. *Thromb Haemost* 1985;54(2):490-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4082084&dopt=Abstract

Bordia A, Verma SK, Srivastava KC. Effect of ginger (*Zingiber officinale* Rosc.) and fenugreek (*Trigonella foenumgraecum* L.) on blood lipids, blood sugar and platelet aggregation in patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 1997;56(5):379-384. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9175175&dopt=Abstract

Gardner SF, Franks AM, Gurley BJ, Haller CA, Singh BK, Mehta JL. Effect of a multicomponent, ephedra-containing dietary supplement (Metabolife 356) on Holter monitoring and hemostatic parameters in healthy volunteers. *Am J Cardiol* 2003;91(12):1510-3, A9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12804749&dopt=Abstract

Glatzel H, Ruberg-Schweer M. [Modification of blood coagulation and fibrinolysis by common spices]. *Med Klin* 1967;62(28):1086-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5592483&dopt=Abstract

Jiang H-Y, Guo S-J, Shan L-L. Effect of qileng decoction on the hemorheology of patients with transient ischemic attack. *Chin J Clin Rehabil* 2004;8(34):7736-7737.

Johansson AK, Korte H, Yang B, Stanley JC, Kallio HP. Sea buckthorn berry oil inhibits platelet aggregation. *J Nutr Biochem* 2000;11(10):491-495. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11120446&dopt=Abstract

Kiesewetter H, Jung F, Pindur G, Jung EM, Mrowietz C, Wenzel E. Effect of garlic on thrombocyte aggregation, microcirculation, and other risk factors. *Int J Clin Pharmacol Ther* 1991;29(4):151-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2071264&dopt=Abstract

Nagayama H, Sugiyama T, Tada T, Okada Y. Clinical application of plant protease (Kimotab) in the surgical field. *Nippon Geka Hokan* 1966;35(2):395-406. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4226836&dopt=Abstract

Nill HJ, Fischer H. [Comparative investigations concerning the effect of extract of horse chestnut upon the pressure-volume-diagramm of patients with venous disorders]. *Arztl Forsch* 1970;24(5):141-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4938002&dopt=Abstract

Schneider J, Maglett L. [Studies on the efficacy of Essaven]. *Med Welt* 1965;43:2454-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5326223&dopt=Abstract

Seligman B. Oral bromelains as adjuncts in the treatment of acute thrombophlebitis. *Angiology* 1969;20(1):22-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4885019&dopt=Abstract

Shen D, Shen L, Wang AL. [Effect of xiaoyu pian on new platelet aggregation defect]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1994;14(10):589-91. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7719089&dopt=Abstract

Wang N. Effect of the principle of activating blood circulation to break stasis on GMP-140 and D2 dimer in patients with acute cerebral infarction. *Chin J Integr Med* 2005;11(1):69-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15975314&dopt=Abstract

Other Dietary Supplements, Nutrients, and Drugs

Langsjoen PH, Vadhanavikit S, Folkers K. Response of patients in classes III and IV of cardiomyopathy to therapy in a blind and crossover trial with coenzyme Q10. *Proc Natl Acad Sci U S A* 1985;82(12):4240-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3858877&dopt=Abstract

Pinals RS. Salicylates in the management of rheumatoid arthritis. *Mod Treat* 1971;8(4):796-806. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5316723&dopt=Abstract

Steinhauer HB, Kluthe R, Lubrich I, Schollmeyer P. Effect of L-histidine in vivo on human platelet function and arachidonic acid metabolism. *Prostaglandins Leukot Med* 1985;18(2):245-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3925464&dopt=Abstract

Uner A, Caliskan U, Oner AF, Koc H, Kasap AF. Platelet functions in patients with protein-energy malnutrition. *Clin Appl Thromb Hemost* 2001;7(4):286-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11697710&dopt=Abstract

Foods

Ali M, Thomson M. Consumption of a garlic clove a day could be beneficial in preventing thrombosis. *Prostaglandins Leukot Essent Fatty Acids* 1995;53(3):211-212. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7480084&dopt=Abstract

Mezzano D. Distinctive effects of red wine and diet on haemostatic cardiovascular risk factors. *Biol Res* 2004;37(2):217-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15455650&dopt=Abstract

Uner A, Caliskan U, Oner AF, Koc H, Kasap AF.
Platelet functions in patients with protein-energy
malnutrition. Clin Appl Thromb Hemost
2001;7(4):286-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11697710&dopt=Abstract

OTHER CLINICAL/HUMAN STUDIES

Vitamins

- Agapova EN, Krutovskaya OV, Mikhailovskaya IG. [Effect of vitamin B-15 and methyluracil on the coagulating properties of the blood and functional status of the liver in hypertension]. Ter Arkh 1969;41(9):51-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5396450&dopt=Abstract
- Agapova EN, Krutovskaya OV, Mikhailovskaya IG. [Blood coagulation and protein-lipid metabolism in patients with hypertension during treatment with vitamin B 12 and folic acid]. Sov Med 1971;34(4):75-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5143759&dopt=Abstract
- Andrassy T, Paul I, Andrassy K. [Blood coagulation inhibition by vitamin C?]. Med Welt 1974;33(34):1308-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4408679&dopt=Abstract
- Anonymous. [Study on secondary prevention of myocardial infarct (EPSIM). Work of the EPSIM research group]. Arch Mal Coeur Vaiss 1982;75 Spec No:1-130. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6820624&dopt=Abstract
- Applegate WV, Forsythe A, Bauernfeind JB. Physiological and psychological effects of vitamins E and B6 on women taking oral contraceptives. Int J Vitam Nutr Res 1979;49(1):43-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3764676&dopt=Abstract
- Arthur G, Monro JA, Poore P, Rilwan WB, Murphy EL. Trial of ascorbic acid in purpura and sublingual haemorrhages. Br Med J 1967;1(542):732-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5335735&dopt=Abstract

Asakura H, Myou S, Ontachi Y, Mizutani T, Kato M, Saito M, Morishita E, Yamazaki M, Nakao S. Vitamin K administration to elderly patients with osteoporosis induces no hemostatic activation, even in those with suspected vitamin K deficiency. Osteoporos Int 2001;12(12):996-1000. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11846334&dopt=Abstract

Bach AU, Anderson SA, Foley AL, Williams EC, Suttie JW. Assessment of vitamin K status in human subjects administered 'minidose' warfarin. Am J Clin Nutr 1996;64(6):894-902. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8942414&dopt=Abstract

Bassenge E, Fink N, Skatchkov M, Fink B. Dietary supplement with vitamin C prevents nitrate tolerance. J Clin Invest 1998;102(1):67-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9649558&dopt=Abstract

Bielawiec M. [Clinical and experimental studies on fibrinolysis activation]. Roczn Akad Med Im Juliana Marchlewskiego Bialymst Suppl 1967;15:1-92. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4953138&dopt=Abstract

Bordia A, Paliwal DK, Jain K, Kothari LK. Acute effect of ascorbic acid on fibrinolytic activity. Atherosclerosis 1978;30(4):351-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5684766&dopt=Abstract

Borets VM. [The effect of riboflavin on the blood coagulation and anticoagulation systems in patients with atherosclerosis and hypertension]. Klin Med (Mosk) 1968;46(8):37-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5707099&dopt=Abstract

Braginskii BM, Borets VM, Ustilovskii VD. [Effect of biotin on several indices of protein and lipid metabolism, state of the coagulation and anticoagulation system and thromboelastograms in patients with arteriosclerosis and hypertensive disease]. Kardiologiya 1970;10(9):149-50.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5501508&dopt=Abstract

Breckenridge A. Oral anticoagulants--the totem and the taboo. Br Med J 1976;1(6007):419-23.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=766893&dopt=Abstract

Brophy MT, Fiore LD, Deykin D. Low-dose vitamin K therapy in excessively anticoagulated patients: A dose-finding study. J Thromb Thrombolysis 1997;4(2):289-292. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10639272&dopt=Abstract

Brown JE, Wahle KW. Effect of fish-oil and vitamin E supplementation on lipid peroxidation and whole-blood aggregation in man. Clin Chim Acta 1990;193(3):147-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2282693&dopt=Abstract

Byrd DC, Stephens MA, Hamann GL, Dorko C. Subcutaneous phytonadione for reversal of warfarin-induced elevation of the International Normalized Ratio. Am J Health Syst Pharm 1999;56(22):2312-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10582823&dopt=Abstract

Chernomorets NN, Kotlubei GV, Vatutin NT, Zhivotovskaia IA, Gnilitckaia VB, Alifanova RE, Lobach E, Mal'tseva NV, Mitrofanov AN. [The effect of tocopherol and nicotinic acid on the microcirculation and blood coagulability in patients with ischemic heart disease]. Vrach Delo 1990(12):6-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2089804&dopt=Abstract

Chistolini A, Mazzucconi G, De Sanctis V, Dragoni F, Mandelli F. Ascorbic acid for the treatment of autoimmune thrombocytopenic purpura. Haematologica 1992;77(2):187-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1398308&dopt=Abstract

Cordova C, Musca A, Violi F, Perrone A, Alessandri C. Influence of ascorbic acid on platelet aggregation in vitro and in vivo. Atherosclerosis 1982;41(1):15-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7073791&dopt=Abstract

Cornelissen M, Steegers-Theunissen R, Kollee L, Eskes T, Motohara K, Monnens L. Supplementation of vitamin K in pregnant women receiving anticonvulsant therapy prevents neonatal vitamin K deficiency. Am J Obstet Gynecol 1993;168(3 Pt 1):884-8.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8456897&dopt=Abstract

Cornelissen M, von Kries R, Loughnan P, Schubiger G. Prevention of vitamin K deficiency bleeding: efficacy of different multiple oral dose schedules of vitamin K. Eur J Pediatr 1997;156(2):126-30.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9039517&dopt=Abstract

Costakos DT, Greer FR, Love LA, Dahlen LR, Suttie JW. Vitamin K prophylaxis for premature infants: 1 mg versus 0.5 mg. Am J Perinatol 2003;20(8):485-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14703597&dopt=Abstract

Crawford GP, Warlow CP, Bennett B, Dawson AA, Douglas AS, Kerridge DF, Ogston D. The effect of vitamin C supplements on serum cholesterol, coagulation, fibrinolysis and platelet adhesiveness. Atherosclerosis 1975;21(3):451-4.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=807225&dopt=Abstract

- Crowther MA, Donovan D, Harrison L, McGinnis J, Ginsberg J. Low-dose oral vitamin K reliably reverses over-anticoagulation due to warfarin. *Thromb Haemost* 1998;79(6):1116-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9657434&dopt=Abstract
- Davi G, Di Minno G, Coppola A, Andria G, Cerbone AM, Madonna P, Tufano A, Falco A, Marchesani P, Ciabattoni G, Patrono C. Oxidative stress and platelet activation in homozygous homocystinuria. *Circulation* 2001;104(10):1124-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11535567&dopt=Abstract
- Deol PS, Barnes TA, Dampier K, Pasi KJ, Oppenheimer C, Pavord SR. The effects of folic acid supplements on coagulation status in pregnancy. *Br J Haematol* 2004;127(2):204-208. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15461627&dopt=Abstract
- Duong TM, Plowman BK, Morreale AP, Janetzky K. Retrospective and prospective analyses of the treatment of overanticoagulated patients. *Pharmacotherapy* 1998;18(6):1264-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9855325&dopt=Abstract
- Feetam CL, Leach RH, Meynell MJ. Lack of a clinically important interaction between warfarin and ascorbic acid. *Toxicol Appl Pharmacol* 1975;31(3):544-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1145638&dopt=Abstract
- Ferber P, Moll K, Koschinsky T, Rosen P, Susanto F, Schwippert B, Tschope D. High dose supplementation of RRR-alpha-tocopherol decreases cellular hemostasis but accelerates plasmatic coagulation in type 2 diabetes mellitus. *Horm Metab Res* 1999;31(12):665-71. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10668920&dopt=Abstract
- Fink B, Bassenge E. Association between vascular tolerance and platelet upregulation: comparison of nonintermittent administration of pentaerithrityltetranitrate and glyceryltrinitrate. *J Cardiovasc Pharmacol* 2002;40(6):890-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12451322&dopt=Abstract
- Hagstrom JN, Bovill EG, Soll RF, Davidson KW, Sadowski JA. The pharmacokinetics and lipoprotein fraction distribution of intramuscular vs. oral vitamin K1 supplementation in women of childbearing age: effects on hemostasis. *Thromb Haemost* 1995;74(6):1486-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8772225&dopt=Abstract
- Hanck AB. [Blood coagulation in man during a 3-week daily rg L(+)-ascorbic acid administration]. *Blut* 1975;30(1):47-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1111655&dopt=Abstract
- Jandak J, Steiner M, Richardson PD. Reduction of platelet adhesiveness by vitamin E supplementation in humans. *Thromb Res* 1988;49(4):393-404. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3381198&dopt=Abstract
- Jandak J, Steiner M, Richardson PD. Alpha-tocopherol, an effective inhibitor of platelet adhesion. *Blood* 1989;73(1):141-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2910355&dopt=Abstract
- Jenkins ME, Gottschlich MM, Kopcha R, Khouri J, Warden GD. A prospective analysis of serum vitamin K in severely burned pediatric patients. *J Burn Care Rehabil* 1998;19(1 Pt 1):75-81; discussion 73-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9502029&dopt=Abstract

- Johansson JO, Egberg N, Asplund-Carlson A, Carlson LA. Nicotinic acid treatment shifts the fibrinolytic balance favourably and decreases plasma fibrinogen in hypertriglyceridaemic men. *J Cardiovasc Risk* 1997;4(3):165-71. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9475670&dopt=Abstract
- Kamali F, Edwards C, Butler TJ, Wynne HA. The contribution of plasma (R)- & (S)-warfarin and vitamin K concentrations to intra-individual variability in anticoagulation. *Thromb Haemost* 2000;83(2):349-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10739399&dopt=Abstract
- Kamali F, Edwards C, Butler TJ, Wynne HA. The influence of (R)- and (S)-warfarin, vitamin K and vitamin K epoxide upon warfarin anticoagulation. *Thromb Haemost* 2000;84(1):39-42. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10928467&dopt=Abstract
- Karduss Urueta A, Morales Polanco MR, Pizzuto Chavez J, Meillon Garcia LA. [Results of the treatment of chronic idiopathic thrombocytopenic purpura with ascorbic acid]. *Gac Med Mex* 1993;129(1):23-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8063073&dopt=Abstract
- Kelly KC, Raj G, Weideman RA. Influence of body weight on response to subcutaneous vitamin K administration in over-anticoagulated patients. *Am J Med* 2001;110(8):623-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11382370&dopt=Abstract
- Khan T, Wynne H, Wood P, Torrance A, Hankey C, Avery P, Kesteven P, Kamali F. Dietary vitamin K influences intra-individual variability in anticoagulant response to warfarin. *Br J Haematol* 2004;124(3):348-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14717783&dopt=Abstract
- Kiseleva LN, Romanenko GK. [Changes in the coagulation and anti-coagulation systems of the blood under the influence of nicotinic acid]. *Klin Med (Mosk)* 1966;44(1):48-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5988141&dopt=Abstract
- Korsan-Bengtsen K, Elmfeldt D, Holm T. Prolonged plasma clotting time and decreased fibrinolysis after long term treatment with alpha-tocopherol. *Thromb Diath Haemorrh* 1974;31(3):505-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4422949&dopt=Abstract
- Kovacs MJ, Kearon C, Rodger M, Anderson DR, Turpie AG, Bates SM, Desjardins L, Douketis J, Kahn SR, Solymoss S, Wells PS. Single-arm study of bridging therapy with low-molecular-weight heparin for patients at risk of arterial embolism who require temporary interruption of warfarin. *Circulation* 2004;110(12):1658-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15364803&dopt=Abstract
- Leggio ML, Cattaneo F, Masera G. [The thrombotest in the normal infant: response to vitamin K]. *Minerva Pediatr* 1968;20(28):1458-61. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5705349&dopt=Abstract
- Levy Y, Bartha P, Ben-Amotz A, Brook JG, Dankner G, Lin S, Hammerman H. Plasma antioxidants and lipid peroxidation in acute myocardial infarction and thrombolysis. *J Am Coll Nutr* 1998;17(4):337-41. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9710842&dopt=Abstract
- Lipkan GN, Umovist NM. [Effect of vitamin B 6 therapy on blood coagulation indicators in patients with arteriosclerotic dystrophy of macula lutea]. *Vrach Delo* 1975(8):52-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1221607&dopt=Abstract

- Locatelli R, Centonza D, Bregani P, Esposito R. [Changes in fibrinolysis after administration of theophylline nicotinate]. *Haematologica* 1967;52(2):132-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4976133&dopt=Abstract
- Loureiro DM, Lopes LH, Vignal CV, Morelli VM. [Clinical and laboratory evaluation of patients treated with oral anticoagulation]. *Arq Bras Cardiol* 1997;68(5):353-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9497524&dopt=Abstract
- Lubetsky A, Dekel-Stern E, Chetrit A, Lubin F, Halkin H. Vitamin K intake and sensitivity to warfarin in patients consuming regular diets. *Thromb Haemost* 1999;81(3):396-399. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10102468&dopt=Abstract
- Mabile L, Bruckdorfer KR, Rice-Evans C. Moderate supplementation with natural alpha-tocopherol decreases platelet aggregation and low-density lipoprotein oxidation. *Atherosclerosis* 1999;147(1):177-85. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10525139&dopt=Abstract
- MacLaren R, Wilson SJ, Campbell A, Anderson D, Rocker G. Evaluation and survey of intravenous vitamin K1 for treatment of coagulopathy in critically ill patients. *Pharmacotherapy* 2001;21(2):175-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11213854&dopt=Abstract
- Magallon Martinez M, Ortega Blanco F, Gago de Luis J, Jover Sagarra S, Martin Villar J. [New looks in the treatment of haemophilia "A" patients with specific factor VIII inhibitors (author's transl)]. *Sangre (Barc)* 1978;23(1):47-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=345497&dopt=Abstract
- Mathur GP, Mathur S, Goenka R, Bhalla JN, Agarwal A, Tripathi VN. Prothrombin time in first week of life with special reference to vitamin K administration. *Indian Pediatr* 1990;27(7):723-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2246044&dopt=Abstract
- Mayer O, Filipovsky J, Hromadka M, Svobodova V, Racek J, Mayer O, Jr., Stehlík P, Trefil L, Zarybnicka M. Treatment of hyperhomocysteinemia with folic acid: effects on homocysteine levels, coagulation status, and oxidative stress markers. *J Cardiovasc Pharmacol* 2002;39(6):851-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12021579&dopt=Abstract
- Mayer O, Jr., Simon J, Rosolova H, Hromadka M, Subrt I, Vobrubova I. The effects of folate supplementation on some coagulation parameters and oxidative status surrogates. *Eur J Clin Pharmacol* 2002;58(1):1-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11956665&dopt=Abstract
- McCarty MF. An antithrombotic role for nutritional antioxidants: implications for tumor metastasis and other pathologies. *Med Hypotheses* 1986;19(4):345-57. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3520253&dopt=Abstract
- Nielsen NC. Coagulation and fibrinolysis in normal women immediately post partum and in newborn infants. Influence of prophylactic vitamin K. *Acta Obstet Gynecol Scand* 1969;48(3):371-91. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5370777&dopt=Abstract
- Ogata T, Motohara K, Endo F, Kondo Y, Ikeda T, Kudo Y, Iribe K, Matsuda I. Vitamin K effect in low birth weight infants. *Pediatrics* 1988;81(3):423-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3344186&dopt=Abstract

- O'Reilly RA. Vitamin K and oral anticoagulant drugs as competitive antagonists in man. *Pharmacology* 1972;7(3):149-58. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5054585&dopt=Abstract
- Panchenko VM, Baranov GF, Baishev UA, Aleshkina VA. [Effect of oxygen-vitamin cocktails on the hemocoagulation process in patients with hypertensive disease and chronic coronary insufficiency]. *Sov Med* 1970;33(10):30-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5504184&dopt=Abstract
- Rifici VA, Schneider SH, Chen Y, Khachadurian AK. Administration of antioxidant vitamins does not alter plasma fibrinolytic activity in subjects with central obesity. *Thromb Haemost* 1997;78(3):1111-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9308762&dopt=Abstract
- Rossi R, Albrecht O, Pollmann H, Jorch G, Harms E. Effect of a reduced vitamin K supplementation on prothrombin time in prematures and high-risk neonates. *Acta Paediatr* 1996;85(6):747-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8816216&dopt=Abstract
- Sargent FB, Judkins RF, Pai VT, Bellino JP. Effect of the preoperative ingestion of vitamin K1 on prothrombin time. Hypoprothrombinemia, rarely a cause of bleeding after tonsillectomy, warrants attention where malnutrition is suspected. *R I Med J* 1971;54(3):151-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5279724&dopt=Abstract
- Schurgers LJ, Shearer MJ, Hamulyak K, Stocklin E, Vermeer C. Effect of vitamin K intake on the stability of oral anticoagulant treatment: dose-response relationships in healthy subjects. *Blood* 2004;104(9):2682-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15231565&dopt=Abstract
- Shetty HG, Backhouse G, Bentley DP, Routledge PA. Effective reversal of warfarin-induced excessive anticoagulation with low dose vitamin K1. *Thromb Haemost* 1992;67(1):13-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1615468&dopt=Abstract
- Shimizu M, Hatta Y, Hayashi H, Itokawa M, Yanagisawa Y. Effect of ascorbic acid on fibrinolysis. *Nippon Ketsueki Gakkai Zasshi* 1970;33(1):137-48. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5530148&dopt=Abstract
- Skrha J, Sindelka G, Kvasnicka J, Hilgertova J. Insulin action and fibrinolysis influenced by vitamin E in obese Type 2 diabetes mellitus. *Diabetes Res Clin Pract* 1999;44(1):27-33. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10414937&dopt=Abstract
- Souto JC, Almasy L, Borrell M, Stone WH, Blanco-Vaca F, Soria JM, Blangero J, Fontcuberta J. Thromboplastin-thrombomodulin-mediated time and serum folate levels are genetically correlated with the risk of thromboembolic disease: results from the GAIT project. *Thromb Haemost* 2002;87(1):68-73. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11848458&dopt=Abstract
- Steiner M. Alpha-tocopherol: a potent inhibitor of platelet adhesion. *J Nutr Sci Vitaminol (Tokyo)* 1992;Spec No:191-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1297738&dopt=Abstract
- Udut VV, Kairov GT, Borodulina EV, V'Iugova L M. [The duration of the action of a single dose of aspirin, kurantil and nicotinic acid during pregnancy complicated by EPH gestosis]. *Eksp Klin Farmakol* 1999;62(3):37-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10439946&dopt=Abstract

- Vakrilova L, Mladenova A, Sluncheva B. [Coagulation tests in newborn infants and their dynamics in relation to vitamin K prophylaxis]. Akush Ginekol (Sofia) 1993;32(3):20-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8037311&dopt=Abstract
- Vakrilova L, Sluncheva B, Mladenova A. [The effects of intramuscular and oral prophylaxis with vitamin K on the coagulation status of low-weight newborn infants]. Akush Ginekol (Sofia) 1995;34(1):12-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7485790&dopt=Abstract
- van Wyk V, Luus HG, Heyns AD. The in vivo effect in humans of pyridoxal-5'-phosphate on platelet function and blood coagulation. Thromb Res 1992;66(6):657-68. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1519226&dopt=Abstract
- Vianelli N, Gugliotta L, Gianni L, Belmonte MM, Catani L, Tura S. Ascorbic acid for the treatment of chronic refractory idiopathic thrombocytopenic purpura (ITP). Haematologica 1992;77(1):92-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1398290&dopt=Abstract
- Weibert RT, Dzung The L, Kayser SR, Rapaport SI. Correction of excessive anticoagulation with low-dose oral vitamin K 1. Ann Intern Med 1997;126(12):959-962. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9182473&dopt=Abstract
- White RH, Minton SM, Andya MD, Hutchinson R. Temporary reversal of anticoagulation using oral vitamin K. J Thromb Trombolysis 2000;10(2):149-153. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11005937&dopt=Abstract
- Whitling AM, Bussey HI, Lyons RM. Comparing different routes and doses of phytonadione for reversing excessive anticoagulation. Arch Intern Med 1998;158(19):2136-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9801181&dopt=Abstract
- Yasaka M, Sakata T, Minematsu K, Naritomi H. Correction of INR by prothrombin complex concentrate and vitamin K in patients with warfarin related hemorrhagic complication. Thromb Res 2002;108(1):25-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12586128&dopt=Abstract
- Yasunaga K. [Comparative studies on the effectiveness of vitamin K1 and vitamin K2]. Naika Hokan 1970;17(9):279-83. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5531458&dopt=Abstract
- ## Minerals
- Gawaz M, Reininger A, Neumann FJ. Platelet function and platelet-leukocyte adhesion in symptomatic coronary heart disease. Effects of intravenous magnesium. Thromb Res 1996;83(5):341-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8873343&dopt=Abstract
- Kurekci AE, Atay AA, Sarici SU, Zeybek C, Koseoglu V, Ozcan O. Effect of iron therapy on the whole blood platelet aggregation in infants with iron deficiency anemia. Thromb Res 2000;97(5):281-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10709903&dopt=Abstract
- Leaphart WL, Meyer MC, Capeless EL, Tracy PB. Adenosine diphosphate-induced platelet activation inhibited by magnesium in a dose-dependent manner. Obstet Gynecol 1998;91(3):421-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9491871&dopt=Abstract

McCarty MF. An antithrombotic role for nutritional antioxidants: implications for tumor metastasis and other pathologies. *Med Hypotheses* 1986;19(4):345-57. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3520253&dopt=Abstract

Ploem JE, Jekel M. Studies on the effect of parenteral iron, Ferastral, an iron-poly(sorbitol-gluconic acid) complex, on blood coagulation in man. *Scand J Haematol Suppl* 1977;32:53-6.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=341292&dopt=Abstract

Potocnik FCV, Van Rensburg SJ, Park C, Taljaard JJF, Emsley RA. Zinc and platelet membrane microviscosity in Alzheimer's disease. The in vivo effect of zinc on platelet membranes and cognition. *S Afr Med J* 1997;87(9):1116-1119.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9358828&dopt=Abstract

Shechter M, Merz CN, Rude RK, Paul Labrador MJ, Meisel SR, Shah PK, Kaul S. Low intracellular magnesium levels promote platelet-dependent thrombosis in patients with coronary artery disease. *Am Heart J* 2000;140(2):212-8.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10925332&dopt=Abstract

Shershevskii MG, Rassokhin VM. [Effects of iodine on the blood coagulation, anticoagulation and fibrinolytic systems in patients with atherosclerosis]. *Kardiologija* 1966;6(1):74-7.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5970414&dopt=Abstract

Tranquilli AL, Mazzanti L, Staffolani R, Salvolini E, Garzetti GG, Romanini C. Functional platelet modifications induced by oral magnesium supplementation in normotensive and hypertensive pregnancy. *Boll Soc Ital Biol Sper* 1994;70(10-11):249-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7702828&dopt=Abstract

Fatty acids

Agren JJ, Vaisanen S, Hanninen O, Muller AD, Hornstra G. Hemostatic factors and platelet aggregation after a fish-enriched diet or fish oil or docosahexaenoic acid supplementation. *Prostaglandins Leukot Essent Fatty Acids* 1997;57(4-5):419-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12472978&dopt=Abstract

Barstad RM, Roald HE, Petersen LB, Stokke KT, Kierulf P, Sakariassen KS. Dietary supplement of (omega)-3 fatty acids has no effect on acute collagen-induced thrombus formation in flowing native blood. *Blood Coagul Fibrinolysis* 1995;6(5):374-381. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8589202&dopt=Abstract

Bierenbaum ML, Reichstein R, Watkins TR. Reducing atherogenic risk in hyperlipemic humans with flax seed supplementation: a preliminary report. *J Am Coll Nutr* 1993;12(5):501-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7903324&dopt=Abstract

Brown JE, Wahle KW. Effect of fish-oil and vitamin E supplementation on lipid peroxidation and whole-blood aggregation in man. *Clin Chim Acta* 1990;193(3):147-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2282693&dopt=Abstract

Engstrom K, Wallin R, Saldeen T. Effect of low-dose aspirin in combination with stable fish oil on whole blood production of eicosanoids. *Prostaglandins Leukot Essent Fatty Acids* 2001;64(6):291-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11427037&dopt=Abstract

Force T, Milani R, Hibberd P, Lorenz R, Uedelhoven W, Leaf A, Weber P. Aspirin-induced decline in prostacyclin production in patients with coronary artery disease is due to decreased endoperoxide shift. Analysis of the effects of a combination of aspirin and n-3 fatty acids on the eicosanoid profile. *Circulation* 1991;84(6):2286-93.

Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1959184&dopt=Abstract

Ghafoorunissa, Reddy V, Sesikaran B. Palmolein and groundnut oil have comparable effects on blood lipids and platelet aggregation in healthy Indian subjects. *Lipids* 1995;30(12):1163-1169.

Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8614308&dopt=Abstract

Ghafoorunissa, Vani A, Laxmi R, Sesikaran B. Effects of dietary alpha-linolenic acid from blended oils on biochemical indices of coronary heart disease in Indians. *Lipids* 2002;37(11):1077-86. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12558058&dopt=Abstract

Gibney MJ, Bolton-Smith C. The effect of a dietary supplement of n-3 polyunsaturated fat on platelet lipid composition, platelet function and platelet plasma membrane fluidity in healthy volunteers. *Br J Nutr* 1988;60(1):5-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3408705&dopt=Abstract

Guivernau M, Meza N, Barja P, Roman O. Clinical and experimental study on the long-term effect of dietary gamma-linolenic acid on plasma lipids, platelet aggregation, thromboxane formation, and prostacyclin production. *Prostaglandins Leukot Essent Fatty Acids* 1994;51(5):311-316. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7846101&dopt=Abstract

Haglund O, Mehta JL, Saldeen T. Effects of fish oil on some parameters of fibrinolysis and lipoprotein(a) in healthy subjects. *Am J Cardiol* 1994;74(2):189-92. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8023790&dopt=Abstract

Harris WS, Silveira S, Dujovne CA. The combined effects of N-3 fatty acids and aspirin on hemostatic parameters in man. *Thromb Res* 1990;57(4):517-26. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2109371&dopt=Abstract

Isaev VA, Panchenko VM, Liutova LV, Karabasova MA. [Use of biologically active supplement containing omega-3 polyunsaturated fatty acids in patients with type 2 diabetes mellitus]. *Vopr Pitan* 2004;73(1):16-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15049151&dopt=Abstract

Junker R, Pieke B, Schulte H, Nofer R, Neufeld M, Assmann G, Wahrburg U. Changes in hemostasis during treatment of hypertriglyceridemia with a diet rich in monounsaturated and n-3 polyunsaturated fatty acids in comparison with a low-fat diet. *Thromb Res* 2001;101(5):355-66. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11297752&dopt=Abstract

Kawamura M, Naito C, Hayashi H, Hashimoto Y, Kato H, Matsushima T. [Effects of 4 weeks' intake of polyunsaturated fatty acid ethylester rich in eicosapentaenoic acid (ethylester) on plasma lipids, plasma and platelet phospholipid fatty acid composition and platelet aggregation; a double blind study]. *Nippon Naika Gakkai Zasshi* 1983;72(1):18-24. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6343532&dopt=Abstract

- Leger CL, Carboneau MA, Michel F, Mas E, Monnier L, Cristol JP, Descomps B. A thromboxane effect of a hydroxytyrosol-rich olive oil wastewater extract in patients with uncomplicated type 1 diabetes. *Eur J Clin Nutr* 2005;59(5):727-730. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15798774&dopt=Abstract
- Lempert KD, Rogers JS, 2nd, Albrink MJ. Effects of dietary fish oil on serum lipids and blood coagulation in peritoneal dialysis patients. *Am J Kidney Dis* 1988;11(2):170-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3341374&dopt=Abstract
- Li ED, Barinov VG, Shafransky Yu A, Martynov IV, Vertkin AL, Martynov AI, Pyshkina IA. Changes of plasma - platelet part of hemostasis during nondrug correction of atherogenic dislipidemia. *Kardiologiya* 1994;34(9):44-48.
- Li XL, Steiner M. Fish oil: a potent inhibitor of platelet adhesiveness. *Blood* 1990;76(5):938-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2118400&dopt=Abstract
- Lox CD. The effects of dietary marine fish oils (omega-3 fatty acids) on coagulation profiles in men. *Gen Pharmacol* 1990;21(2):241-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2332143&dopt=Abstract
- Malyszko JS, Malyszko J, Pawlak D, Buczko W, Mysliwiec M. Hemostasis, platelet functions, serotonin and serum lipids during omega-3 fatty acid treatment in patients with glomerulonephritis. *Nephron* 1998;80(1):94-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9730718&dopt=Abstract
- Misso NLA, Thompson PJ. Fish oil supplementation inhibits platelet aggregation and ATP release induced by platelet-activating factor and other agonists. *Platelets* 1995;6(5):275-282.
- Miwa H, Yamamoto M, Futata T, Kan K, Asano T. Thin-layer chromatography and high-performance liquid chromatography for the assay of fatty acid compositions of individual phospholipids in platelets from non-insulin-dependent diabetes mellitus patients: Effect of eicosapentaenoic acid ethyl ester administration. *J Chromatogr B Biomed Appl* 1996;677(2):217-223. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8704924&dopt=Abstract
- Mutanen M, Aro A. Coagulation and fibrinolysis factors in healthy subjects consuming high stearic or trans fatty acid diets. *Thromb Haemost* 1997;77(1):99-104. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9031457&dopt=Abstract
- Nagakawa Y, Orimo H, Harasawa M, Morita I, Yashiro K, Murota S. Effect of eicosapentaenoic acid on the platelet aggregation and composition of fatty acid in man. A double blind study. *Atherosclerosis* 1983;47(1):71-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6307322&dopt=Abstract
- Panchenko VM, Karabasova MA, Liutova LV, Togoev AM, Ershov AA, Chernova GI, Isaev VA. [Influence polyunsaturated fatty acids omega-3 on coagulation and fibrinolysis systems in patients with NIDDM]. *Klin Med (Mosk)* 2002;80(2):40-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11898721&dopt=Abstract
- Plat J, Mensink RP. Vegetable oil based versus wood based stanol ester mixtures: effects on serum lipids and hemostatic factors in non-hypercholesterolemic subjects. *Atherosclerosis* 2000;148(1):101-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10580176&dopt=Abstract

- Pogozheva AV, Rozanova IA, Sorokovoi KV, Karagodina ZV, Levachev MM. [Lipid peroxidation in patients with ischemic heart disease, hyperlipidemia and/or hypertension while polyunsaturated omega-3 fatty acids of plant and animal origin were in their diet]. Vopr Pitan 1997(4):32-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9412077&dopt=Abstract
- Ravel A, Roussel AM, Boitard M, Alary J. [Walnut oil and platelet aggregation and coagulation times]. Med Nutr 1987;23(3):161-5.
- Sakamoto N, Nishiike T, Iguchi H, Sakamoto K. Effects of eicosapentaenoic acid intake on plasma fibrinolytic and coagulation activity by using physical load in the young. Nutrition 2000;16(1):11-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10674228&dopt=Abstract
- Sorokovoi KV, Pogozheva AV, Kulakova SN, Lupinovich VL, Karagodina ZV, Levachev MM, Samsonov MA, Vorsanovich EA. [Study of metabolic and clinical effects of polyunsaturated fatty acids omega-3 from "Eicovit" in patients with ischemic heart disease and familial hyperlipoproteinemia]. Vopr Pitan 1998(2):29-31. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9680669&dopt=Abstract
- Thorngren M, Gustafson A. Effects of 11-week increases in dietary eicosapentaenoic acid on bleeding time, lipids, and platelet aggregation. Lancet 1981;2(8257):1190-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6118628&dopt=Abstract
- Thorngren M, Gustafson A, Wohlfart G. Effects of acetylsalicylic acid on platelet aggregation before and during increase in dietary eicosapentaenoic acid. Haemostasis 1983;13(4):244-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6311694&dopt=Abstract
- Tohgi N. Effect of (alpha)-linolenic acid-containing linseed oil on coagulation in type 2 diabetes. Diabetes Care 2004;27(10):2563-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15451940&dopt=Abstract
- Trifiletti A, Scamardi R, Gaudio A, Lasco A, Frisina N. Hemostatic effects of diets containing olive or soy oil in hypertensive patients. J Thromb Haemost 2005;3(1):179-180. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15634286&dopt=Abstract
- Tsuruta K, Ogawa H, Yasue H, Sakamoto T, Miyao Y, Tanae H, Kaiga K. Effect of purified eicosapentaenoate ethyl ester on fibrinolytic capacity in patients with stable coronary artery disease and lower extremity ischaemia. Coronary Artery Disease 1996;7(11):837-842. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8993942&dopt=Abstract
- Urakaze M, Hamazaki T, Yano S, Kashiwabara H, Oomori K, Yokoyama T. Effect of fish oil concentrate on risk factors of cardiovascular complications in renal transplantation. Transplant Proc 1989;21(1 Pt 2):2134-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2652688&dopt=Abstract
- Vicario IM, Malkova D, Lund EK, Johnson IT. Olive oil supplementation in healthy adults: effects in cell membrane fatty acid composition and platelet function. Ann Nutr Metab 1998;42(3):160-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9657460&dopt=Abstract
- Wozny E, Szostak WB, Mirkiewicz E, Michorowska M, Wisniewska B. The influence of soya-bean oil in the diet on circulating platelet aggregates. Zywienie Czlowieka 1984;11(1):75-8.

Yosefy C, Viskoper JR, Laszt A, Priluk R, Guita E, Varon D, Illan Z, Berry EM, Savion N, Adan Y, Lugassy G, Schneider R, Raz A. The effect of fish oil on hypertension, plasma lipids and hemostasis in hypertensive, obese, dyslipidemic patients with and without diabetes mellitus. Prostaglandins Leukot Essent Fatty Acids 1999;61(2):83-87. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10509862&dopt=Abstract

Yosefy C, Viskoper JR, Varon D, Ilan Z, Pilpel D, Lugassy G, Schneider R, Savyon N, Adan Y, Raz A. Repeated fasting and refeeding with 20:5, n-3 eicosapentaenoic acid (EPA): a novel approach for rapid fatty acid exchange and its effect on blood pressure, plasma lipids and hemostasis. J Hum Hypertens 1996;10 Suppl 3:S135-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8872845&dopt=Abstract

Herbal/Other Botanical Supplements

Anonymous. Anticoagulation effects of warfarin reduced by taking ginseng. Pharm J 2004;273(7307):43.

Arora RC, Arora S, Gupta RK. The long-term use of garlic in ischemic heart disease--an appraisal. Atherosclerosis 1981;40(2):175-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7306257&dopt=Abstract

Arora RC, Arora S, Nigam P, Nath K. Preventive effect of garlic on fat induced blood lipid and coagulation changes--an appraisal [Atherosclerosis]. Zywienie Czlowieka 1983;10(4):251-254.

Bard JM, Luc G, Jude B, Bordet JC, Lacroix B, Bonte JP, Parra HJ, Duriez P. A therapeutic dosage (3 g/day) of borage oil supplementation has no effect on platelet aggregation in healthy volunteers. Fundam Clin Pharmacol 1997;11(2):143-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9107561&dopt=Abstract

Bordia A, Sharma KD, Parmar YK, Verma SK. Protective effect of garlic oil on the changes produced by 3 weeks of fatty diet on serum cholesterol, serum triglycerides, fibrinolytic activity and platelet adhesiveness in man. Indian Heart J 1982;34(2):86-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7118147&dopt=Abstract

Bordia A, Verma SK, Srivastava KC. Effect of garlic (*Allium sativum*) on blood lipids, blood sugar, fibrinogen and fibrinolytic activity in patients with coronary artery disease. Prostaglandins Leukot Essent Fatty Acids 1998;58(4):257-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9654398&dopt=Abstract

Bordia AK, Joshi HK. Garlic on fibrinolytic activity in cases of acute myocardial infarction. Part II. J Assoc Physicians India 1978;26(5):323-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=730711&dopt=Abstract

Bordia AK, Joshi HK, Sanadhya YK, Bhu N. Effect of essential oil of garlic on serum fibrinolytic activity in patients with coronary artery disease. Atherosclerosis 1977;28(2):155-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=911374&dopt=Abstract

Dong WG, Liu SP, Zhu HH, Luo HS, Yu JP. Abnormal function of platelets and role of angelica sinensis in patients with ulcerative colitis. World J Gastroenterol 2004;10(4):606-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14966927&dopt=Abstract

Duan Y, Zhao X, Xu X, Yang J, Li Z. Treatment of primary thrombocytopenic purpura by modified minor decoction of bupleurum. J Tradit Chin Med 1995;15(2):96-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7650970&dopt=Abstract

Freese R, Basu S, Hietanen E, Nair J, Nakachi K, Bartsch H, Mutanen M. Green tea extract decreases plasma malondialdehyde concentration but does not affect other indicators of oxidative stress, nitric oxide production, or hemostatic factors during a high-linoleic acid diet in healthy females. *Eur J Nutr* 1999;38(3):149-57.

Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10443337&dopt=Abstract

Gadkari JV, Joshi VD. Effect of ingestion of raw garlic on serum cholesterol level, clotting time and fibrinolytic activity in normal subjects. *J Postgrad Med* 1991;37(3):128-31. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1784022&dopt=Abstract

Gou Y, Ho AL, Rowlands DK, Chung YW, Chan HC. Effects of Bak Foong Pill on blood coagulation and platelet aggregation. *Biol Pharm Bull* 2003;26(2):241-6. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12576687&dopt=Abstract

Harenberg J, Giese C, Zimmermann R. Effect of dried garlic on blood coagulation, fibrinolysis, platelet aggregation and serum cholesterol levels in patients with hyperlipoproteinemia. *Atherosclerosis* 1988;74(3):247-9. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3240334&dopt=Abstract

Hubbard GP, Wolffram S, Lovegrove JA, Gibbins JM. Ingestion of quercetin inhibits platelet aggregation and essential components of the collagen-stimulated platelet activation pathway in humans. *J Thromb Haemost* 2004;2(12):2138-45. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15613018&dopt=Abstract

Inada T, Kiriyama T. [Urological evaluations of "bromelain" and clinical studies on its influences for blood coagulation]. *Hinyokika Kiyo* 1965;11(6):532-45. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5318607&dopt=Abstract

Jin X, Qin HS, Shang DJ. [Clinical observation on 206 cases with lower limb deep venous thrombosis treated by integrated traditional Chinese and Western medicine]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1997;17(5):267-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9863107&dopt=Abstract

Joshi J, Ghaisas S, Vaidya A, Vaidya R, Kamat DV, Bhagwat AN, Bhide S. Early human safety study of turmeric oil (*Curcuma longa* oil) administered orally in healthy volunteers. *J Assoc Physicians India* 2003;51:1055-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15260388&dopt=Abstract

Kudolo GB, Delaney D, Blodgett J. Short-term oral ingestion of *Ginkgo biloba* extract (EGb 761) reduces malondialdehyde levels in washed platelets of type 2 diabetic subjects. *Diabetes Res Clin Pract* 2005;68(1):29-38. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15811563&dopt=Abstract

Kudolo GB, Dorsey S, Blodgett J. Effect of the ingestion of *Ginkgo biloba* extract on platelet aggregation and urinary prostanoïd excretion in healthy and Type 2 diabetic subjects. *Thromb Res* 2002;108(2-3):151-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12590952&dopt=Abstract

Kudolo GB, Wang W, Dorsey S, Blodgett J. Oral ingestion of *Ginkgo biloba* extract reduces thiobarbituric acid reacting (TBAR) substances in washed platelets of healthy subjects. *J Herb Pharmacother* 2003;3(4):1-15. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15277117&dopt=Abstract

Locatelli R, Centonza D, Bregani P, Esposito R. [Changes in fibrinolysis after administration of theophylline nicotinate]. *Haematologica* 1967;52(2):132-42. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4976133&dopt=Abstract

Mustapha A, Yakasai IA, Aguye IA. Effect of Tamarindus indica L. on the bioavailability of aspirin in healthy human volunteers. Eur J Drug Metab Pharmacokinet 1996;21(3):223-6.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8980919&dopt=Abstract

Ogle CW, Dai S, Ma JC. The haemostatic effects of the Chinese herbal drug Yunnan Bai Yao: a pilot study. Am J Chin Med 1976;4(2):147-52.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=937237&dopt=Abstract

Rahman K, Billington D. Dietary supplementation with aged garlic extract inhibits ADP-induced platelet aggregation in humans. J Nutr 2000;130(11):2662-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11053504&dopt=Abstract

Schneider J, Myrtek M. [The influence of an aesculin compounds preparation on blood coagulation and capillary resistance]. Arztl Forsch 1969;23(5):153-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5409315&dopt=Abstract

Schneider J, Myrtek M. [The influence of an aesculin compound preparation on blood coagulation and capillary resistance]. Arztl Forsch 1971;23(5):153-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5109595&dopt=Abstract

Seol SY, Kim MH, Ryu JS, Choi MG, Shin DW, Ahn BO. DA-9601 for erosive gastritis: results of a double-blind placebo-controlled phase III clinical trial. World J Gastroenterol 2004;10(16):2379-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15285023&dopt=Abstract

Sharma KK, Sharma SP, Arora RC. Some observations on the mechanism of fibrinolytic enhancing effect of garlic during alimentary lipaemia in man. J Postgrad Med 1978;24(2):98-102. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=722609&dopt=Abstract

Shen JG, Guo ZG, Tong L. [Mechanisms of yiqi tongluo pill on oxygen free radicals, nitric oxide and fibrinolysis in coronary heart diseases and hypertension patients]. Zhongguo Zhong Xi Yi Jie He Za Zhi 1997;17(7):410-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10322861&dopt=Abstract

Verma SK, Singh J, Khamesra R, Bordia A. Effect of ginger on platelet aggregation in man. Indian J Med Res 1993;98(OCT.):240-242. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8119760&dopt=Abstract

Wasantapruet S, Poolsuppasit S, Pibolnukarin O. Enhanced fibrinolytic activity after capsicum ingestion. N Engl J Med 1974;290(22):1259-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4825858&dopt=Abstract

Yu Z, Chen KJ, Qian ZH. [A clinical trial of sheng-mai liquor in the treatment of ischemic heart disease]. Zhonghua Xin Xue Guan Bing Za Zhi 1987;15(3):144-7, 190-1. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2963736&dopt=Abstract

Other Dietary Supplements, Nutrients, and Drugs

Bresolin N, Bet L, Binda A, Moggio M, Comi G, Nador F, Ferrante C, Carenzi A, Scarlato G. Clinical and biochemical correlations in mitochondrial myopathies treated with coenzyme Q10. Neurology 1988;38(6):892-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3368070&dopt=Abstract

Kato T, Yoneda S, Kako T, Koketsu M, Hayano I, Fujinami T. Reduction in blood viscosity by treatment with coenzyme Q10 in patients with ischemic heart disease. *Int J Clin Pharmacol Ther* 1990;28(3):123-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2318549&dopt=Abstract

Serebruany VL, Ordonez JV, Herzog WR, Rohde M, Mortensen SA, Folkers K, Gurbel PA. Dietary coenzyme Q10 supplementation alters platelet size and inhibits human vitronectin (CD51/CD61) receptor expression. *J Cardiovasc Pharmacol* 1997;29(11):16-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9007665&dopt=Abstract

Shults CW, Beal MF, Fontaine D, Nakano K, Haas RH. Absorption, tolerability, and effects on mitochondrial activity of oral coenzyme Q10 in parkinsonian patients. *Neurology* 1998;50(3):793-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9521279&dopt=Abstract

Foods

Bassus S, Mahnel R, Scholz T, Wegert W, Westrup D, Kirchmaier CM. Effect of dealcoholized beer (Bitburger Drive) consumption on hemostasis in humans. *Alcohol Clin Exp Res* 2004;28(5):786-791. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15166655&dopt=Abstract

Chutani SK, Bordia A. The effect of fried versus raw garlic on fibrinolytic activity in man. *Atherosclerosis* 1981;38(3-4):417-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7225179&dopt=Abstract

Freedman JE, Parker C, 3rd, Li L, Perlman JA, Frei B, Ivanov V, Deak LR, Iafrati MD, Folts JD. Select flavonoids and whole juice from purple grapes inhibit platelet function and enhance nitric oxide release. *Circulation* 2001;103(23):2792-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11401934&dopt=Abstract

Gadkari JV, Joshi VD. Effect of ingestion of raw garlic on serum cholesterol level, clotting time and fibrinolytic activity in normal subjects. *J Postgrad Med* 1991;37(3):128-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1784022&dopt=Abstract

Sainani GS, Desai DB, Gorhe NH, Natu SM, Pise DV, Sainani PG. "Dietary garlic, onion and some coagulation parameters in Jain community". *J Assoc Physicians India* 1979;27(8):707-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=541336&dopt=Abstract

Sullivan DM, Ford MA, Boyden TW. Grapefruit juice and the response to warfarin. *Am J Health Syst Pharm* 1998;55(15):1581-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9706183&dopt=Abstract

CASE REPORTS

Vitamins

Anonymous. Vitamin K, vitamin E and the coumarin drugs. Nutr Rev 1982;40(6):180-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7121898&dopt=Abstract

Ansell JE, Kumar R, Deykin D. The spectrum of vitamin K deficiency. JAMA 1977;238(1):40-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=577260&dopt=Abstract

Besson-Leaud M, Aucher C, Boniface C. [Prophylaxis of late hemorrhagic disease in newborn infants with vitamin K1 at birth]. Arch Pediatr 1996;3(1):89-90; author reply 90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8745836&dopt=Abstract

Bonding P, Skriver E, Helin P, Qvortrup K. Destructive, granulating lesion in the temporal bone after elevated plasma homocysteine. Otol Neurotol 2004;25(4):610-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15241243&dopt=Abstract

Brenner B, Sanchez-Vega B, Wu SM, Lanir N, Stafford DW, Solera J. A missense mutation in gamma-glutamyl carboxylase gene causes combined deficiency of all vitamin K-dependent blood coagulation factors. Blood 1998;92(12):4554-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9845520&dopt=Abstract

Brenner B, Tavori S, Zivelin A, Keller CB, Suttie JW, Tatarsky I, Seligsohn U. Hereditary deficiency of all vitamin K-dependent procoagulants and anticoagulants. Br J Haematol 1990;75(4):537-42. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2145029&dopt=Abstract

Bridgman GC. Prophylactic vitamin K and haemorrhagic disease of the newborn. Lancet 1983;1(8336):1279. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6134071&dopt=Abstract

Britten A. Hemophilic bleeding on the first day of life. Report of a unique case and review of the relevant literature. Clin Pediatr (Phila) 1966;5(2):123-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5948179&dopt=Abstract

Chanvitan P, Laosombat V. Acquired prothrombin complex deficiency (APCD) syndrome after vitamin K prophylaxis: a case report with delay supplementary feeding. J Med Assoc Thai 1986;69(5):288-91. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3734661&dopt=Abstract

Chow WH, Chow TC, Tse TM, Tai YT, Lee WT. Anticoagulation instability with life-threatening complication after dietary modification. Postgrad Med J 1990;66(780):855-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2099431&dopt=Abstract

Churukian MM, Zemplenyi J, Steiner M, Kamer FM, Cohen A. Postrhinoplasty epistaxis. Role of vitamin E? Arch Otolaryngol Head Neck Surg 1988;114(7):748-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3289582&dopt=Abstract

Culpeper KS, Nousari HC. Purpura fulminans. Lancet 2003;361(9355):384. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12573375&dopt=Abstract

Dacosta A, Comtet C, Tardy B, Guy JM, Page Y, Zeni F, Bertrand JC. [Hemorrhagic tamponade attributed to treatment with antivitamin K]. Rev Med Interne 1992;13(4):323. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1287778&dopt=Abstract

D'Amico AV, Toupless G, Lopes L, Valentine KJ, Cormack RA, Tempany CM, Kumar S, Marks PJ. Self-administration of untested medical therapy for treatment of prostate cancer can lead to clinically significant adverse events. *Int J Radiat Oncol Biol Phys* 2002;54(5):1311-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12459351&dopt=Abstract

Dearing BD, Lavie CJ, Lohmann TP, Genton E. Niacin-induced clotting factor synthesis deficiency with coagulopathy. *Arch Intern Med* 1992;152(4):861-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1558449&dopt=Abstract

DePinho RA, Kaplan KL. The Hermansky-Pudlak syndrome. Report of three cases and review of pathophysiology and management considerations. *Medicine (Baltimore)* 1985;64(3):192-202. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3921802&dopt=Abstract

Drent M, Wessels S, Jacobs JA, Thijssen H. Association of diffuse alveolar haemorrhage with acquired vitamin K deficiency. *Respiration* 2000;67(6):697. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11124658&dopt=Abstract

Ekelund H, Lindeberg L, Wranne L. Combined deficiency of coagulation factors II, VII, IX, and X: a case of probable congenital origin. *Pediatr Hematol Oncol* 1986;3(2):187-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3153231&dopt=Abstract

Enocksson E, Jonsson B. [Hemorrhagic disease of the newborn. Several cases of late onset despite oral vitamin K prophylaxis]. *Lakartidningen* 1990;87(22):1944-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2362483&dopt=Abstract

Erdogan D, Kocaman O, Oflaz H, Goren T. Alveolar hemorrhage associated with warfarin therapy: a case report and literature review. *Int J Cardiovasc Imaging* 2004;20(2):155-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15068147&dopt=Abstract

Evensen SA, Forde R, Opedal I, Stormorken H. Acute iron intoxication with abruptly reduced levels of vitamin K-dependent coagulation factors. *Scand J Haematol* 1982;29(1):25-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7123152&dopt=Abstract

Ezgu FS, Atalay Y, Hasanoglu A, Gucuyener K, Koc E, Ergenekon E. Intracranial venous thrombosis after hypoxic-ischemic brain insult in two newborns: could low serum carnitine levels have contributed? *Nutr Neurosci* 2004;7(1):63-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15085561&dopt=Abstract

Ferenchick G, Rovner D. Hepatitis and hematemesis complicating nicotinic acid use. *Am J Med Sci* 1989;298(3):191-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2801756&dopt=Abstract

Florholmen J, Waldum H, Nordoy A. Cerebral thrombosis in two patients with malabsorption syndrome treated with vitamin K. *Br Med J* 1980;281(6239):541. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7427361&dopt=Abstract

Fugate SE, Nichols CM, Cudd LA. Impaired warfarin response secondary to high-dose vitamin K1 for rapid anticoagulation reversal: case series and literature review. *Pharmacotherapy* 2004;24(9):1213-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15460182&dopt=Abstract

- Fugate SE, Ramsey AM. Resistance to oral vitamin K for reversal of overanticoagulation during Crohn's disease relapse. *J Thromb Thrombolysis* 2004;17(3):219-23. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15353921&dopt=Abstract
- Ghosh K, Shetty S, Mohanty D. Inherited deficiency of multiple vitamin K-dependent coagulation factors and coagulation inhibitors presenting as hemorrhagic diathesis, mental retardation, and growth retardation. *Am J Hematol* 1996;52(1):67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8638624&dopt=Abstract
- Guccione JL, Zemtsov A, Cobos E, Neldner KH. Acquired purpura fulminans induced by alcohol and acetaminophen. Successful treatment with heparin and vitamin K. *Arch Dermatol* 1993;129(10):1267-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8215490&dopt=Abstract
- Guillot M, Fischer AM, Goldszmidt D, Bacri JL, Gagnadoux MF, Usberti M, Josso F, Broyer M. [Nephrotic syndrome, antithrombin III deficiency and recurrent thrombosis. The value of vitamin K antagonists]. *Arch Fr Pediatr* 1979;36(9):930-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=555314&dopt=Abstract
- Gupta KD, Banerji A. Paradoxical effect of vitamin K therapy in aggravating hypoprothrombinaemia. *J Indian Med Assoc* 1967;49(10):482-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5594214&dopt=Abstract
- Gurakan B, Yilmaz G, Ozbek N. Intravesical haemorrhage: a rare late manifestation of vitamin K deficiency inverted question markletterI. *J Paediatr Child Health* 2000;36(3):290. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10960343&dopt=Abstract
- Hallak HO, Wedlund PJ, Modi MW, Patel IH, Lewis GL, Woodruff B, Trowbridge AA. High clearance of (S)-warfarin in a warfarin-resistant subject. *Br J Clin Pharmacol* 1993;35(3):327-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8471414&dopt=Abstract
- Hamano H, Nanba A, Nagayama M, Takizawa S, Shinohara Y. [An adult case of homocystinuria probably due to methylenetetrahydrofolate-reductase deficiency--treatment with folic acid and the course of coagulation-fibrinolysis parameters]. *Rinsho Shinkeigaku* 1996;36(2):330-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8752689&dopt=Abstract
- Hansen KN, Teglund L, Lange A, Ebbesen F. [Late hemorrhagic disease in newborn infants. Is the current preventive treatment with oral vitamin K adequate?]. *Ugeskr Laeger* 1992;154(16):1095-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1523716&dopt=Abstract
- Hanss M, Martoia R, Horellou MH, Samama M. Severe acquired deficiency of vitamin K-dependent factors and resistance to multiple vitamin K injections. *Thromb Haemost* 1989;62(2):816. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2814932&dopt=Abstract
- Harrell CC, Kline SS. Oral vitamin K1: an option to reduce warfarin's activity. *Ann Pharmacother* 1995;29(12):1228-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8672826&dopt=Abstract
- Hathaway WE. New insights on vitamin K. *Hematol Oncol Clin North Am* 1987;1(3):367-79. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3329179&dopt=Abstract

Heron P, Cull A, Bourchier D, Lees H. Avoidable hazard to New Zealand children: case reports of haemorrhagic disease of the newborn. *N Z Med J* 1988;101(851):507-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3405530&dopt=Abstract

Hirano A, Ueoka H. [Successful treatment of an elderly patient with idiopathic thrombocytopenic purpura accompanied with chronic subdural hematoma, using a Chinese herbal medicine, EK-49, and ascorbic acid]. *Nippon Ronen Igakkai Zasshi* 2001;38(2):224-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11305038&dopt=Abstract

Humpf T, Bruhl K, Brzezinska R, Hafner G, Coerdt W, Shearer MJ. Fatal late vitamin K-deficiency bleeding after oral vitamin K prophylaxis secondary to unrecognized bile duct paucity. *J Pediatr Gastroenterol Nutr* 1999;29(5):594-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10554130&dopt=Abstract

Joosten P, Briet E, Veltkamp JJ. [The yet unexpected vitamin K deficiency]. *Ned Tijdschr Geneeskde* 1986;130(11):476-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3960150&dopt=Abstract

Kaneoka T, Ogawa E. [Implication of the routine administration of phytonadione in hemorrhagic disease of the newborn]. *Sanfujinka No Jissai* 1965;14(11):946-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5899489&dopt=Abstract

Kay P. The vitamin K controversy. *Birth Gaz* 2000;16(2):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11899341&dopt=Abstract

Khurshid M, Lee TJ, Peake IR, Bloom AL. Vitamin E deficiency and platelet functional defect in a jaundiced infant. *Br Med J* 1975;4(5987):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1174903&dopt=Abstract

Kolsters G, Offerman JJ, Russchen CJ. [Thrombotic thrombocytopenic purpura: a benign illness with a very serious acute stage]. *Ned Tijdschr Geneeskde* 1990;134(17):872-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2338955&dopt=Abstract

Kondo H, Imamura T. Pernicious anemia (PA) subsequent to insulin-dependent diabetes mellitus and idiopathic thrombocytopenic purpura, and effects of oral cobalamin on PA. *Am J Hematol* 1999;62(1):61-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10467280&dopt=Abstract

Kurnik D, Lubetsky A, Loebstein R, Almog S, Halkin H. Multivitamin supplements may affect warfarin anticoagulation in susceptible patients. *Ann Pharmacother* 2003;37(11):1603-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14565795&dopt=Abstract

Lake AM, Stuart MJ, Oski FA. Vitamin E deficiency and enhanced platelet function: reversal following E supplementation. *J Pediatr* 1977;90(5):722-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=853335&dopt=Abstract

Latini G, Quartulli L, De Mitri B, Del Vecchio A, Vecchio C. Intracranial hemorrhage associated with vitamin K deficiency in a breastfed infant after intramuscular vitamin K prophylaxis at birth. follow-up at 18 months. *Acta Paediatr* 2000;89(7):878-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10943974&dopt=Abstract

- Levy J, Kapelushnick J, Ravinowitz R, Moser A, Lifshitz T. Traumatic subtotal hyphema in a child with vitamin K deficiency. *Can J Ophthalmol* 2004;39(7):790-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15696773&dopt=Abstract
- Loughnan PM, McDougall PN, Balvin H, Doyle LW, Smith AL. Late onset haemorrhagic disease in premature infants who received intravenous vitamin K1. *J Paediatr Child Health* 1996;32(3):268-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8827551&dopt=Abstract
- Lubetsky A, Shasha Y, Olchovsky D, Loebstein R, Halkin H, Ezra D. Impact of pre-treatment INR level on the effect of intravenous low dose vitamin K in patients with excessive anticoagulation. *Thromb Haemost* 2003;90(1):71-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12876628&dopt=Abstract
- Lugrin D, Isetta C, Roul C, Kotaiche M, Jourdan J. [Thrombocytopenia induced by heparin and cardiac surgery with extracorporeal circulation]. *Ann Fr Anesth Reanim* 1990;9(4):393-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2400150&dopt=Abstract
- Mackie IJ, Walshe K, Cohen H, McCarthy P, Shearer M, Scott SD, Karan SJ, Machin SJ. Effects of N-methyl-thiotetrazole cephalosporin on haemostasis in patients with reduced serum vitamin K1 concentrations. *J Clin Pathol* 1986;39(11):1245-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3466904&dopt=Abstract
- MacLennan FM, Ah-See AK, Wong AE, Anderson JA, Bennett B. Severe depletion of vitamin-K-dependent clotting factors during postoperative latamoxef therapy. *Lancet* 1983;1(8335):1215. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6134006&dopt=Abstract
- Mahieux F, Verdy E, Romatet S, Guillard A. [Hypoprothrombinemia under cefotaxime during a vitamin K-deficient diet]. *Presse Med* 1988;17(21):1095. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2969522&dopt=Abstract
- Martinez E, Domingo P, Roca-Cusachs A. Potentiation of acenocoumarol action by L-carnitine. *J Intern Med* 1993;233(1):94. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8429297&dopt=Abstract
- Masugi J, Iwai M, Kimura S, Ochi F, Suzuki K, Nakano O, Sakamoto T, Fukunaga H, Amano M, Fukuda T. Combination of ascorbic acid and methylprednisolone pulse therapy in the treatment of idiopathic thrombocytopenic purpura. *Intern Med* 1994;33(3):165-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8061395&dopt=Abstract
- McNairy SL, Millns JL, Phyllyk RL, Rogers RS, 3rd. Vitamin K-responsive coagulopathy in Henoch-Schlelein purpura. *Mayo Clin Proc* 1977;52(11):746-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=926852&dopt=Abstract
- Minford AM, Eden OB. Haemorrhage responsive to vitamin K in a 6-week-old infant. *Arch Dis Child* 1979;54(4):310-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=453915&dopt=Abstract
- Morrice LM, Jagdis FA, Thommasen H. Case report: fatal hemorrhagic disease in a newborn despite vitamin K prophylaxis. *Can Fam Physician* 1998;44:1893-4, 1896. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9789669&dopt=Abstract
- Motz R. Late haemothorax after oral vitamin K. *N Z Med J* 1992;105(945):459. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1436866&dopt=Abstract

Mousallem M, Spronk HM, Sacy R, Hakime N, Soute BA. Congenital combined deficiencies of all vitamin K-dependent coagulation factors. Thromb Haemost 2001;86(5):1334-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11816728&dopt=Abstract

Nighoghossian N, Ffrench P, Massignon D, Trouillas P. [Intracranial hematoma in a patient with antithrombin III deficiency treated with anticoagulants. Early prevention of thromboembolic complications]. Presse Med 1990;19(24):1155. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2141941&dopt=Abstract

Niiya K, Mitani M, Kitagawa T, Yamato K, Fujishita M, Okimoto N, Yoshimoto S, Kobayashi M, Kubonishi I, Taguchi H, et al. [Clinical studies on the deficiency of vitamin K-dependent coagulation factors in adult patients]. Rinsho Ketsueki 1984;25(1):37-44. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6748255&dopt=Abstract

Nomura S, Yanabu M, Soga T, Fukuroi T, Kido H, Nagata H, Kokawa T, Yasunaga K. [Chronic ITP with a remarkable response to vitamin C administration after splenectomy]. Rinsho Ketsueki 1990;31(4):523-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2381073&dopt=Abstract

Norred CL, Finlayson CA. Hemorrhage after the preoperative use of complementary and alternative medicines. AANA J 2000;68(3):217-20. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11132009&dopt=Abstract

O'Reilly RA, Aggeler PM. Covert anticoagulant ingestion: study of 25 patients and review of world literature. Medicine (Baltimore) 1976;55(5):389-99. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=957998&dopt=Abstract

Palareti G, Coccheri S. Lowered antithrombin III activity and other clotting changes in homocystinuria: effects of a pyridoxine-folate regimen. Haemostasis 1989;19 Suppl 1:24-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2807044&dopt=Abstract

Palareti G, Salardi S, Piazzesi S, Legnani C, Poggi M, Grauso F, Caniato A, Coccheri S, Cacciari E. Blood coagulation changes in homocystinuria: effects of pyridoxine and other specific therapy. J Pediatr 1986;109(6):1001-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3783325&dopt=Abstract

Park BK, Choonara IA, Haynes BP, Breckenridge AM, Malia RG, Preston FE. Abnormal vitamin K metabolism in the presence of normal clotting factor activity in factory workers exposed to 4-hydroxycoumarins. Br J Clin Pharmacol 1986;21(3):289-93. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3964529&dopt=Abstract

Pathare A, Alkindi S, Albalushi T, Bayoumi R, Dennison D, Muralitharan S. Heterozygous methylene tetrahydrofolate reductase mutation with mild hyperhomocysteinemia associated with deep vein thrombosis. Clin Lab Haematol 2004;26(2):143-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15053809&dopt=Abstract

Pavlu J, Harrington DJ, Voong K, Savidge GF, Jan-Mohamed R, Kaczmarek R. Superwarfarin poisoning. Lancet 2005;365(9459):628. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15708110&dopt=Abstract

Pellegrino M, Sacco M, D'Altilia MR, Meleleo D, De Anseris AG. Hemorrhagic disease in an infant fed on a vitamin K-deficient soya formula. J Pediatr Gastroenterol Nutr 1996;23(4):413-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8956177&dopt=Abstract

- Penzias AS, Treisman O. Vitamin K-dependent clotting factor deficiency in pregnancy. *Obstet Gynecol* 1988;72(3 Pt 2):452-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3405563&dopt=Abstract
- Priestley BL. Haemorrhagic disease and vitamin K. *Arch Dis Child* 1987;62(9):979. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3674956&dopt=Abstract
- Quick AJ. Vitamin Q in control of bleeding. *Wis Med J* 1975;74(8):85-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1163058&dopt=Abstract
- Riegert-Johnson DL, Kaur JS, Pfeifer EA. Calciphylaxis associated with cholangiocarcinoma treated with low-molecular-weight heparin and vitamin K. *Mayo Clin Proc* 2001;76(7):749-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11444409&dopt=Abstract
- Rose SJ. Neonatal haemorrhage and vitamin K. *Acta Haematol* 1985;74(2):121. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3937416&dopt=Abstract
- Rosenthal G. Interaction of ascorbic acid and warfarin. *JAMA* 1971;215(10):1671. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5107696&dopt=Abstract
- Rossi V, Masi M, Di Macco E, Papa G. Ascorbic acid as first-line therapy in immune thrombocytopenic purpura. *Haematologica* 1991;76(5):438-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1806452&dopt=Abstract
- Rost S, Fregin A, Koch D, Compes M, Muller CR, Oldenburg J. Compound heterozygous mutations in the gamma-glutamyl carboxylase gene cause combined deficiency of all vitamin K-dependent blood coagulation factors. *Br J Haematol* 2004;126(4):546-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15287948&dopt=Abstract
- Shah MC, Schwarz KB. Hazards of small amounts of heparin in a patient with subclinical vitamin K deficiency. *JPEN J Parenter Enteral Nutr* 1989;13(3):324-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2503646&dopt=Abstract
- Sheen SR, Spiller HA, Grossman D. Symptomatic brodifacoum ingestion requiring high-dose phytonadione therapy. *Vet Hum Toxicol* 1994;36(3):216-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8066968&dopt=Abstract
- Sirdofsky M, Kattah J, Macedo P. Intracranial hypertension in a dieting patient. *J Neuroophthalmol* 1994;14(1):9-11. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8032485&dopt=Abstract
- Smith EC, Skalski RJ, Johnson GC, Rossi GV. Interaction of ascorbic acid and warfarin. *JAMA* 1972;221(10):1166. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4679014&dopt=Abstract
- Su CT, Hung FC, Huang CB. Hemorrhagic disease in a newborn due to inadequate vitamin K prophylaxis: case report. *Chang Gung Med J* 2000;23(5):309-13. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10916233&dopt=Abstract

- Suzuki K, Fukushima T, Meguro K, Aoki T, Kamezaki T, Saitoh H, Enomoto T, Nose T. Intracranial hemorrhage in an infant owing to vitamin K deficiency despite prophylaxis. *Childs Nerv Syst* 1999;15(6-7):292-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10461777&dopt=Abstract
- Tam DA, Jr., Myer EC. Vitamin K-dependent coagulopathy in a child receiving anticonvulsant therapy. *J Child Neurol* 1996;11(3):244-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8734031&dopt=Abstract
- Tsutaoka BT, Miller M, Fung SM, Patel MM, Olson KR. Superwarfarin and glass ingestion with prolonged coagulopathy requiring high-dose vitamin K1 therapy. *Pharmacotherapy* 2003;23(9):1186-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14524650&dopt=Abstract
- van Hasselt PM, Houwen RH, van Dijk AT, de Koning TJ. [Vitamin K deficiency bleeding in an infant despite adequate prophylaxis]. *Ned Tijdschr Geneeskd* 2003;147(16):737-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12731461&dopt=Abstract
- Vaynshtein G, Rosenbaum H, Groisman GM, Markel A. Celiac sprue presenting as severe hemorrhagic diathesis due to vitamin K deficiency. *Isr Med Assoc J* 2004;6(12):781-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15609898&dopt=Abstract
- von Kries R, Gobel U. Vitamin K prophylaxis: oral or parenteral? *Am J Dis Child* 1988;142(1):14-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3341297&dopt=Abstract
- von Kries R, Reifenhauser A, Gobel U, McCarthy P, Shearer MJ, Barkhan P. Late onset haemorrhagic disease of newborn with temporary malabsorption of vitamin K1. *Lancet* 1985;1(8436):1035. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2859476&dopt=Abstract
- Weitzel JN, Sadowski JA, Furie BC, Moroose R, Kim H, Mount ME, Murphy MJ, Furie B. Surreptitious ingestion of a long-acting vitamin K antagonist/rodenticide, brodifacoum: clinical and metabolic studies of three cases. *Blood* 1990;76(12):2555-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2265249&dopt=Abstract
- Wjasow C, McNamara R. Anaphylaxis after low dose intravenous vitamin K. *J Emerg Med* 2003;24(2):169-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12609647&dopt=Abstract
- Zanaldi H, Peyrade F, Burel F, Montaz-Rosset N, Pesce A, Cassuto JP. [The hematologist, the nutritionist and the plastician: vitamin K deficiency during a weight reducing diet]. *Presse Med* 1998;27(24):1219-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9767780&dopt=Abstract
- ## Minerals
- Grebe HB, Gregory PJ. Inhibition of warfarin anticoagulation associated with chelation therapy. *Pharmacotherapy* 2002;22(8):1067-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12173793&dopt=Abstract
- Henriksson P, Nilsson L, Nilsson IM, Stenberg P. Fatal iron intoxication with multiple coagulation defects and degradation of factor VIII and factor XIII. *Scand J Haematol* 1979;22(3):235-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=451454&dopt=Abstract

Mueller NJ, Schiller P, Shimizu N, Flury R, Aschwanden M, Widmer U, Enzler T. Factor VII deficiency and a copper metabolism disorder in a patient with Klippel-Trenaunay syndrome. Dermatology 2002;204(3):244-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12037456&dopt=Abstract

Tenenbein M, Israels SJ. Early coagulopathy in severe iron poisoning. J Pediatr 1988;113(4):695-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3171793&dopt=Abstract

Fatty acids

Buckley MS, Goff AD, Knapp WE. Fish oil interaction with warfarin. Ann Pharmacother 2004;38(1):50-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14742793&dopt=Abstract

Herbal/Other Botanical Supplements

Adachihara A. Oral treatment of hemophilia A using traditional kampo medicine, Huang-lien-chieh-tu-tang (plant extract). Haemostasis 1983;13(2):78-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6409712&dopt=Abstract

Al Faraj S. Antagonism of the anticoagulant effect of warfarin caused by the use of Commiphora molmol as a herbal medication: a case report. Ann Trop Med Parasitol 2005;99(2):219-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15814041&dopt=Abstract

Anonymous. Medical mystery. A woman with too-thin blood. Why was the patient bleeding? What's her case mean to you? Heart Advis 2004;7(12):4-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15779134&dopt=Abstract

Arimori S, Nozaki H, Morita K, Arimori K. Case report: the effect of a Chinese herbal medicine, BG-104 in two HIV positive hemophiliacs. Biotherapy 1993;7(1):55-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7915126&dopt=Abstract

Burnham BE. Garlic as a possible risk for postoperative bleeding. Plast Reconstr Surg 1995;95(1):213. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7809259&dopt=Abstract

Carr ME, Klotz J, Bergeron M. Coumadin resistance and the vitamin supplement "Noni". Am J Hematol 2004;77(1):103. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15307118&dopt=Abstract

Cheong JL, Bucknall R. Retinal vein thrombosis associated with a herbal phytoestrogen preparation in a susceptible patient. Postgrad Med J 2005;81(954):266-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15811894&dopt=Abstract

Coche JC, Horsmans Y, Greer Y, Geubel AG. Budd-Chiari syndrome likely related to a slimming drug preparation. J Hepatol 1995;23(5):626-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8583154&dopt=Abstract

Davis NB, Nahlik L, Vogelzang NJ. Does PC-SPEs interact with warfarin? J Urol 2002;167(4):1793. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11912419&dopt=Abstract

Deng ZH. [Observation on platelet aggregation in retinal vein occlusion]. Zhong Xi Yi Jie He Za Zhi 1989;9(2):88-90, 69. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2736693&dopt=Abstract

- Duan Y, Zhao X, Xu X, Yang J, Li Z. Treatment of primary thrombocytopenic purpura by modified minor decoction of bupleurum. *J Tradit Chin Med* 1995;15(2):96-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7650970&dopt=Abstract
- Ernst E. Cardiovascular adverse effects of herbal medicines: a systematic review of the recent literature. *Can J Cardiol* 2003;19(7):818-27. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12813616&dopt=Abstract
- Ezbianski AA. Warfarin and herbal supplements. A volatile combination. *Adv Nurse Pract* 2003;11(11):77-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14639889&dopt=Abstract
- Gorey JD, Wahlqvist ML, Boyce NW. Adverse reaction to a Chinese herbal remedy. *Med J Aust* 1992;157(7):484-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1406399&dopt=Abstract
- Hall RC, Clemett RS. Central retinal vein occlusion associated with liquorice ingestion. *Clin Experiment Ophthalmol* 2004;32(3):341. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15180854&dopt=Abstract
- Hirano A, Ueoka H. [Successful treatment of an elderly patient with idiopathic thrombocytopenic purpura accompanied with chronic subdural hematoma, using a Chinese herbal medicine, EK-49, and ascorbic acid]. *Nippon Ronen Igakkai Zasshi* 2001;38(2):224-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11305038&dopt=Abstract
- Hogan RP, 3rd. Hemorrhagic diathesis caused by drinking an herbal tea. *JAMA* 1983;249(19):2679-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6133016&dopt=Abstract
- Horikoshi A, Shida M, Abe M, Hosokawa Y, Sawada S, Horie T. [A case of Evans's syndrome in which thrombocytopenia and hemolysis was improved by Sairei-to]. *Rinsho Ketsueki* 1995;36(10):1237-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8531338&dopt=Abstract
- Inada T, Kiriya T. [Urological evaluations of "bromelain" and clinical studies on its influences for blood coagulation]. *Hinyokika Kiyo* 1965;11(6):532-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5318607&dopt=Abstract
- Izzat MB, Yim AP, El-Zufari MH. A taste of Chinese medicine! *Ann Thorac Surg* 1998;66(3):941-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9768962&dopt=Abstract
- Janetzky K, Morreale AP. Probable interaction between warfarin and ginseng. *Am J Health Syst Pharm* 1997;54(6):692-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9075501&dopt=Abstract
- Kiguchi T, Kimura F, Niiya K, Katayama Y, Harada M. Acute thrombocytopenic purpura after ingestion of Sho-saiko-to for hepatitis. *Liver* 2000;20(6):491. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11169065&dopt=Abstract
- Kruth P, Brosi E, Fux R, Morike K, Gleiter CH. Ginger-associated overanticoagulation by phenprocoumon. *Ann Pharmacother* 2004;38(2):257-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14742762&dopt=Abstract
- Lam AY, Elmer GW, Mohutsky MA. Possible interaction between warfarin and Lycium barbarum L. *Ann Pharmacother* 2001;35(10):1199-201. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11675844&dopt=Abstract

- Lambert JP, Cormier A. Potential interaction between warfarin and boldo-fenugreek. *Pharmacotherapy* 2001;21(4):509-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11310527&dopt=Abstract
- Lesno EP, Saullo L, Udvari-Nagy S. A 76-year-old woman with erratic anticoagulation. *Cleve Clin J Med* 2004;71(8):651-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15449760&dopt=Abstract
- Mendoza CE, Ferreira AC, de Marchena E. Warfarin and herbal products interaction causing prosthetic aortic valve thrombosis presenting as acute myocardial infarction. *J Heart Valve Dis* 2004;13(1):22-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14765834&dopt=Abstract
- Norcross WA, Ganiats TG, Ralph LP, Seidel RG, Ikeda TS. Accidental poisoning by warfarin-contaminated herbal tea. *West J Med* 1993;159(1):80-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8351917&dopt=Abstract
- Norred CL, Finlayson CA. Hemorrhage after the preoperative use of complementary and alternative medicines. *AANA J* 2000;68(3):217-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11132009&dopt=Abstract
- Ohmori T, Nishii K, Hagihara A, Takeda M, Sekido K. Acute thrombocytopenia induced by jui, a traditional herbal medicine. *J Thromb Haemost* 2004;2(8):1479-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15304064&dopt=Abstract
- Page RL, 2nd, Lawrence JD. Potentiation of warfarin by dong quai. *Pharmacotherapy* 1999;19(7):870-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10417036&dopt=Abstract
- Rosado MF. Thrombosis of a prosthetic aortic valve disclosing a hazardous interaction between warfarin and a commercial ginseng product. *Cardiology* 2003;99(2):111. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12711887&dopt=Abstract
- Rosenblatt M, Mindel J. Spontaneous hyphema associated with ingestion of Ginkgo biloba extract. *N Engl J Med* 1997;336(15):1108. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9091822&dopt=Abstract
- Rowin J, Lewis SL. Spontaneous bilateral subdural hematomas associated with chronic Ginkgo biloba ingestion. *Neurology* 1996;46(6):1775-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8649594&dopt=Abstract
- Takeshita A, Shinjo K, Ohnishi K, Ohno R. Allergic reaction involving liver dysfunction and disseminated intravascular coagulation caused by a health food, Proporis. *Intern Med* 1995;34(12):1207-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8929652&dopt=Abstract
- Taylor JR, Wilt VM. Probable antagonism of warfarin by green tea. *Ann Pharmacother* 1999;33(4):426-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10332534&dopt=Abstract
- Tessler L. [Bromelines in phlebology]. *Phlebologie* 1965;18(2):137-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5829341&dopt=Abstract
- Vale S. Subarachnoid haemorrhage associated with Ginkgo biloba. *Lancet* 1998;352(9121):36. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9800751&dopt=Abstract

- Windrum P, Hull DR, Morris TC. Herb-drug interactions. Lancet 2000;355(9208):1019-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10768466&dopt=Abstract
- Wong AL, Chan TY. Interaction between warfarin and the herbal product quilinggao. Ann Pharmacother 2003;37(6):836-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12773074&dopt=Abstract
- Wong DA, McMullock JA. Heads up on herbals. Spine J 2001;1(6):446. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14626234&dopt=Abstract
- Yu CM, Chan JC, Sanderson JE. Chinese herbs and warfarin potentiation by 'danshen'. J Intern Med 1997;241(4):337-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9159606&dopt=Abstract
- Yue QY, Jansson K. Herbal drug curcumin and anticoagulant effect with and without warfarin: possibly related to the vitamin E component. J Am Geriatr Soc 2001;49(6):838. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11454132&dopt=Abstract
- ### **Other Dietary Supplements, Nutrients, and Drugs**
- Folkers K, Langsjoen P, Langsjoen PH. Therapy with coenzyme Q10 of patients in heart failure who are eligible or ineligible for a transplant. Biochem Biophys Res Commun 1992;182(1):247-53. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1731784&dopt=Abstract
- Kucher N, Connolly S, Beckman JA, Cheng LH, Tsilimingras KV, Fanikos J, Goldhaber SZ. International normalized ratio increase before warfarin-associated hemorrhage: brief and subtle. Arch Intern Med 2004;164(19):2176-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15505133&dopt=Abstract
- Landbo C, Almdal TP. [Interaction between warfarin and coenzyme Q10]. Ugeskr Laeger 1998;160(22):3226-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9621803&dopt=Abstract
- Morreale AP, Janetzky K. Probable interaction of warfarin and acarbose. Am J Health Syst Pharm 1997;54(13):1551-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9217947&dopt=Abstract
- Preli RB, Klein KP, Herrington DM. Vascular effects of dietary L-arginine supplementation. Atherosclerosis 2002;162(1):1-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11947892&dopt=Abstract
- Rosenfeld V, Crain JL, Callahan AK. Possible augmentation of warfarin effect by glucosamine-chondroitin. Am J Health Syst Pharm 2004;61(3):306-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14986566&dopt=Abstract
- Spigset O. Reduced effect of warfarin caused by ubidecarenone. Lancet 1994;344(8933):1372-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7968059&dopt=Abstract

Foods

- Bartle WR. Grapefruit juice might still be factor in warfarin response. Am J Health Syst Pharm 1999;56(7):676. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10423213&dopt=Abstract

- Bartle WR, Ferland G. Fiddleheads and the international normalized ratio. *N Engl J Med* 1998;338(21):1550. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9599119&dopt=Abstract
- Bartle WR, Madorin P, Ferland G. Seaweed, vitamin K, and warfarin. *Am J Health Syst Pharm* 2001;58(23):2300. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11763808&dopt=Abstract
- Cambria-Kiely J. Effect of soy milk on warfarin efficacy. *Ann Pharmacother* 2002;36(12):1893-1896. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12452752&dopt=Abstract
- Griffith LD, Olvey SE, Triplett WC. Increasing prothrombin times in a warfarin-treated patient upon withdrawal of Ensure Plus. *Crit Care Med* 1982;10(11):799-800. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7140325&dopt=Abstract
- Michaelson R, Kempin SJ, Navia B, Gold JW. Inhibition of the hypoprothrombinemic effect of warfarin (Coumadin) by Ensure Plus, a dietary supplement. *Clin Bull* 1980;10(4):171-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7214706&dopt=Abstract
- Monterrey-Rodriguez J. Interaction between warfarin and mango fruit. *Ann Pharmacother* 2002;36(5):940-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12014354&dopt=Abstract
- Pathak A, Leger P, Bagheri H, Senard JM, Boccalon H, Montastruc JL. Garlic interaction with fluindione: a case report. *Therapie* 2003;58(4):380-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14679681&dopt=Abstract
- Rose KD, Croissant PD, Parliament CF, Levin MB. Spontaneous spinal epidural hematoma with associated platelet dysfunction from excessive garlic ingestion: a case report. *Neurosurgery* 1990;26(5):880-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2352608&dopt=Abstract
- Suvarna R, Pirmohamed M, Henderson L. Possible interaction between warfarin and cranberry juice. *Br Med J* 2003;327(7429):1454. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14684645&dopt=Abstract
- van Iersel MD, Blenke AA, Kremer HP, Hekster YA. [A patient with lessened sensitivity to acenocoumarol during a period of enteral feeding]. *Ned Tijdschr Geneeskd* 2004;148(23):1155-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15211967&dopt=Abstract

REVIEW ARTICLES

Systematic Reviews/Meta Analyses

Brousson MA, Klein MC. Controversies surrounding the administration of vitamin K to newborns: a review. *Can Med Assoc J* 1996;154(3):307-15. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8564900&dopt=Abstract

Clagett GP, Sobel M, Jackson MR, Lip GYH, Tangelder M, Verhaeghe R. Antithrombotic therapy in peripheral arterial occlusive disease: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126(3 SUPPL.):609S-626S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383487&dopt=Abstract

de Bree A, Mennen LI, Hercberg S, Galan P. Evidence for a protective (synergistic?) effect of B-vitamins and omega-3 fatty acids on cardiovascular diseases. *Eur J Clin Nutr* 2004;58(5):732-744. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15116076&dopt=Abstract

Meydani SN, Lichtenstein AH, White PJ, Goodnight SH, Elson CE, Woods M, Gorbach SL, Schaefer EJ. Food use and health effects of soybean and sunflower oils. *J Am Coll Nutr* 1991;10(5):406-28. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1955619&dopt=Abstract

Puckett RM, Offringa M. Prophylactic vitamin K for vitamin K deficiency bleeding in neonates. *Cochrane Database Syst Rev* 2000(4):CD002776. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034761&dopt=Abstract

Vitamins

Allman-Farinelli MA, Dawson B. Diet and aging: bearing on thrombosis and hemostasis. *Semin Thromb Hemost* 2005;31(1):111-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15706483&dopt=Abstract

Andreenko GV. [Development of research into the physiology and pathophysiology of the fibrinolysis system]. Nauchnye Dokl Vyss Shkoly Biol Nauki 1985(10):5-19. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2933082&dopt=Abstract

Anonymous. Vitamin K deficiency in adults. *Nutr Rev* 1968;26(6):165-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4969847&dopt=Abstract

Anonymous. Hypervitaminosis E and coagulation. *Nutr Rev* 1975;33(9):269-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1099483&dopt=Abstract

Anonymous. Safety of vitamin E therapy in low birth weight infants. *Nutr Rev* 1981;39(3):121-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7027095&dopt=Abstract

Anonymous. Controversies concerning vitamin K and the newborn. American Academy of Pediatrics Committee on Fetus and Newborn. *Pediatrics* 2003;112(1 Pt 1):191-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12837888&dopt=Abstract

Anonymous. Macronutrients: Vitamin K. *Dis Mon* 2004;50(2):79-85.

Astedt B. Antenatal drugs affecting vitamin K status of the fetus and the newborn. *Semin Thromb Hemost* 1995;21(4):364-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8747699&dopt=Abstract

- Azzi A, Breyer I, Feher M, Pastori M, Ricciarelli R, Spycher S, Staffieri M, Stocker A, Zimmer S, Zingg JM. Specific cellular responses to alpha-tocopherol. *J Nutr* 2000;130(7):1649-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10867030&dopt=Abstract
- Azzi A, Ricciarelli R, Zingg JM. Non-antioxidant molecular functions of alpha-tocopherol (vitamin E). *FEBS Lett* 2002;519(1-3):8-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12023009&dopt=Abstract
- Bern M. Observations on possible effects of daily vitamin K replacement, especially upon warfarin therapy. *JPEN J Parenter Enteral Nutr* 2004;28(6):388-398. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15568285&dopt=Abstract
- Beyth RJ. Management of haemorrhagic complications associated with oral anticoagulant treatment. *Expert Opin Drug Saf* 2002;1(2):129-36. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12904147&dopt=Abstract
- Booth SL, Suttie JW. Dietary intake and adequacy of vitamin K. *J Nutr* 1998;128(5):785-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9566982&dopt=Abstract
- Bougle D, Vert P. [Indications for vitamin E in the premature infant]. *Arch Fr Pediatr* 1984;41(1):63-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6372731&dopt=Abstract
- Bovill EG, Malhotra OP, Mann KG. Mechanisms of vitamin K antagonism. *Baillieres Clin Haematol* 1990;3(3):555-81. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2271783&dopt=Abstract
- Brousson MA, Klein MC. Controversies surrounding the administration of vitamin K to newborns: a review. *Can Med Assoc J* 1996;154(3):307-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8564900&dopt=Abstract
- Brown SG, McHugh G, Shapleski J, Wotherspoon PA, Taylor BJ, Gillett WR. Should intramuscular vitamin K prophylaxis for haemorrhagic disease of the newborn be continued? A decision analysis. *N Z Med J* 1989;102(860):3-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2643775&dopt=Abstract
- Byshevskii A. [The effect of certain vitamins on the anticoagulation system]. *Vopr Pitan* 1968;27(5):17-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4238231&dopt=Abstract
- Clagett GP, Sobel M, Jackson MR, Lip GYH, Tangelder M, Verhaeghe R. Antithrombotic therapy in peripheral arterial occlusive disease: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126(3 SUPPL.):609S-626S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383487&dopt=Abstract
- Clarkson PM, James AG. Parenteral vitamin K1: the effective prophylaxis against haemorrhagic disease for all newborn infants. *N Z Med J* 1990;103(885):95-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2179775&dopt=Abstract
- Conway SP. Vitamin K in cystic fibrosis. *J R Soc Med* 2004;97 Suppl 44:48-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15239294&dopt=Abstract

- Coppola A, Davi G, De Stefano V, Mancini FP, Cerbone AM, Di Minno G. Homocysteine, coagulation, platelet function, and thrombosis. Semin Thromb Hemost 2000;26(3):243-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11011842&dopt=Abstract
- Cornu P. Recent developments with vitamin K. Nouv Rev Fr Hematol 1988;30(4):203-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3057434&dopt=Abstract
- Crowther MA, Wilson S. Vitamin K for the treatment of asymptomatic coagulopathy associated with oral anticoagulant therapy. J Thromb Thrombolysis 2003;16(1-2):69-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14760216&dopt=Abstract
- Dahlback B, Villoutreix BO. The anticoagulant protein C pathway. FEBS Lett 2005;579(15):3310-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15943976&dopt=Abstract
- de Bree A, Mennen LI, Hercberg S, Galan P. Evidence for a protective (synergistic?) effect of B-vitamins and omega-3 fatty acids on cardiovascular diseases. Eur J Clin Nutr 2004;58(5):732-744. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15116076&dopt=Abstract
- Delsart D, Chambefort V, Decousus H. [Heparins, antivitamins K. Principles and rules of use. Posology of non-fractionated heparins]. Rev Prat 2001;51(13):1489-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11601082&dopt=Abstract
- Deutsch E. Vitamin K in medical practice: adults. Vitam Horm 1966;24:665-79. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5340885&dopt=Abstract
- Deykin D. Warfarin therapy. 2. N Engl J Med 1970;283(15):801-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4917271&dopt=Abstract
- Deykin D. Warfarin therapy. 1. N Engl J Med 1970;283(13):691-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4916914&dopt=Abstract
- Diaz MN, Frei B, Vita JA, Keaney JF, Jr. Antioxidants and atherosclerotic heart disease. N Engl J Med 1997;337(6):408-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9241131&dopt=Abstract
- Domula M. [General preventive use of vitamin K in newborn infants]. Kinderarztl Prax 1988;56(6):265-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3063871&dopt=Abstract
- Dowd P, Ham SW, Naganathan S, Hershline R. The mechanism of action of vitamin K. Annu Rev Nutr 1995;15:419-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8527228&dopt=Abstract
- Drevon CA, Henriksen HB, Sanderud M, Gundersen TE, Blomhoff R. [Biological effects of vitamin K and concentration of vitamin K in Norwegian food]. Tidsskr Nor Laegeforen 2004;124(12):1650-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15229714&dopt=Abstract
- Durie PR. Vitamin K and the management of patients with cystic fibrosis. Can Med Assoc J 1994;151(7):933-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7922929&dopt=Abstract

- Duvina PL, Simoni MR, Pieroni O, Guazzini S. [Notes on coagulation in the neonatal period. II. Effect of vitamin K on the activity of coagulation factors II, VII and X]. Minerva Pediatr 1978;30(8):639-44. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=661772&dopt=Abstract
- Fawns HT. Vitamin K and blood clotting. Nurs Times 1978;74(43):1764-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=250782&dopt=Abstract
- Fenton JW, 2nd, Ofosu FA, Brezniak DV, Hassouna HI. Thrombin and antithrombotics. Semin Thromb Hemost 1998;24(2):87-91. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9579630&dopt=Abstract
- Freedman JE, Keaney JF, Jr. Vitamin E inhibition of platelet aggregation is independent of antioxidant activity. J Nutr 2001;131(2):374S-7S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11160564&dopt=Abstract
- Fugh-Berman A. Herbs and dietary supplements in the prevention and treatment of cardiovascular disease. Preventive Cardiology 2000;3(1):24-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11834913&dopt=Abstract
- Fujii T. [Significance of vitamin E in anemia]. Rinsho Ketsueki 1972;13(3):342-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4630346&dopt=Abstract
- Galli C, Socini A. Biological actions and possible uses of vitamin E. Acta Vitaminol Enzymol 1982;4(3):245-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6756099&dopt=Abstract
- Gallus AS, Hirsh J. Treatment of venous thromboembolic disease. Semin Thromb Hemost 1976;2(4):291-331. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=798277&dopt=Abstract
- Gallus AS, Hirsh J. Antithrombotic drugs: part I. Drugs 1976;12(1):41-68. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=789043&dopt=Abstract
- Gnagy R. Hemorrhagic disease of the newborn and vitamin K prophylaxis. W V Med J 1973;69(10):278-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4584461&dopt=Abstract
- Greer FR. Vitamin K status of lactating mothers and their infants. Acta Paediatr Suppl 1999;88(430):95-103. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10569231&dopt=Abstract
- Gustafsson D. Oral direct thrombin inhibitors in clinical development. J Intern Med 2003;254(4):322-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12974871&dopt=Abstract
- Hanley JP. Warfarin reversal. J Clin Pathol 2004;57(11):1132-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15509671&dopt=Abstract
- Hanslik T, Prinseau J. The use of vitamin K in patients on anticoagulant therapy: a practical guide. Am J Cardiovasc Drugs 2004;4(1):43-55. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14967065&dopt=Abstract
- Harrell CC, Kline SS. Oral vitamin K1: an option to reduce warfarin's activity. Ann Pharmacother 1995;29(12):1228-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8672826&dopt=Abstract

- Hathaway WE. New insights on vitamin K. *Hematol Oncol Clin North Am* 1987;1(3):367-79. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3329179&dopt=Abstract
- Hawkins D. Limitations of traditional anticoagulants. *Pharmacotherapy* 2004;24(7 II):62S-65S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15317400&dopt=Abstract
- Heidinger K. [In practice: use of vitamin K antagonists]. *Pharm Unserer Zeit* 2004;33(3):236-43. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15208912&dopt=Abstract
- Hodby ED, Hirsh J, Adeniyi-Jones C. The influence of drugs upon the anticoagulant activity of heparin. *Can Med Assoc J* 1972;106(5):562-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5027639&dopt=Abstract
- Hodges RE. Vitamin E and coronary heart disease. *J Am Diet Assoc* 1973;62(6):638-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4576935&dopt=Abstract
- Holvoet P, Collen D. Lipid lowering and enhancement of fibrinolysis with niacin. *Circulation* 1995;92(4):698-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7641345&dopt=Abstract
- Horlocker TT, Wedel DJ, Benzon H, Brown DL, Enneking KF, Heit JA, Mulroy MF, Rosenquist RW, Rowlingson J, Tryba M, Yuan C-S. Regional anesthesia in the anticoagulated patient: defining the risks. *Reg Anesth Pain Med* 2004;29(2 Supple 2):1-11. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12772135&dopt=Abstract
- Horrobin DF, Oka M, Manku MS. The regulation of prostaglandin E1 formation: a candidate for one of the fundamental mechanisms involved in the actions of vitamin C. *Med Hypotheses* 1979;5(8):849-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=390331&dopt=Abstract
- Horwitt MK. Vitamin E: a reexamination. *Am J Clin Nutr* 1976;29(5):569-78. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=773168&dopt=Abstract
- Huysman MW, Sauer PJ. The vitamin K controversy. *Curr Opin Pediatr* 1994;6(2):129-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8032391&dopt=Abstract
- Jackson CM, Suttie JW. Recent developments in understanding the mechanism of vitamin K and vitamin K-antagonist drug action and the consequences of vitamin K action in blood coagulation. *Prog Hematol* 1977;10:333-59. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=337364&dopt=Abstract
- Kalafatis M, Swords NA, Rand MD, Mann KG. Membrane-dependent reactions in blood coagulation: role of the vitamin K-dependent enzyme complexes. *Biochim Biophys Acta* 1994;1227(3):113-29. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7986819&dopt=Abstract
- Karlic H, Lohninger A. Supplementation of L-carnitine in athletes: does it make sense? *Nutrition* 2004;20(7-8):709-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15212755&dopt=Abstract
- Kay P. The vitamin K controversy. *Birth Gaz* 2000;16(2):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11899341&dopt=Abstract

- Khalmuradov AG, Shtutman Ts M. [Cofactor role of vitamin K in blood coagulation processes]. Vopr Pitan 1980(3):3-11. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6996327&dopt=Abstract
- Khmelevskii Iu V, Kakhnover NB, Kornitskaia AI. [Clinical use of tocopherol (a review of the literature)]. Vrach Delo 1981(5):31-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7020243&dopt=Abstract
- Khoksi DK. [Vitamins and trace elements in abnormal hemostasis]. Klin Med (Mosk) 1998;76(8):15-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9770959&dopt=Abstract
- Knight D, Howie R, Doran J, Barrie D, Bourchier D, Richardson V, Darlow B, Broadbent R. Vitamin K administration in the newborn: statement by Fetus and Newborn Committee of Paediatric Society of New Zealand. N Z Med J 1992;105(941):362. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1436834&dopt=Abstract
- Kopec M. [Vitamin K dependent blood clotting proteins (author's transl)]. Postepy Biochem 1980;26(1):3-28. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6994082&dopt=Abstract
- Kotel'nikov MV. [Hyperhomocysteinemia: from theory and practice in the treatment of thrombophilias]. Kardiologiya 2004;44(10):102-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15477801&dopt=Abstract
- Koyama T, Hirosawa S. [Control of thrombosis by retinoids and vitamin D3 derivatives]. Rinsho Ketsueki 1999;40(5):378-81. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10390885&dopt=Abstract
- Kunzer W, Niederhoff H. [Supplying vitamin K to the newborn infant]. Dtsch Med Wochenschr 1988;113(11):432-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3280289&dopt=Abstract
- Lakin KM, Makarov VA, Novikova NV, Tret'iak VM. [Inhibitors of thrombocyte aggregation]. Farmakol Toksikol 1983;46(3):113-26. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6134634&dopt=Abstract
- Loughnan PM, McDougall PN. The efficacy of oral vitamin K1: implications for future prophylaxis to prevent haemorrhagic disease of the newborn. J Paediatr Child Health 1993;29(3):171-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8305002&dopt=Abstract
- Lubetsky A, Shasha Y, Olchovsky D, Loebstein R, Halkin H, Ezra D. Impact of pre-treatment INR level on the effect of intravenous low dose vitamin K in patients with excessive anticoagulation. Thromb Haemost 2003;90(1):71-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12876628&dopt=Abstract
- Maak B. [Vitamin K for newborn infants: why and how?]. Kinderarztl Prax 1993;61(7-8):258-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8271675&dopt=Abstract
- MacLeod SM, Sellers EM. Pharmacodynamic and pharmacokinetic drug interactions with coumarin anticoagulants. Drugs 1976;11(6):461-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=782840&dopt=Abstract
- Malyszko JS, Malyszko J, Skrzypiewska E, Pawlak K, Mysliwiec M. Protein Z and vitamin K in kidney disease. Roczn Akad Med Bialymst 2004;49:197-200. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15631343&dopt=Abstract

- Mann KG. Blood coagulation. *Alcohol Clin Exp Res* 1999;23(6):1111-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10397299&dopt=Abstract
- Mann KG, Lawson JH. The role of the membrane in the expression of the vitamin K-dependent enzymes. *Arch Pathol Lab Med* 1992;116(12):1330-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1456880&dopt=Abstract
- Mann KG, Nesheim ME, Church WR, Haley P, Krishnaswamy S. Surface-dependent reactions of the vitamin K-dependent enzyme complexes. *Blood* 1990;76(1):1-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2194585&dopt=Abstract
- Marx R. [Anticoagulants. Various developmental starting points on direct antithrombins as antithrombotic agents]. *Thromb Diath Haemorrh Suppl* 1973;55:179-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4612863&dopt=Abstract
- Matsuda I, Endo F, Motohara K. Vitamin K deficiency in infancy. *World Rev Nutr Diet* 1991;64:85-108. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2028625&dopt=Abstract
- McCarty MF. An antithrombotic role for nutritional antioxidants: implications for tumor metastasis and other pathologies. *Med Hypotheses* 1986;19(4):345-57. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3520253&dopt=Abstract
- Mijares ME, Nagy E, Guerrero B, Arocha-Pinango CL. [Vitamin K: biochemistry, function, and deficiency. Review]. *Invest Clin* 1998;39(3):213-29. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9780555&dopt=Abstract
- Morton RA. Ubiquinones, plastoquinones and vitamins K. *Biol Rev Camb Philos Soc* 1971;46(1):47-96. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4942392&dopt=Abstract
- Nalbandian RM, Henry RL. A proposed comprehensive pathophysiology of thrombotic thrombocytopenic purpura with implicit novel tests and therapies. *Semin Thromb Hemost* 1980;6(4):356-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6452692&dopt=Abstract
- Neafsey P. Of blood, bones, and broccoli: warfarin-vitamin K interactions. *Home Healthc Nurse* 2004;22(3):178-82; quiz 183-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15017321&dopt=Abstract
- Nemerson Y, Furie B. Zymogens and cofactors of blood coagulation. *CRC Crit Rev Biochem* 1980;9(1):45-85. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6777115&dopt=Abstract
- Nussbaum M, Moschos CB. Anticoagulants and Anticoagulation. *Med Clin North Am* 1976;60(5):855-69. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=781413&dopt=Abstract
- Ogston D, Douglas AS. Anticoagulant and thrombolytic drugs. I. Patho-physiological and pharmacological aspects. *Drugs* 1971;1(3):228-46. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4256645&dopt=Abstract
- O'Reilly RA. Drug interactions involving oral anticoagulants. *Cardiovasc Clin* 1974;6(2):23-41. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4613460&dopt=Abstract

- O'Reilly RA. Vitamin K and the oral anticoagulant drugs. *Annu Rev Med* 1976;27:245-61. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=779597&dopt=Abstract
- O'Reilly RA, Aggeler PM. Determinants of the response to oral anticoagulant drugs in man. *Pharmacol Rev* 1970;22(1):35-96. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4918964&dopt=Abstract
- Packham MA, Mustard JF. Clinical pharmacology of platelets. *Blood* 1977;50(4):555-73. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=332253&dopt=Abstract
- Palmer ME, Haller C, McKinney PE, Klein-Schwartz W, Tschirgi A, Smolinske SC, Woolf A, Sprague BM, Ko R, Everson G, Nelson LS, Dodd-Butera T, Bartlett WD, Landzberg BR. Adverse events associated with dietary supplements: an observational study. *Lancet* 2003;361(9352):101-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12531576&dopt=Abstract
- Palot M, Daigremont-Botmans C, Visseaux H. Prevention of deep vein thrombosis and pre-eclampsia. Therapeutic possibilities. *Ann Med Interne (Paris)* 2003;154(5-6):354-360. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15027590&dopt=Abstract
- Passeri M, Provvedini D. Vitamins: their relationship to atherosclerosis. *Acta Vitaminol Enzymol* 1982;4(1-2):169-77. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6751050&dopt=Abstract
- Petry JJ. Surgically significant nutritional supplements. *Plast Reconstr Surg* 1996;97(1):233-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8532785&dopt=Abstract
- Petry JJ. Nutritional supplements and surgical patients. *AORN J* 1997;65(6):1117-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9187458&dopt=Abstract
- Prowse CV, Cash JD. Physiologic and pharmacologic enhancement of fibrinolysis. *Semin Thromb Hemost* 1984;10(1):51-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6367048&dopt=Abstract
- Puckett RM, Offringa M. Prophylactic vitamin K for vitamin K deficiency bleeding in neonates. *Cochrane Database Syst Rev* 2000(4):CD002776. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034761&dopt=Abstract
- Pulcinelli FM, Pignatelli P, Violi F, Gazzaniga PP. Platelets and oxygen radicals: mechanisms of functional modulation. *Haematologica* 2001;86(11 Suppl 2):31-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11926772&dopt=Abstract
- Quick AJ. The correlated actions of vitamin C, K, and Q. *Life Sci* 1975;16(7):1017-24. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1094211&dopt=Abstract
- Quick AJ. The role of vitamins in hemostasis. *Thromb Diath Haemorrh* 1975;33(2):191-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1138416&dopt=Abstract
- Robertson BR. Effect of nicotinic acid on fibrinolytic activity in health, in thrombotic disease and in liver cirrhosis. *Acta Chir Scand* 1971;137(7):643-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5149150&dopt=Abstract

- Ross JA, Davies SM. Vitamin K prophylaxis and childhood cancer. *Med Pediatr Oncol* 2000;34(6):434-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10842253&dopt=Abstract
- Rossi V, Masi M, Di Macco E, Papa G. Ascorbic acid as first-line therapy in immune thrombocytopenic purpura. *Haematologica* 1991;76(5):438-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1806452&dopt=Abstract
- Rynca J. [Role of vitamin K in protein modification]. *Postepy Biochem* 1985;31(2):283-304. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2869478&dopt=Abstract
- Salonen JT. Antioxidants and platelets. *Ann Med* 1989;21(1):59-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2923705&dopt=Abstract
- Sann L, Leclercq M, Guillaumont M, Bethenod M. [Does the newborn infant need vitamin K supplementation?]. *Arch Fr Pediatr* 1988;45(10):775-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3071283&dopt=Abstract
- Sattler FR, Weitekamp MR, Ballard JO. Potential for bleeding with the new beta-lactam antibiotics. *Ann Intern Med* 1986;105(6):924-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3535606&dopt=Abstract
- Sattler FR, Weitekamp MR, Sayegh A, Ballard JO. Impaired hemostasis caused by beta-lactam antibiotics. *Am J Surg* 1988;155(5A):30-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3287966&dopt=Abstract
- Schoene NW. Vitamin E and omega-3 fatty acids: effectors of platelet responsiveness. *Nutrition* 2001;17(10):793-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11684381&dopt=Abstract
- Sepulveda-Sanchez JM, Matia-Frances R, Martinez-Salio A, Gonzalez-de la Aleja-Tejera J, Rodriguez-Pena Marin M, Porta-Etessam J. [Homocysteine and cerebrovascular disease]. *Rev Neurol* 2004;38(4):347-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14997460&dopt=Abstract
- Shearer MJ. Vitamin K. *Lancet* 1995;345(8944):229-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7823718&dopt=Abstract
- Sherry S. Fibrinolytic agents. *Dis Mon* 1969;3-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4241828&dopt=Abstract
- Shershevskii MG. [Ascorbic acid and fibrinolysis in atherosclerosis]. *Kardiologiia* 1965;5(4):64-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5880735&dopt=Abstract
- Sie P. [How do we manage the hemorrhagic risk on hypovitaminosis K and treatments with antivitamin K]. *Ann Fr Anesth Reanim* 1998;17 Suppl 1:14s-17s. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9750673&dopt=Abstract
- Singh M. Vitamin K during infancy: current status and recommendations. *Indian Pediatr* 1997;34(8):708-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9492399&dopt=Abstract
- Slattery JM. Why we need a clinical trial for vitamin K. *Br Med J* 1994;308(6933):908-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8173376&dopt=Abstract

- Stanger O, Herrmann W, Pietrzik K, Fowler B, Geisel J, Dierkes J, Weger M. Clinical use and rational management of homocysteine, folic acid, and B vitamins in cardiovascular and thrombotic diseases. *Z Kardiol* 2004;93(6):439-53. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15252738&dopt=Abstract
- Steiner M. Influence of vitamin E on platelet function in humans. *J Am Coll Nutr* 1991;10(5):466-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1955623&dopt=Abstract
- Steiner M. Vitamin E: more than an antioxidant. *Clin Cardiol* 1993;16(4 Suppl 1):I16-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8472393&dopt=Abstract
- Stirling Y. Warfarin-induced changes in procoagulant and anticoagulant proteins. *Blood Coagul Fibrinolysis* 1995;6(5):361-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8589201&dopt=Abstract
- Striegl G. [Anticoagulants. 43]. *Pharm Prax* 1969;12:279-87. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4191772&dopt=Abstract
- Stuart MJ, Oski FA. Vitamin E and platelet function. *Am J Pediatr Hematol Oncol* 1979;1(1):77-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=396795&dopt=Abstract
- Sutor AH. New aspects of vitamin K prophylaxis. *Semin Thromb Hemost* 2003;29(4):373-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14517749&dopt=Abstract
- Suttie JW. The biochemical basis of warfarin therapy. *Adv Exp Med Biol* 1987;214:3-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3310547&dopt=Abstract
- Suttie JW. Vitamin K and human nutrition. *J Am Diet Assoc* 1992;92(5):585-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1573141&dopt=Abstract
- Thomas PR. Supplement use among US adults: Implications for the dietetics professional. *J Am Diet Assoc* 2004;104(6):950-951. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15175593&dopt=Abstract
- van Dam-Mieras MC, Hemker HC. Half-life time and control frequency of vitamin K-dependent Coagulation factors. Theoretical considerations on the place of factor VII in the control of oral anticoagulation therapy. *Haemostasis* 1983;13(3):201-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6350124&dopt=Abstract
- Vermeer C, Knapen MH, Jie KS, Grobbee DE. Physiological importance of extra-hepatic vitamin K-dependent carboxylation reactions. *Ann N Y Acad Sci* 1992;669:21-31; discussion 31-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1444027&dopt=Abstract
- Verstraete M. Prevention of thrombosis in arteries: novel approaches. *J Cardiovasc Pharmacol* 1985;7 Suppl 3:S191-205. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2409394&dopt=Abstract
- Violi F, Micheletta F, Iuliano L. Vitamin E, atherosclerosis and thrombosis. *Thromb Haemost* 2001;85(5):766-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11372665&dopt=Abstract

von Kries R. Vitamin K prophylaxis--a useful public health measure? *Paediatr Perinat Epidemiol* 1992;6(1):7-13. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1553320&dopt=Abstract

von Kries R. Oral versus intramuscular phytomenadione: safety and efficacy compared. *Drug Saf* 1999;21(1):1-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10433349&dopt=Abstract

von Kries R, Greer FR, Suttie JW. Assessment of vitamin K status of the newborn infant. *J Pediatr Gastroenterol Nutr* 1993;16(3):231-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8492247&dopt=Abstract

von Kries R, Hanawa Y. Neonatal vitamin K prophylaxis. Report of Scientific and Standardization Subcommittee on Perinatal Haemostasis. *Thromb Haemost* 1993;69(3):293-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8470054&dopt=Abstract

Weiner M. Clinical pharmacology and pharmacokinetics of nicotinic acid. *Drug Metab Rev* 1979;9(1):99-106. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=376259&dopt=Abstract

White JG, Rao GH, Gerrard JM. Vitamin E and platelets: cooperative interactions with nitroblue tetrazolium on inhibition of adhesion, aggregation and secretion. *Am J Pediatr Hematol Oncol* 1979;1(2):155-68. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=396798&dopt=Abstract

Willems HPJ, Den Heijer M, Bos GMJ. Homocysteine and venous thrombosis: Outline of a vitamin intervention trial. *Semin Thromb Hemost* 2000;26(3):297-304. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11011847&dopt=Abstract

Wilson SE, Watson HG, Crowther MA. Low-dose oral vitamin K therapy for the management of asymptomatic patients with elevated international normalized ratios: a brief review. *Can Med Assoc J* 2004;170(5):821-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14993179&dopt=Abstract

Wolters M, Strohle A, Hahn A. Cobalamin: a critical vitamin in the elderly. *Prev Med* 2004;39(6):1256-66. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15539065&dopt=Abstract

Zingg JM, Azzi A. Non-antioxidant activities of vitamin E. *Curr Med Chem* 2004;11(9):1113-33. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15134510&dopt=Abstract

Zurn H. [Problems of directed hemostasis and coagulation stimulation in pathological tendency to bleed]. *Dtsch Gesundheitsw* 1969;24(50):2353-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4915757&dopt=Abstract

Minerals

Achenbach H, Urbaszek W. [Cobalt effects in the organism with special reference to cardiovascular effects]. *Z Gesamte Inn Med* 1972;27(19):809-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4567175&dopt=Abstract

Chvapil M. Effect of zinc on cells and biomembranes. *Med Clin North Am* 1976;60(4):799-812. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=775220&dopt=Abstract

Edwards SL. Maintaining calcium balance: physiology and implications. *Nurs Times* 2005;101(19):58-61. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15920876&dopt=Abstract

- Ernst E, Thompson Coon J. Heavy metals in traditional Chinese medicines: a systematic review. *Clin Pharmacol Ther* 2001;70(6):497-504. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11753265&dopt=Abstract
- Heymann E, Mentlein R. [Has dipeptidyl peptidase IV an effect on blood pressure and coagulation?]. *Klin Wochenschr* 1984;62(1):2-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6199552&dopt=Abstract
- Khoksi DK. [Vitamins and trace elements in abnormal hemostasis]. *Klin Med (Mosk)* 1998;76(8):15-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9770959&dopt=Abstract
- Lee JM, Zipfel GJ, Choi DW. The changing landscape of ischaemic brain injury mechanisms. *Nature* 1999;399(6738 Suppl):A7-14. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10392575&dopt=Abstract
- McCarty MF. An antithrombotic role for nutritional antioxidants: implications for tumor metastasis and other pathologies. *Med Hypotheses* 1986;19(4):345-57. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3520253&dopt=Abstract
- Palot M, Daigremont-Botmans C, Visseaux H. Prevention of deep vein thrombosis and pre-eclampsia. Therapeutic possibilities. *Ann Med Interne (Paris)* 2003;154(5-6):354-360. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15027590&dopt=Abstract
- Ravn HB. Pharmacological effects of magnesium on arterial thrombosis-mechanisms of action? *Magnes Res* 1999;12(3):191-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10488475&dopt=Abstract
- Renaud S, Dumont E, Godsey F, McGregor L, Morazain R. Effects of diet on blood clotting and platelet aggregation. *Prog Clin Biol Res* 1981;67:361-81. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7029564&dopt=Abstract
- Ripa S, Ripa R. [Zinc and atherosclerosis]. *Minerva Med* 1994;85(12):647-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7854558&dopt=Abstract
- Salonen JT. Antioxidants and platelets. *Ann Med* 1989;21(1):59-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2923705&dopt=Abstract
- Serebruany VL, Atar D, Dalesandro MR, O'Connor CM, Gurbel PA. Changes in hemostasis after parenteral magnesium in myocardial ischemia-reperfusion: from animal studies to clinical trials. *Magnes Res* 1998;11(2):133-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9675757&dopt=Abstract
- Striegler G. [Anticoagulants. 43]. *Pharm Prax* 1969;12:279-87. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4191772&dopt=Abstract
- Yabusaki K. [Analysis of manganese-induced platelet aggregation]. *Rinsho Byori* 1997;Suppl 104:89-98. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9128369&dopt=Abstract

Fatty acids

- Allman-Farinelli MA, Dawson B. Diet and aging: bearing on thrombosis and hemostasis. *Semin Thromb Hemost* 2005;31(1):111-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15706483&dopt=Abstract

- Anonymous. Effects of omega-3 fatty acids on cardiovascular risk factors and intermediate markers of cardiovascular disease. Evid Rep Technol Assess (Summ) 2004;93):1-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15133887&dopt=Abstract
- Banning M. The role of omega-3-fatty acids in the prevention of cardiac events. Br J Nurs 2005;14(9):503-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15924000&dopt=Abstract
- Baronzio G, Freitas I, Griffini P, Bertone V, Pacini F, Mascaro G, Razzini E, Gramaglia A. Omega-3 fatty acids can improve radioresponse modifying tumor interstitial pressure, blood rheology and membrane peroxidability. Anticancer Res 1994;14(3A):1145-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8074465&dopt=Abstract
- Bhatnagar D, Durrington PN. Omega-3 fatty acids: their role in the prevention and treatment of atherosclerosis related risk factors and complications. Int J Clin Pract 2003;57(4):305-14. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12800463&dopt=Abstract
- Bilo HJ, Gans RO. Fish oil: a panacea? Biomed Pharmacother 1990;44(3):169-74. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2144459&dopt=Abstract
- Bubnova MG, Oganov RG. [Impaired tolerance to the dietary fats and its contribution to atherothrombogenesis]. Ter Arkh 2004;76(1):73-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15108445&dopt=Abstract
- de Bosch NB, Bosch V, Apitz R. Dietary fatty acids in athero-thrombogenesis: influence of palm oil ingestion. Haemostasis 1996;26 Suppl 4:46-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8979111&dopt=Abstract
- de Bree A, Mennen LI, Hercberg S, Galan P. Evidence for a protective (synergistic?) effect of B-vitamins and omega-3 fatty acids on cardiovascular diseases. Eur J Clin Nutr 2004;58(5):732-744. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15116076&dopt=Abstract
- de Lorgeril M, Salen P. Wine ethanol, platelets, and Mediterranean diet. Lancet 1999;353(9158):1067. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10199360&dopt=Abstract
- Doncheva N. Omega-3 fatty acids - therapeutical potentialities. Gen Med 2004;6(4):42-47.
- Ebong PE, Owu DU, Isong EU. Influence of palm oil (Elaeis guineensis) on health. Plant Foods Hum Nutr 1999;53(3):209-22. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10517280&dopt=Abstract
- Engler MB. Vascular effects of omega-3 fatty acids: possible therapeutic mechanisms in cardiovascular disease. J Cardiovasc Nurs 1994;8(3):53-67. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8024656&dopt=Abstract
- FitzGerald GA, Barry P. Dietary factors in thrombosis and hemostasis: summary and conclusions. Am J Clin Nutr 1997;65(5 Suppl):1699S-1701S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9129512&dopt=Abstract

- Goodnight SH, Cairns JA. Therapeutic use of n-3 fatty acids for vascular disease and thrombosis. Chest 1995;108(4 SUPPL.):302S-304S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7555184&dopt=Abstract
- Goodnight SH, Cairns JA, Fisher M, FitzGerald GA. Assessment of the therapeutic use of n-3 fatty acids in vascular disease and thrombosis. Chest 1992;102(4 Suppl):374S-384S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1395822&dopt=Abstract
- Harker LA. New antithrombotic strategies for resistant thrombotic processes. J Clin Pharmacol 1994;34(1):3-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8132848&dopt=Abstract
- Heemskerk JW, Vossen RC, van Dam-Mieras MC. Polyunsaturated fatty acids and function of platelets and endothelial cells. Curr Opin Lipidol 1996;7(1):24-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8925184&dopt=Abstract
- Jorgensen KA, Dyerberg J. Platelets and atherosclerosis. Adv Nutr Res 1983;5:57-75. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6303066&dopt=Abstract
- Katsumata T, Katayama Y. [Icosapentanoic acid (EPA), docosahexanoic acid (DHA)]. Nippon Rinsho 2004;62 Suppl 12:127-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15658280&dopt=Abstract
- Knapp HR. Dietary fatty acids in human thrombosis and hemostasis. Am J Clin Nutr 1997;65(5 Suppl):1687S-1698S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9129511&dopt=Abstract
- Kristensen SD, Iversen AM, Schmidt EB. n-3 polyunsaturated fatty acids and coronary thrombosis. Lipids 2001;36 Suppl:S79-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11837997&dopt=Abstract
- Krylov Iu F, Liubimov IB, Muliar AG. [The pharmacodynamics of eicosapentaenoic and docosahexaenoic acids]. Farmakol Toksikol 1991;54(5):67-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1839286&dopt=Abstract
- Lagarde M, Calzada C, Vericel E. Pathophysiologic role of redox status in blood platelet activation. Influence of docosahexaenoic acid. Lipids 2003;38(4):465-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12848295&dopt=Abstract
- Lanzmann-Petithory D. Alpha-linolenic acid and cardiovascular diseases. J Nutr Health Aging 2001;5(3):179-83. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11458289&dopt=Abstract
- Lefevre M, Kris-Etherton PM, Zhao G, Tracy RP. Dietary fatty acids, hemostasis, and cardiovascular disease risk. J Am Diet Assoc 2004;104(3):410-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14993864&dopt=Abstract
- Malasanos TH, Stacpoole PW. Biological effects of omega-3 fatty acids in diabetes mellitus. Diabetes Care 1991;14(12):1160-79. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1773702&dopt=Abstract
- Marckmann P. Diet, blood coagulation and fibrinolysis. Dan Med Bull 1995;42(5):410-25. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8747799&dopt=Abstract

- Meydani SN, Lichtenstein AH, White PJ, Goodnight SH, Elson CE, Woods M, Gorbach SL, Schaefer EJ. Food use and health effects of soybean and sunflower oils. *J Am Coll Nutr* 1991;10(5):406-28. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1955619&dopt=Abstract
- Michalsen A, Dobos GJ. [Effects of nutritional factors on haemostasis]. *Hamostaseologie* 2005;25(1):13-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15711715&dopt=Abstract
- Miller GJ. Dietary fatty acids and blood coagulation. *Prostaglandins Leukot Essent Fatty Acids* 1997;57(4-5):389-94. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9430384&dopt=Abstract
- Miller GJ. Effects of diet composition on coagulation pathways. *Am J Clin Nutr* 1998;67(3 Suppl):542S-545S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9497167&dopt=Abstract
- Miller GJ. Dietary fatty acids and the haemostatic system. *Atherosclerosis* 2005;179(2):213-27. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15777535&dopt=Abstract
- Mutanen M, Freese R. Polyunsaturated fatty acids and platelet aggregation. *Curr Opin Lipidol* 1996;7(1):14-19. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8925182&dopt=Abstract
- Palot M, Daigremont-Botmans C, Visseaux H. Prevention of deep vein thrombosis and pre-eclampsia. Therapeutic possibilities. *Ann Med Interne (Paris)* 2003;154(5-6):354-360. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15027590&dopt=Abstract
- Peck MD. Omega-3 polyunsaturated fatty acids: benefit or harm during sepsis? *New Horiz* 1994;2(2):230-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7922448&dopt=Abstract
- Petrushkina GN, Kalugin SA, Makarov VA. [The effect of n-3 polyunsaturated fatty acids on the blood coagulation system]. *Eksp Klin Farmakol* 1997;60(1):76-88. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9162295&dopt=Abstract
- Renaud S, Dumont E, Godsey F, McGregor L, Morazain R. Effects of diet on blood clotting and platelet aggregation. *Prog Clin Biol Res* 1981;67:361-81. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7029564&dopt=Abstract
- Saito H, Tamura Y. [Antiatherogenic action of omega-3 polyunsaturated fatty acids]. *Nippon Rinsho* 1993;51(8):2004-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8411664&dopt=Abstract
- Sanders TAB. Effects of unsaturated fatty acids on blood clotting and fibrinolysis. *Curr Opin Lipidol* 1996;7(1):20-23. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8925183&dopt=Abstract
- Schoene NW. Vitamin E and omega-3 fatty acids: effectors of platelet responsiveness. *Nutrition* 2001;17(10):793-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11684381&dopt=Abstract
- Schwartz L, Seidelin PH. Antithrombotic and thrombolytic therapy in patients undergoing coronary artery interventions: A review. *Prog Cardiovasc Dis* 1995;38(1):67-86. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7631021&dopt=Abstract

Semplicini A, Valle R. Fish oils and their possible role in the treatment of cardiovascular diseases. *Pharmacol Ther* 1994;61(3):385-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7938179&dopt=Abstract

Simopoulos AP. Omega-3 fatty acids and antioxidants in edible wild plants. *Biol Res* 2004;37(2):263-77. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15455656&dopt=Abstract

Srivastava KC. Effects of dietary fatty acids, prostaglandins and related compounds on the role of platelets in thrombosis. *Biochem Exp Biol* 1980;16(3):317-38. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6268128&dopt=Abstract

Stone NJ. Fish consumption, fish oil, lipids, and coronary heart disease. *Am J Clin Nutr* 1997;65(4):1083-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9094898&dopt=Abstract

Zamaria N. Alteration of polyunsaturated fatty acid status and metabolism in health and disease. *Reprod Nutr Dev* 2004;44(3):273-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15460166&dopt=Abstract

Zhu XH. [Role of eicosapentaenoic acid in ischemic diseases]. *Sheng Li Ke Xue Jin Zhan* 1986;17(2):166-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3024313&dopt=Abstract

Herbal/Other Botanical Supplements

Abebe W. Herbal medication: potential for adverse interactions with analgesic drugs. *J Clin Pharm Ther* 2002;27(6):391-401. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12472978&dopt=Abstract

Afzal M, Al-Hadidi D, Menon M, Pesek J, Dhami MS. Ginger: an ethnomedical, chemical and pharmacological review. *Drug Metabol Drug Interact* 2001;18(3-4):159-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11791883&dopt=Abstract

Ang-Lee MK, Moss J, Yuan CS. Herbal medicines and perioperative care. *JAMA* 2001;286(2):208-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11448284&dopt=Abstract

Anonymous. Antiplatelet effects of herbal products. *Dermatol Nurs* 2002;14(3):207. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12099073&dopt=Abstract

Anonymous. Summaries for patients. Ginseng reduces the effect of warfarin in a study of healthy volunteers. *Ann Intern Med* 2004;141(1):I58. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15238393&dopt=Abstract

Barre DE. Potential of evening primrose, borage, black currant, and fungal oils in human health. *Ann Nutr Metab* 2001;45(2):47-57. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11359029&dopt=Abstract

Catania PN. Problems with herbal remedies in anticoagulated home care patients. *Home Care Provid* 1998;3(5):253-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10030196&dopt=Abstract

Chan TY. Interaction between warfarin and danshen (*Salvia miltiorrhiza*). *Ann Pharmacother* 2001;35(4):501-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11302416&dopt=Abstract

- Chen KJ. [Advances in the study of huo xue hua yu in Japan]. *Zhong Xi Yi Jie He Za Zhi* 1985;5(3):185-9, 174. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3157504&dopt=Abstract
- Cheng B, Hung CT, Chiu W. Herbal medicine and anaesthesia. *Hong Kong Med J* 2002;8(2):123-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11937667&dopt=Abstract
- Ciocon JO, Ciocon DG, Galindo DJ. Dietary supplements in primary care: Botanicals can affect surgical outcomes and follow-up. *Geriatrics* 2004;59(9):20-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15461234&dopt=Abstract
- Eilat S, Vered Z, Mirelman D. [Influence of garlic on blood lipids and blood coagulation]. *Harefuah* 1993;124(7):418-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8330789&dopt=Abstract
- Ernst E. [Ginkgo biloba in treatment of intermittent claudication. A systematic research based on controlled studies in the literature]. *Fortschr Med* 1996;114(8):85-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8647571&dopt=Abstract
- Ernst E. Cardiovascular adverse effects of herbal medicines: a systematic review of the recent literature. *Can J Cardiol* 2003;19(7):818-27. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12813616&dopt=Abstract
- Ezbianski AA. Warfarin and herbal supplements. A volatile combination. *Adv Nurse Pract* 2003;11(11):77-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14639889&dopt=Abstract
- Fenwick GR, Hanley AB. The genus Allium--Part 3. *Crit Rev Food Sci Nutr* 1985;23(1):1-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3905263&dopt=Abstract
- Fremont L. Biological effects of resveratrol. *Life Sci* 2000;66(8):663-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10680575&dopt=Abstract
- Fugh-Berman A. Herbs and dietary supplements in the prevention and treatment of cardiovascular disease. *Preventive Cardiology* 2000;3(1):24-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11834913&dopt=Abstract
- Hawkins D. Limitations of traditional anticoagulants. *Pharmacotherapy* 2004;24(7 II):62S-65S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15317400&dopt=Abstract
- Hitzenberger G. [The effect of ginkgo biloba special extract (EGb 761, Tebofortan)]. *Wien Med Wochenschr* 1992;142(17):371-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1481543&dopt=Abstract
- Horlocker TT, Wedel DJ, Benzon H, Brown DL, Enneking KF, Heit JA, Mulroy MF, Rosenquist RW, Rowlingson J, Tryba M, Yuan C-S. Regional anesthesia in the anticoagulated patient: defining the risks. *Reg Anesth Pain Med* 2004;29(2 Supple 2):1-11. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12772135&dopt=Abstract
- Huang SM, Hall SD, Watkins P, Love LA, Serabjit-Singh C, Betz JM, Hoffman FA, Honig P, Coates PM, Bull J, Chen ST, Kearns GL, Murray MD. Drug interactions with herbal products and grapefruit juice: a conference report. *Clin Pharmacol Ther* 2004;75(1):1-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14749688&dopt=Abstract

- Izzo AA, Ernst E. Interactions between herbal medicines and prescribed drugs: a systematic review. *Drugs* 2001;61(15):2163-75. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1177218&dopt=Abstract
- Ji XY, Tan BK, Zhu YZ. Salvia miltiorrhiza and ischemic diseases. *Acta Pharmacol Sin* 2000;21(12):1089-94. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11603281&dopt=Abstract
- Kaye AD, Kucera I, Sabar R. Perioperative anesthesia clinical considerations of alternative medicines. *Anesthesiol Clin North Am* 2004;22(1):125-139. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15109694&dopt=Abstract
- Keji C, Jun S. Progress of research on ischemic stroke treated with Chinese medicine. *J Tradit Chin Med* 1992;12(3):204-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1453762&dopt=Abstract
- Kendler BS. Garlic (*Allium sativum*) and onion (*Allium cepa*): a review of their relationship to cardiovascular disease. *Prev Med* 1987;16(5):670-85. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3317392&dopt=Abstract
- Li XL. [Blood platelets, neoplasm metastasis and anti-metastatic effect of huoxue-huayu drugs]. *Zhong Xi Yi Jie He Za Zhi* 1989;9(10):637-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2691108&dopt=Abstract
- Li XM. [Progress on study of anaphylactic purpura treated with traditional Chinese medicine and Chinese materia medica]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1994;14(6):379-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8000230&dopt=Abstract
- Li YC. [Treatment of idiopathic thrombocytopenic purpura with Chinese herbal drugs]. *Zhong Xi Yi Jie He Za Zhi* 1991;11(6):380-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1889109&dopt=Abstract
- Liao F. Herbs of activating blood circulation to remove blood stasis. *Clin Hemorheol Microcirc* 2000;23(2-4):127-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11321431&dopt=Abstract
- Logani S, Chen MC, Tran T, Le T, Raffa RB. Actions of Ginkgo Biloba related to potential utility for the treatment of conditions involving cerebral hypoxia. *Life Sci* 2000;67(12):1389-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10983836&dopt=Abstract
- Luo J, Lin ZB. [Advances of pharmacological effects of triterpenes from Ganoderma lucidum]. *Yao Xue Xue Bao* 2002;37(7):574-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12914332&dopt=Abstract
- Mahady GB. Ginkgo biloba for the prevention and treatment of cardiovascular disease: a review of the literature. *J Cardiovasc Nurs* 2002;16(4):21-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12597260&dopt=Abstract
- Maurer HR. Bromelain: biochemistry, pharmacology and medical use. *Cell Mol Life Sci* 2001;58(9):1234-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11577981&dopt=Abstract
- Meredith MJ. Herbal nutraceuticals: a primer for dentists and dental hygienists. *J Contemp Dent Pract* 2001;2(2):1-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12167930&dopt=Abstract

- Miller KL, Liebowitz RS, Newby LK. Complementary and alternative medicine in cardiovascular disease: A review of biologically based approaches. *Am Heart J* 2004;147(3):401-411. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14999187&dopt=Abstract
- Mills E, Montori VM, Wu P, Gallicano K, Clarke M, Guyatt G. Interaction of St John's wort with conventional drugs: systematic review of clinical trials. *Br Med J* 2004;329(7456):27-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15231618&dopt=Abstract
- Milner M, Makise K. Natto and its active ingredient nattokinase: A potent and safe thrombolytic agent. *Altern Complement Ther* 2002;8(3):157-164.
- Norred CL, Brinker F. Potential coagulation effects of preoperative complementary and alternative medicines. *Altern Ther Health Med* 2001;7(6):58-67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11712472&dopt=Abstract
- Palmer ME, Haller C, McKinney PE, Klein-Schwartz W, Tschirgi A, Smolinske SC, Woolf A, Sprague BM, Ko R, Everson G, Nelson LS, Dodd-Butera T, Bartlett WD, Landzberg BR. Adverse events associated with dietary supplements: an observational study. *Lancet* 2003;361(9352):101-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12531576&dopt=Abstract
- Petry JJ. Surgically significant nutritional supplements. *Plast Reconstr Surg* 1996;97(1):233-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8532785&dopt=Abstract
- Rajaram S. The effect of vegetarian diet, plant foods, and phytochemicals on hemostasis and thrombosis. *Am J Clin Nutr* 2003;78(3 Suppl):552S-558S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12936949&dopt=Abstract
- Reed J. Cranberry flavonoids, atherosclerosis and cardiovascular health. *Crit Rev Food Sci Nutr* 2002;42(3 Suppl):301-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12058989&dopt=Abstract
- Samuels N. Herbal remedies and anticoagulant therapy. *Thromb Haemost* 2005;93(1):3-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15630483&dopt=Abstract
- Scurr JH, Gulati OP. Zinopin--the rationale for its use as a food supplement in Traveller's thrombosis and motion sickness. *Phytother Res* 2004;18(9):687-95. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15478211&dopt=Abstract
- Shaw HS, Kroll DJ. The convergence of herb pharmacodynamics and herb-drug interactions on hemostasis. *Altern Ther Health Med* 2001;7(6):46-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11712470&dopt=Abstract
- Shen D. SJAMP-induced platelet aggregation defect. *Chin Med J (Engl)* 1996;109(1):46-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8758364&dopt=Abstract
- Shiao MS. Natural products of the medicinal fungus Ganoderma lucidum: occurrence, biological activities, and pharmacological functions. *Chem Rec* 2003;3(3):172-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12900937&dopt=Abstract
- Siegel G, Walter A, Engel S, Walper A, Michel F. [Pleiotropic effects of garlic]. *Wien Med Wochenschr* 1999;149(8-10):217-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10483684&dopt=Abstract

Smith PF, Maclennan K, Darlington CL. The neuroprotective properties of the Ginkgo biloba leaf: a review of the possible relationship to platelet-activating factor (PAF). *J Ethnopharmacol* 1996;50(3):131-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8691847&dopt=Abstract

Stoclet JC, Chataigneau T, Ndiaye M, Oak MH, El Bedoui J, Chataigneau M, Schini-Kerth VB. Vascular protection by dietary polyphenols. *Eur J Pharmacol* 2004;500(1-3):299-313. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15464042&dopt=Abstract

Sumiyoshi H. [New pharmacological activities of garlic and its constituents]. *Nippon Yakurigaku Zasshi* 1997;110 Suppl 1:93P-97P. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9503413&dopt=Abstract

Tan YZ. [Research of cellular membrane fluidity and traditional Chinese medicine]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1992;12(11):699-701. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1301854&dopt=Abstract

Vaes LP, Chyka PA. Interactions of warfarin with garlic, ginger, ginkgo, or ginseng: nature of the evidence. *Ann Pharmacother* 2000;34(12):1478-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11144706&dopt=Abstract

Voronkov MG. Biological activity of silaranes. *Top Curr Chem* 1979;84:77-135. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=388722&dopt=Abstract

Wiss O, Gloor U. Nature and distribution of terpene quinones. *Biochem Soc Symp* 1970;29:79-87. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4944439&dopt=Abstract

Wittkowsky AK. Drug interactions update: Drugs, herbs, and oral anticoagulation. *J Thromb Trombolysis* 2001;12(1):67-71. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11711691&dopt=Abstract

Wynn RL, Bergman SA. Drugs and herbal remedies that affect blood clotting. *Gen Dent* 2002;50(6):484-8, 490. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12572177&dopt=Abstract

Yang YF, Zhou AX, Ma R. [Progress in the study of traditional Chinese medicine in idiopathic thrombocytopenic purpura]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1994;14(11):699-702. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7703640&dopt=Abstract

Zhou W, Chai H, Lin PH, Lumsden AB, Yao Q, Chen C. Clinical use and molecular mechanisms of action of extract of Ginkgo biloba leaves in cardiovascular diseases. *Cardiovasc Drug Rev* 2004;22(4):309-19. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15592576&dopt=Abstract

Other Dietary Supplements, Nutrients, and Drugs

Bates SM, Weitz JI. The mechanism of action of thrombin inhibitors. *J Invasive Cardiol* 2000;12 Suppl F:27F-32. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11156731&dopt=Abstract

Fugh-Berman A. Herbs and dietary supplements in the prevention and treatment of cardiovascular disease. *Preventive Cardiology* 2000;3(1):24-32. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11834913&dopt=Abstract

- Greenberg S, Frishman WH. Co-enzyme Q10: a new drug for cardiovascular disease. *J Clin Pharmacol* 1990;30(7):596-608. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2202752&dopt=Abstract
- Gustafsson D, Bylund R, Antonsson T, Nilsson I, Nystrom J-E, Eriksson U, Bredberg U, Teger-Nilsson A-C. A new oral anticoagulant: The 50-year challenge. *Nat Rev Drug Discov* 2004;3(8):649-659.
- Hirsh J, Dalen J, Anderson DR, Poller L, Bussey H, Ansell J, Deykin D. Oral anticoagulants: mechanism of action, clinical effectiveness, and optimal therapeutic range. *Chest* 2001;119(1 Suppl):8S-21S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11157640&dopt=Abstract
- Hirsh J, Warkentin TE, Shaughnessy SG, Anand SS, Halperin JL, Raschke R, Granger C, Ohman EM, Dalen JE. Heparin and low-molecular-weight heparin: mechanisms of action, pharmacokinetics, dosing, monitoring, efficacy, and safety. *Chest* 2001;119(1 Suppl):64S-94S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11157643&dopt=Abstract
- Horstkotte D, Piper C, Wiemer M. Optimal frequency of patient monitoring and intensity of oral anticoagulation therapy in valvular heart disease. *J Thromb Thrombolysis* 1998;5 Suppl 1(3):19-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10767128&dopt=Abstract
- Mann KG. The challenge of regulating anticoagulant drugs: focus on warfarin. *Am Heart J* 2005;149(1 Suppl):S36-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15644792&dopt=Abstract
- Meissner MH, Karmy-Jones R. Management of the anticoagulated patient. *Thorac Surg Clin* 2005;15(2 SPEC. ISS.):243-262. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15999523&dopt=Abstract
- Morton RA. Ubiquinones, plastoquinones and vitamins K. *Biol Rev Camb Philos Soc* 1971;46(1):47-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4942392&dopt=Abstract
- Mueller RL. First-generation agents: aspirin, heparin and coumarins. *Best Pract Res Clin Haematol* 2004;17(1):23-53. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15171956&dopt=Abstract
- Pepping J. Coenzyme Q10. *Am J Health Syst Pharm* 1999;56(6):519-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10192685&dopt=Abstract
- Perry CA, Dwyer J, Gelfand JA, Couris RR, McCloskey WW. Health effects of salicylates in foods and drugs. *Nutr Rev* 1996;54(8):225-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8961750&dopt=Abstract
- Preli RB, Klein KP, Herrington DM. Vascular effects of dietary L-arginine supplementation. *Atherosclerosis* 2002;162(1):1-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11947892&dopt=Abstract
- Schrer K, Braun M. Platelets as a source of vasoactive mediators. *Stroke* 1990;21(12 Suppl):IV32-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2124387&dopt=Abstract
- Tran MT, Mitchell TM, Kennedy DT, Giles JT. Role of coenzyme Q10 in chronic heart failure, angina, and hypertension. *Pharmacotherapy* 2001;21(7):797-806. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11444576&dopt=Abstract

Weitz JI, Hirsh J, Samama MM. New anticoagulant drugs: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. Chest 2004;126(3 Suppl):265S-286S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383475&dopt=Abstract

Foods

Allman-Farinelli MA, Dawson B. Diet and aging: bearing on thrombosis and hemostasis. Semin Thromb Hemost 2005;31(1):111-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15706483&dopt=Abstract

Dager WE, Vondracek TG, McIntosh BA, Nutescu EA. Ximelagatran: an oral direct thrombin inhibitor. Ann Pharmacother 2004;38(11):1881-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383641&dopt=Abstract

de Lange DW, van de Wiel A. Drink to prevent: Review on the cardioprotective mechanisms of alcohol and red wine polyphenols. Semin Vasc Med 2004;4(2):173-186. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15478039&dopt=Abstract

de Lorgeril M, Salen P. Wine ethanol, platelets, and Mediterranean diet. Lancet 1999;353(9158):1067. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10199360&dopt=Abstract

Huang SM, Hall SD, Watkins P, Love LA, Serabjit-Singh C, Betz JM, Hoffman FA, Honig P, Coates PM, Bull J, Chen ST, Kearns GL, Murray MD. Drug interactions with herbal products and grapefruit juice: a conference report. Clin Pharmacol Ther 2004;75(1):1-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14749688&dopt=Abstract

Keen CL. Chocolate: food as medicine/medicine as food. J Am Coll Nutr 2001;20(5 Suppl):436S-439S; discussion 440S-442S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11603654&dopt=Abstract

Kendler BS. Garlic (*Allium sativum*) and onion (*Allium cepa*): a review of their relationship to cardiovascular disease. Prev Med 1987;16(5):670-85. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3317392&dopt=Abstract

Undeland I, Ellegard L, Sandberg A-S. Fish and cardiovascular health. Scan J Nutr 2004;48(3):119-130.

ADDITIONAL REFERENCES

Practice Guidelines

Ansell J, Hirsh J, Poller L, Bussey H, Jacobson A, Hylek E. The pharmacology and management of the vitamin K antagonists: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126(3 Suppl):204S-233S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383473&dopt=Abstract

Baker RI, Coughlin PB, Gallus AS, Harper PL, Salem HH, Wood EM. Warfarin reversal: consensus guidelines, on behalf of the Australasian Society of Thrombosis and Haemostasis. *Med J Aust* 2004;181(9):492-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15516194&dopt=Abstract

Hirsh J, Fuster V, Ansell J, Halperin JL. American Heart Association/American College of Cardiology Foundation guide to warfarin therapy. *Circulation* 2003;107(12):1692-711. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12668507&dopt=Abstract

Kroll DJ. ASHP statement on the use of dietary supplements. *Am J Health Syst Pharm* 2004;61(16):1707-11. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15540485&dopt=Abstract

Thomson C, Diekman C, Fragakis AS, Meerschaert C, Holler H, Devlin C. Guidelines regarding the recommendation and sale of dietary supplements. *J Am Diet Assoc* 2002;102(8):1158-64. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12171465&dopt=Abstract

Surveys/Monitoring Studies

Couris RR, Tataronis GR, Booth SL, Dallal GE, Blumberg JB, Dwyer JT. Development of a self-assessment instrument to determine daily intake and variability of dietary vitamin K. *J Am Coll Nutr* 2000;19(6):801-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11194535&dopt=Abstract

Couris RR, Tataronis GR, Dallal GE, Blumberg JB, Dwyer JT. Assessment of healthcare professionals' knowledge about warfarin-vitamin K drug-nutrient interactions. *J Am Coll Nutr* 2000;19(4):439-45. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10963462&dopt=Abstract

Eisenberg DM, Davis RB, Ettner SL, Appel S, Wilkey S, Van Rompay M, Kessler RC. Trends in alternative medicine use in the United States, 1990-1997: results of a follow-up national survey. *JAMA* 1998;280(18):1569-75. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9820257&dopt=Abstract

Eisenberg DM, Kessler RC, Van Rompay MI, Kapchuk TJ, Wilkey SA, Appel S, Davis RB. Perceptions about complementary therapies relative to conventional therapies among adults who use both: results from a national survey. *Ann Intern Med* 2001;135(5):344-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11529698&dopt=Abstract

Guarrera PM. Traditional phytotherapy in Central Italy (Marche, Abruzzo, and Latium). *Fitoterapia* 2005;76(1):1-25. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15664457&dopt=Abstract

Heit JA, Melton LJ, 3rd, Lohse CM, Petterson TM, Silverstein MD, Mohr DN, O'Fallon WM. Incidence of venous thromboembolism in hospitalized patients vs community residents. Mayo Clin Proc 2001;76(11):1102-10. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11702898&dopt=Abstract

Higashi MK, Veenstra DL, Kondo LM, Wittkowsky AK, Srinouanprachanh SL, Farin FM, Rettie AE. Association between CYP2C9 genetic variants and anticoagulation-related outcomes during warfarin therapy. JAMA 2002;287(13):1690-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11926893&dopt=Abstract

Kessler RC, Davis RB, Foster DF, Van Rompay MI, Walters EE, Wilkey SA, Kaptchuk TJ, Eisenberg DM. Long-term trends in the use of complementary and alternative medical therapies in the United States. Ann Intern Med 2001;135(4):262-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11511141&dopt=Abstract

Kucher N, Connolly S, Beckman JA, Cheng LH, Tsilimingras KV, Fanikos J, Goldhaber SZ. International normalized ratio increase before warfarin-associated hemorrhage: brief and subtle. Arch Intern Med 2004;164(19):2176-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15505133&dopt=Abstract

Norred CL. Complementary and alternative medicine use by surgical patients. AORN J 2002;76(6):1013-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12528489&dopt=Abstract

Norred CL. A follow-up survey of the use of complementary and alternative medicines by surgical patients. AANA J 2002;70(2):119-25. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11969062&dopt=Abstract

Norred CL, Zamudio S, Palmer SK. Use of complementary and alternative medicines by surgical patients. AANA J 2000;68(1):13-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10876447&dopt=Abstract

Radimer K, Bindewald B, Hughes J, Ervin B, Swanson C, Picciano MF. Dietary supplement use by US adults: data from the National Health and Nutrition Examination Survey, 1999-2000. Am J Epidemiol 2004;160(4):339-49. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15286019&dopt=Abstract

Shaw D, Leon C, Kolev S, Murray V. Traditional remedies and food supplements. A 5-year toxicological study (1991-1995). Drug Saf 1997;17(5):342-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9391777&dopt=Abstract

Smith L, Ernst E, PaulEwings, Myers P, Smith C. Co-ingestion of herbal medicines and warfarin. Br J Gen Pract 2004;54(503):439-41. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15186565&dopt=Abstract

Tsen LC, Segal S, Pothier M, Bader AM. Alternative medicine use in presurgical patients. Anesthesiology 2000;93(1):148-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10861158&dopt=Abstract

Wong RS, Cheng G, Chan TY. Use of herbal medicines by patients receiving warfarin. Drug Saf 2003;26(8):585-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12825970&dopt=Abstract

Wren KR, Kimball S, Norred CL. Use of complementary and alternative medications by surgical patients. J Perianesth Nurs 2002;17(3):170-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12046012&dopt=Abstract

Basic/Animal Studies

- Albert D, Zundorf I, Dingermann T, Muller WE, Steinhilber D, Werz O. Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase. *Biochem Pharmacol* 2002;64(12):1767-75. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12445866&dopt=Abstract
- Al-Jishi SA, Abuo Hozaifa B. Effect of Nigella sativa on blood hemostatic function in rats. *J Ethnopharmacol* 2003;85(1):7-14. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12576196&dopt=Abstract
- Amroyan E, Gabrielian E, Panossian A, Wikman G, Wagner H. Inhibitory effect of andrographolide from Andrographis paniculata on PAF-induced platelet aggregation. *Phytomedicine* 1999;6(1):27-31. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10228608&dopt=Abstract
- Anis I, Ahmed S, Malik A, Yasin A, Choudary MI. Enzyme inhibitory constituents from Duranta repens. *Chem Pharm Bull (Tokyo)* 2002;50(4):515-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11964000&dopt=Abstract
- Atanasov AT, Spasov V. Inhibiting effect of desalted extract from Galega officinalis L. on platelet aggregation. *Folia Med (Plovdiv)* 1999;41(1):46-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10462920&dopt=Abstract
- Atanasov AT, Spasov V. Inhibiting and disaggregating effect of gel-filtered Galega officinalis L. herbal extract on platelet aggregation. *J Ethnopharmacol* 2000;69(3):235-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10722205&dopt=Abstract

Bakaltcheva I, Gyimah D, Reid T. Effects of alpha-tocopherol on platelets and the coagulation system. *Platelets* 2001;12(7):389-94. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11674855&dopt=Abstract

Barrowcliffe TW, Havercroft SJ, Kemball-Cook G, Lindahl U. The effect of Ca²⁺, phospholipid and factor V on the anti-(factor Xa) activity of heparin and its high-affinity oligosaccharides. *Biochem J* 1987;243(1):31-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3606581&dopt=Abstract

Bedsted T, Swanson R, Chuang YJ, Bock PE, Bjork I, Olson ST. Heparin and calcium ions dramatically enhance antithrombin reactivity with factor IXa by generating new interaction exosites. *Biochemistry* 2003;42(27):8143-52. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12846563&dopt=Abstract

Briggs WH, Xiao H, Parkin KL, Shen C, Goldman IL. Differential inhibition of human platelet aggregation by selected Allium thiosulfinates. *J Agric Food Chem* 2000;48(11):5731-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11087546&dopt=Abstract

Celestini A, Pulcinelli FM, Pignatelli P, Lenti L, Frati G, Gazzaniga PP, Violi F. Vitamin E potentiates the antiplatelet activity of aspirin in collagen-stimulated platelets. *Haematologica* 2002;87(4):420-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11940487&dopt=Abstract

Chan K, Lo AC, Yeung JH, Woo KS. The effects of Danshen (*Salvia miltiorrhiza*) on warfarin pharmacodynamics and pharmacokinetics of warfarin enantiomers in rats. *J Pharm Pharmacol* 1995;47(5):402-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7494191&dopt=Abstract

Chang SJ, Lee YC, Liu SY, Chang TW. Chinese yam (*Dioscorea alata* cv. Tainung No. 2) feeding exhibited antioxidative effects in hyperhomocysteinemia rats. *J Agric Food Chem* 2004;52(6):1720-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15030236&dopt=Abstract

Chang WC, Hsu FL. Inhibition of platelet activation and endothelial cell injury by polyphenolic compounds isolated from *Lonicera japonica* Thunb. Prostaglandins Leukot Essent Fatty Acids 1992;45(4):307-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1603820&dopt=Abstract

Cho SY, Sim JS, Kang SS, Jeong CS, Linhardt RJ, Kim YS. Enhancement of heparin and heparin disaccharide absorption by the *Phytolacca americana* saponins. *Arch Pharm Res* 2003;26(12):1102-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14723347&dopt=Abstract

Dahl SW, Rasmussen SK, Petersen LC, Hejgaard J. Inhibition of coagulation factors by recombinant barley serpin BSZx. *FEBS Lett* 1996;394(2):165-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8843156&dopt=Abstract

Francischetti IM, Monteiro RQ, Guimaraes JA. Identification of glycyrrhizin as a thrombin inhibitor. *Biochem Biophys Res Commun* 1997;235(1):259-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9196073&dopt=Abstract

Freedman JE, Farhat JH, Loscalzo J, Keaney JF, Jr. alpha-tocopherol inhibits aggregation of human platelets by a protein kinase C-dependent mechanism. *Circulation* 1996;94(10):2434-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8921785&dopt=Abstract

Gage BF, Eby CS. The genetics of vitamin K antagonists. *Pharmacogenomics J* 2004;4(4):224-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15148502&dopt=Abstract

Gawaz M, Ott I, Reininger AJ, Neumann FJ. Effects of magnesium on platelet aggregation and adhesion. Magnesium modulates surface expression of glycoproteins on platelets in vitro and ex vivo. *Thromb Haemost* 1994;72(6):912-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7740463&dopt=Abstract

Golanski J, Pietrucha T, Baj Z, Greger J, Watala C. A novel approach to inhibit the anticoagulant-induced spontaneous activation of blood platelets--effect of magnesium on platelet release reaction in whole blood. *Thromb Res* 1997;85(2):127-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9058486&dopt=Abstract

Gottstein N, Ewins BA, Eccleston C, Hubbard GP, Kavanagh IC, Minihane AM, Weinberg PD, Rimbach G. Effect of genistein and daidzein on platelet aggregation and monocyte and endothelial function. *Br J Nutr* 2003;89(5):607-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12720581&dopt=Abstract

Guglielmone HA, Agnese AM, Nunez Montoya SC, Cabrera JL. Anticoagulant effect and action mechanism of sulphated flavonoids from *Flaveria bidentis*. *Thromb Res* 2002;105(2):183-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11958811&dopt=Abstract

Gugliucci A, Menini T. The botanical extracts of Achyrocline satureoides and *Ilex paraguariensis* prevent methylglyoxal-induced inhibition of plasminogen and antithrombin III. *Life Sci* 2002;72(3):279-92. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12427487&dopt=Abstract

- Hansen RA, Savage CJ, Reidlinger K, Traub-Dargatz JL, Ogilvie GK, Mitchell D, Fettman MJ. Effects of dietary flaxseed oil supplementation on equine plasma fatty acid concentrations and whole blood platelet aggregation. *J Vet Intern Med* 2002;16(4):457-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12141309&dopt=Abstract
- Huang CG, Chu ZL, Wei SJ, Jiang H, Jiao BH. Effect of berberine on arachidonic acid metabolism in rabbit platelets and endothelial cells. *Thromb Res* 2002;106(4-5):223-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12297129&dopt=Abstract
- Huang N, Lineberger B, Steiner M. Alpha-tocopherol, a potent modulator of endothelial cell function. *Thromb Res* 1988;50(4):547-57. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3137680&dopt=Abstract
- Jones SC, Miederhoff P, Karnes HT. The development of a human tissue model to determine the effect of plant-derived dietary supplements on prothrombin time. *J Herb Pharmacother* 2001;1(1):21-34.
- Kagawa K, Tokura K, Uchida K, Kakushi H, Shike T. Platelet aggregation inhibitors from *Populus sieboldii* Miquel. *Chem Pharm Bull (Tokyo)* 1992;40(8):2191-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1423779&dopt=Abstract
- Ko FN, Wu TS, Liou MJ, Huang TF, Teng CM. Inhibition of platelet thromboxane formation and phosphoinositides breakdown by osthole from *Angelica pubescens*. *Thromb Haemost* 1989;62(3):996-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2556815&dopt=Abstract
- Lee CM, Jiang LM, Shang HS, Hon PM, He Y, Wong HN. Prehispanolone, a novel platelet activating factor receptor antagonist from *Leonurus heterophyllus*. *Br J Pharmacol* 1991;103(3):1719-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1657264&dopt=Abstract
- Li L, Shen YM, Yang XS, Zuo GY, Shen ZQ, Chen ZH, Hao XJ. Antiplatelet aggregation activity of diterpene alkaloids from *Spiraea japonica*. *Eur J Pharmacol* 2002;449(1-2):23-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12163102&dopt=Abstract
- Li M, Handa S, Ikeda Y, Goto S. Specific inhibiting characteristics of tetramethylpyrazine, one of the active ingredients of the Chinese herbal medicine 'Chuanxiong,' on platelet thrombus formation under high shear rates. *Thromb Res* 2001;104(1):15-28. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11583735&dopt=Abstract
- Lin WY, Teng CM, Tsai IL, Chen IS. Anti-platelet aggregation constituents from *Gynura elliptica*. *Phytochemistry* 2000;53(8):833-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10820787&dopt=Abstract
- Liu JK, Ma YB, Wu DG, Lu Y, Shen ZQ, Zheng QT, Chen ZH. Paeonilide, a novel anti-PAF-active monoterpenoid-derived metabolite from *Paeonia delavayi*. *Biosci Biotechnol Biochem* 2000;64(7):1511-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10945272&dopt=Abstract
- Makino T, Wakushima H, Okamoto T, Okukubo Y, Deguchi Y, Kano Y. Pharmacokinetic interactions between warfarin and kangen-karyu, a Chinese traditional herbal medicine, and their synergistic action. *J Ethnopharmacol* 2002;82(1):35-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12169403&dopt=Abstract

Mekhfi H, Haouari ME, Legssyer A, Bnouham M, Aziz M, Atmani F, Remmal A, Ziyyat A. Platelet anti-aggregant property of some Moroccan medicinal plants. *J Ethnopharmacol* 2004;94(2-3):317-22. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15325737&dopt=Abstract

Mendes-Silva W, Assafim M, Ruta B, Monteiro RQ, Guimaraes JA, Zingali RB. Antithrombotic effect of Glycyrrhizin, a plant-derived thrombin inhibitor. *Thromb Res* 2003;112(1-2):93-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15013279&dopt=Abstract

Nurtjahja-Tjendraputra E, Ammit AJ, Roufogalis BD, Tran VH, Duke CC. Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger. *Thromb Res* 2003;111(4-5):259-65. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14693173&dopt=Abstract

Osorio e Castro VR, Vernon LP. Stimulation of prothrombinase activity by the nonapeptide Thr-Trp-Ala-Arg-Asn-Ser-Tyr-Asn-Val, a segment of a plant thionin. *Peptides* 2003;24(4):515-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12860194&dopt=Abstract

Raghavan SA, Sharma P, Dikshit M. Role of ascorbic acid in the modulation of inhibition of platelet aggregation by polymorphonuclear leukocytes. *Thromb Res* 2003;110(2-3):117-26. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12893026&dopt=Abstract

Rezaie AR, Olson ST. Calcium enhances heparin catalysis of the antithrombin-factor Xa reaction by promoting the assembly of an intermediate heparin-antithrombin-factor Xa bridging complex. Demonstration by rapid kinetics studies. *Biochemistry* 2000;39(39):12083-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11009624&dopt=Abstract

Saupe J, Ronden JE, Soute BA, Vermeer C. Vitamin K-antagonistic effect of plastoquinone and ubiquinone derivatives in vitro. *FEBS Lett* 1994;338(2):143-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8307171&dopt=Abstract

Serebruany VL, Gurbel PA, Ordonez JV, Herzog WR, Rohde M, Mortensen SA, Folkers K. Could coenzyme Q10 affect hemostasis by inhibiting platelet vitronectin (CD51/CD61) receptor? *Mol Aspects Med* 1997;18 Suppl:S189-94. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9266521&dopt=Abstract

Serebruany VL, Herzog WR, Atamas SP, Gurbel PA, Rohde M, Mortensen SA, Folkers K. Hemostatic changes after dietary coenzyme Q10 supplementation in swine. *J Cardiovasc Pharmacol* 1996;28(2):175-81. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8856471&dopt=Abstract

Shen TY, Hwang SB, Chang MN, Doepper TW, Lam MH, Wu MS, Wang X, Han GQ, Li RZ. Characterization of a platelet-activating factor receptor antagonist isolated from haifenteng (Piper futokadsura): specific inhibition of in vitro and in vivo platelet-activating factor-induced effects. *Proc Natl Acad Sci U S A* 1985;82(3):672-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2983307&dopt=Abstract

Shen Z, Chen Z, Li L, Lei W, Hao X. Antiplatelet and antithrombotic effects of the diterpene spiramine Q from *Spiraea japonica* var. incisa. *Planta Med* 2000;66(3):287-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10821062&dopt=Abstract

Sheu JR, Hung WC, Wu CH, Lee YM, Yen MH. Antithrombotic effect of rutaecarpine, an alkaloid isolated from *Evodia rutaecarpa*, on platelet plug formation in vivo experiments. *Br J Haematol* 2000;110(1):110-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10930986&dopt=Abstract

- Sheu JR, Kan YC, Hung WC, Ko WC, Yen MH. Mechanisms involved in the antiplatelet activity of tetramethylpyrazine in human platelets. *Thromb Res* 1997;88(3):259-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9526946&dopt=Abstract
- Sheu JR, Kan YC, Hung WC, Lin CH, Yen MH. The antiplatelet activity of tetramethylpyrazine is mediated through activation of NO synthase. *Life Sci* 2000;67(8):937-47. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10946853&dopt=Abstract
- Sheu JR, Kan YC, Hung WC, Su CH, Lin CH, Lee YM, Yen MH. The antiplatelet activity of rutaecarpine, an alkaloid isolated from *Evodia rutaecarpa*, is mediated through inhibition of phospholipase C. *Thromb Res* 1998;92(2):53-64. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9792112&dopt=Abstract
- Son DJ, Cho MR, Jin YR, Kim SY, Park YH, Lee SH, Akiba S, Sato T, Yun YP. Antiplatelet effect of green tea catechins: a possible mechanism through arachidonic acid pathway. *Prostaglandins Leukot Essent Fatty Acids* 2004;71(1):25-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15172681&dopt=Abstract
- Srivastava KC. Evidence for the mechanism by which garlic inhibits platelet aggregation. *Prostaglandins Leukot Med* 1986;22(3):313-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3088604&dopt=Abstract
- Tang MK, Ren DC, Zhang JT, Du GH. Effect of salvianolic acids from *Radix Salviae miltiorrhizae* on regional cerebral blood flow and platelet aggregation in rats. *Phytomedicine* 2002;9(5):405-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12222659&dopt=Abstract
- Teng CM, Yu SM, Chen CC, Huang YL, Huang TF. EDRF-release and Ca⁺(+)-channel blockade by magnolol, an antiplatelet agent isolated from Chinese herb *Magnolia officinalis*, in rat thoracic aorta. *Life Sci* 1990;47(13):1153-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2172682&dopt=Abstract
- van den Besselaar AM. Magnesium and manganese ions accelerate tissue factor-induced coagulation independently of factor IX. *Blood Coagul Fibrinolysis* 2002;13(1):19-23. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11994563&dopt=Abstract
- Veveris M, Koch E, Chatterjee SS. Crataegus special extract WS 1442 improves cardiac function and reduces infarct size in a rat model of prolonged coronary ischemia and reperfusion. *Life Sci* 2004;74(15):1945-55. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14761675&dopt=Abstract
- Wang Z, Roberts JM, Grant PG, Colman RW, Schreiber AD. The effect of a medicinal Chinese herb on platelet function. *Thromb Haemost* 1982;48(3):301-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6298967&dopt=Abstract
- Yazdanparast R, Mianabadi M. The effect of the active component of *Dendrostellera lessertii* on the adhesive property of human platelets and HL-60 cells. *Life Sci* 2004;75(6):733-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15172181&dopt=Abstract
- Yoon SJ, Pereira MS, Pavao MS, Hwang JK, Pyun YR, Mourao PA. The medicinal plant *Porana volubilis* contains polysaccharides with anticoagulant activity mediated by heparin cofactor II. *Thromb Res* 2002;106(1):51-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12165289&dopt=Abstract

Yoon SJ, Yu MA, Pyun YR, Hwang JK, Chu DC, Juneja LR, Mourao PA. The nontoxic mushroom Auricularia auricula contains a polysaccharide with anticoagulant activity mediated by antithrombin. *Thromb Res* 2003;112(3):151-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14967412&dopt=Abstract

Zhou S, Chan E. Effect of ubidecarenone on warfarin anticoagulation and pharmacokinetics of warfarin enantiomers in rats. *Drug Metabol Drug Interact* 2001;18(2):99-122. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11460879&dopt=Abstract

Other References

Booth NL, Nikolic D, van Breemen RB, Geller SE, Banuvar S, Shulman LP, Farnsworth NR. Confusion regarding anticoagulant coumarins in dietary supplements. *Clin Pharmacol Ther* 2004;76(6):511-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15592321&dopt=Abstract

Bovill EG, Fung M, Cushman M. Vitamin K and oral anticoagulation: thought for food. *Am J Med* 2004;116(10):711-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15121498&dopt=Abstract

Bussey HI. Managing excessive warfarin anticoagulation. *Ann Intern Med* 2001;135(6):460-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11560459&dopt=Abstract

Campbell KA, Turck CJ, Burkiewicz JS, Peppers LR. Pharmacist interventions in an anticoagulation clinic. *Am J Health Syst Pharm* 2004;61(22):2360, 2363-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15581258&dopt=Abstract

Goadsby PJ. Herbal medicine. *N Engl J Med* 2003;348(15):1498-501; author reply 1498-501. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12691065&dopt=Abstract

Lipman MM. Herbal medicine. *N Engl J Med* 2003;348(15):1498-501; author reply 1498-501. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12686712&dopt=Abstract

McGuffin M. Herbal medicine. *N Engl J Med* 2003;348(15):1498-501; author reply 1498-501. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12691063&dopt=Abstract

Naranjo CA, Bustos U, Sellers EM, Sandor P, Ruiz I, Roberts EA, Janecek E, Domecq C, Greenblatt DJ. A method for estimating the probability of adverse drug reactions. *Clin Pharmacol Ther* 1981;30(2):239-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7249508&dopt=Abstract

Plotnikoff GA, McKenna D, Watanabe K, Blumenthal M. Ginseng and warfarin interactions. *Ann Intern Med* 2004;141(11):893-4; author reply 894-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15583242&dopt=Abstract

Polasek J. Acetylsalicylic acid and vitamin E in prevention of arterial thrombosis. *Can J Cardiol* 1997;13(5):533-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9179093&dopt=Abstract

Ritter G, Dembicki EL. The herbal history of Digitalis: lessons for alternative medicine. *JAMA* 2000;283(7):884-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10685707&dopt=Abstract

Scott GN. Interaction of warfarin with glucosamine--chondroitin. Am J Health Syst Pharm 2004;61(11):1186; author reply 1186. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15237575&dopt=Abstract

Sierpina VS. Use of herbal medications before surgery. JAMA 2001;286(20):2543; author reply 2543-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11722257&dopt=Abstract

Skogh M. Extracts of Ginkgo biloba and bleeding or haemorrhage. Lancet 1998;352(9134):1145-6.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9798614&dopt=Abstract

Straus SE. Herbal medicines--what's in the bottle? N Engl J Med 2002;347(25):1997-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12490680&dopt=Abstract

ALPHABETICAL LISTING BY AUTHOR

- Abebe W. Herbal medication: potential for adverse interactions with analgesic drugs. *J Clin Pharm Ther* 2002;27(6):391-401. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12472978&dopt=Abstract
- Achenbach H, Urbaszek W. [Cobalt effects in the organism with special reference to cardiovascular effects]. *Z Gesamte Inn Med* 1972;27(19):809-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4567175&dopt=Abstract
- Adachihara A. Oral treatment of hemophilia A using traditional kampo medicine, Huang-lien-chieh-tu-tang (plant extract). *Haemostasis* 1983;13(2):78-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6409712&dopt=Abstract
- Adam O, Wolfram G, Zollner N. [Comparison of the effect of linolenic acid and eicosapentaenoic acid on prostaglandin biosynthesis and thrombocyte function in humans]. *Klin Wochenschr* 1986;64(6):274-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2872365&dopt=Abstract
- Adams MR, Forsyth CJ, Jessup W, Robinson J, Celermajer DS. Oral L-arginine inhibits platelet aggregation but does not enhance endothelium-dependent dilation in healthy young men. *J Am Coll Cardiol* 1995;26(4):1054-1061. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7560599&dopt=Abstract
- Afzal M, Al-Hadidi D, Menon M, Pesek J, Dhami MS. Ginger: an ethnomedical, chemical and pharmacological review. *Drug Metabol Drug Interact* 2001;18(3-4):159-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11791883&dopt=Abstract
- Agapova EN, Krutovskaya OV, Mikhailovskaya IG. [Effect of vitamin B-15 and methyluracil on the coagulating properties of the blood and functional status of the liver in hypertension]. *Ter Arkh* 1969;41(9):51-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5396450&dopt=Abstract
- Agapova EN, Krutovskaya OV, Mikhailovskaya IG. [Blood coagulation and protein-lipid metabolism in patients with hypertension during treatment with vitamin B 12 and folic acid]. *Sov Med* 1971;34(4):75-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5143759&dopt=Abstract
- Agarwal RK, Dewar HA, Newell DJ, Das B. Controlled trial of the effect of cycloalliin on the fibrinolytic activity of venous blood. *Atherosclerosis* 1977;27(3):347-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=332196&dopt=Abstract
- Ageno W, Crowther M, Steidl L, Ultori C, Mera V, Dentali F, Squizzato A, Marchesi C, Venco A. Low dose oral vitamin K to reverse acenocoumarol-induced coagulopathy: a randomized controlled trial. *Thromb Haemost* 2002;88(1):48-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12152676&dopt=Abstract
- Agren JJ, Vaisanen S, Hanninen O, Muller AD, Hornstra G. Hemostatic factors and platelet aggregation after a fish-enriched diet or fish oil or docosahexaenoic acid supplementation. *Prostaglandins Leukot Essent Fatty Acids* 1997;57(4-5):419-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12472978&dopt=Abstract
- Al Faraj S. Antagonism of the anticoagulant effect of warfarin caused by the use of Commiphora molmol as a herbal medication: a case report. *Ann Trop Med Parasitol* 2005;99(2):219-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15814041&dopt=Abstract

- Albert D, Zundorf I, Dingermann T, Muller WE, Steinhilber D, Werz O. Hyperforin is a dual inhibitor of cyclooxygenase-1 and 5-lipoxygenase. *Biochem Pharmacol* 2002;64(12):1767-75. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12445866&dopt=Abstract
- Ali M, Thomson M. Consumption of a garlic clove a day could be beneficial in preventing thrombosis. *Prostaglandins Leukot Essent Fatty Acids* 1995;53(3):211-212. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7480084&dopt=Abstract
- Al-Jishi SA, Abuo Hozaifa B. Effect of Nigella sativa on blood hemostatic function in rats. *J Ethnopharmacol* 2003;85(1):7-14. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12576196&dopt=Abstract
- Allman MA, Pena MM, Pang D. Supplementation with flaxseed oil versus sunflowerseed oil in healthy young men consuming a low fat diet: effects on platelet composition and function. *Eur J Clin Nutr* 1995;49(3):169-78. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7774533&dopt=Abstract
- Allman-Farinelli MA, Hall D, Kingham K, Pang D, Petocz P, Favaloro EJ. Comparison of the effects of two low fat diets with different alpha-linolenic:linoleic acid ratios on coagulation and fibrinolysis. *Atherosclerosis* 1999;142(1):159-68. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9920517&dopt=Abstract
- Allman-Farinelli MA, Dawson B. Diet and aging: bearing on thrombosis and hemostasis. *Semin Thromb Hemost* 2005;31(1):111-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15706483&dopt=Abstract
- Almendingen K, Seljeflot I, Sandstad B, Pedersen JI. Effects of partially hydrogenated fish oil, partially hydrogenated soybean oil, and butter on hemostatic variables in men. *Arterioscler Thromb Vasc Biol* 1996;16(3):375-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8630662&dopt=Abstract
- Ambasta SS, Shukla KK, Dube RK, Dube B. Haemostatic status in prostatectomy & the effect of para-aminomethyl benzoic acid on anti-fibrinolysis. *Indian J Med Res* 1988;88:57-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3263323&dopt=Abstract
- Amroyan E, Gabrielian E, Panossian A, Wikman G, Wagner H. Inhibitory effect of andrographolide from Andrographis paniculata on PAF-induced platelet aggregation. *Phytomedicine* 1999;6(1):27-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10228608&dopt=Abstract
- Andersen P, Godal HC. Predictable reduction in anticoagulant activity of warfarin by small amounts of vitamin K. *Acta Med Scand* 1975;198(4):269-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1189983&dopt=Abstract
- Andrassy T, Paul I, Andrassy K. [Blood coagulation inhibition by vitamin C?]. *Med Welt* 1974;33(34):1308-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4408679&dopt=Abstract
- Andreenko GV. [Development of research into the physiology and pathophysiology of the fibrinolysis system]. *Nauchnye Dokl Vyss Shkoly Biol Nauki* 1985(10):5-19. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2933082&dopt=Abstract

- Andrianova IV, Ionova VG, Demina EG, Shabalina AA, Karabasova Ia A, Liutova LI, Povorinskaia TE, Orekhov AN. [Use of allikor for the normalization of fibrinolysis and hemostasis in patients with chronic cerebrovascular diseases]. Klin Med (Mosk) 2001;79(11):55-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11811113&dopt=Abstract
- Andrioli G, Carletto A, Guarini P, Galvani S, Biasi D, Bellavite P, Corrocher R. Differential effects of dietary supplementation with fish oil or soy lecithin on human platelet adhesion. Thromb Haemost 1999;82(5):1522-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10595648&dopt=Abstract
- Ang-Lee MK, Moss J, Yuan CS. Herbal medicines and perioperative care. JAMA 2001;286(2):208-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11448284&dopt=Abstract
- Anis I, Ahmed S, Malik A, Yasin A, Choudary MI. Enzyme inhibitory constituents from Duranta repens. Chem Pharm Bull (Tokyo) 2002;50(4):515-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11964000&dopt=Abstract
- Anonymous. Vitamin K deficiency in adults. Nutr Rev 1968;26(6):165-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4969847&dopt=Abstract
- Anonymous. Hypervitaminosis E and coagulation. Nutr Rev 1975;33(9):269-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1099483&dopt=Abstract
- Anonymous. Safety of vitamin E therapy in low birth weight infants. Nutr Rev 1981;39(3):121-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7027095&dopt=Abstract
- Anonymous. [Study on secondary prevention of myocardial infarct (EPSIM). Work of the EPSIM research group]. Arch Mal Coeur Vaiss 1982;75 Spec No:1-130. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6820624&dopt=Abstract
- Anonymous. Vitamin K, vitamin E and the coumarin drugs. Nutr Rev 1982;40(6):180-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7121898&dopt=Abstract
- Anonymous. Antiplatelet effects of herbal products. Dermatol Nurs 2002;14(3):207. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12099073&dopt=Abstract
- Anonymous. Controversies concerning vitamin K and the newborn. American Academy of Pediatrics Committee on Fetus and Newborn. Pediatrics 2003;112(1 Pt 1):191-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12837888&dopt=Abstract
- Anonymous. Anticoagulation effects of warfarin reduced by taking ginseng. Pharm J 2004;273(7307):43.
- Anonymous. Summaries for patients. Ginseng reduces the effect of warfarin in a study of healthy volunteers. Ann Intern Med 2004;141(1):I58. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15238393&dopt=Abstract
- Anonymous. Effects of omega-3 fatty acids on cardiovascular risk factors and intermediate markers of cardiovascular disease. Evid Rep Technol Assess (Summ) 2004(93):1-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15133887&dopt=Abstract

- Anonymous. Medical mystery. A woman with too-thin blood. Why was the patient bleeding? What's her case mean to you? Heart Advis 2004;7(12):4-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15779134&dopt=Abstract
- Anonymous. Macronutrients: Vitamin K. Dis Mon 2004;50(2):79-85.
- Ansell JE, Kumar R, Deykin D. The spectrum of vitamin K deficiency. JAMA 1977;238(1):40-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=577260&dopt=Abstract
- Ansell J, Hirsh J, Poller L, Bussey H, Jacobson A, Hylek E. The pharmacology and management of the vitamin K antagonists: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. Chest 2004;126(3 Suppl):204S-233S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383473&dopt=Abstract
- Antoniades C, Tousoulis D, Tentolouris C, Toutouza M, Marinou K, Goumas G, Tsiofis C, Toutouzas P, Stefanadis C. Effects of antioxidant vitamins C and E on endothelial function and thrombosis/fibrinolysis system in smokers. Thromb Haemost 2003;89(6):990-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12783111&dopt=Abstract
- Applegate WV, Forsythe A, Bauernfeind JB. Physiological and psychological effects of vitamins E and B6 on women taking oral contraceptives. Int J Vitam Nutr Res 1979;49(1):43-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=376467&dopt=Abstract
- Arimori S, Nozaki H, Morita K, Arimori K. Case report: the effect of a Chinese herbal medicine, BG-104 in two HIV positive hemophiliacs. Biotherapy 1993;7(1):55-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7915126&dopt=Abstract
- Armstrong RA, Chardigny JM, Beaufrere B, Bretillon L, Vermunt SH, Mensink RP, Macvean A, Elton RA, Sebedio JL, Riemsma RA. No effect of dietary trans isomers of alpha-linolenic acid on platelet aggregation and haemostatic factors in European healthy men. The TRANSLinE study. Thromb Res 2000;100(3):133-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11108899&dopt=Abstract
- Arora RC, Arora S, Gupta RK. The long-term use of garlic in ischemic heart disease--an appraisal. Atherosclerosis 1981;40(2):175-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7306257&dopt=Abstract
- Arora RC, Arora S, Nigam P, Nath K. Preventive effect of garlic on fat induced blood lipid and coagulation changes--an appraisal [Atherosclerosis]. Zywienie Czlowieka 1983;10(4):251-254.
- Arruzazabala ML, Valdes S, Mas R, Fernandez L, Carbajal D. Effect of policosanol successive dose increases on platelet aggregation in healthy volunteers. Pharmacol Res 1996;34(5-6):181-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9076841&dopt=Abstract
- Arruzazabala ML, Valdes S, Mas R, Carbajal D, Fernandez L. Comparative study of policosanol, aspirin and the combination therapy policosanol-aspirin on platelet aggregation in healthy volunteers. Pharmacol Res 1997;36(4):293-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9425618&dopt=Abstract
- Arruzazabala ML, Mas R, Molina V, Carbajal D, Mendoza S, Fernandez L, Valdes S. Effect of policosanol on platelet aggregation in type II hypercholesterolemic patients. Int J Tissue React 1998;20(4):119-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10093795&dopt=Abstract

- Arruzazabala ML, Molina V, Mas R, Fernandez L, Carballo D, Valdes S, Castano G. Antiplatelet effects of policosanol (20 and 40 mg/day) in healthy volunteers and dyslipidaemic patients. *Clin Exp Pharmacol Physiol* 2002;29(10):891-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12207568&dopt=Abstract
- Arthur G, Monro JA, Poore P, Rilwan WB, Murphy EL. Trial of ascorbic acid in purpura and sublingual haemorrhages. *Br Med J* 1967;1(542):732-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5335735&dopt=Abstract
- Asakura H, Myou S, Ontachi Y, Mizutani T, Kato M, Saito M, Morishita E, Yamazaki M, Nakao S. Vitamin K administration to elderly patients with osteoporosis induces no hemostatic activation, even in those with suspected vitamin K deficiency. *Osteoporos Int* 2001;12(12):996-1000. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11846334&dopt=Abstract
- Astedt B. Antenatal drugs affecting vitamin K status of the fetus and the newborn. *Semin Thromb Hemost* 1995;21(4):364-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8747699&dopt=Abstract
- Atanasov AT, Spasov V. Inhibiting effect of desalted extract from Galega officinalis L. on platelet aggregation. *Folia Med (Plovdiv)* 1999;41(1):46-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10462920&dopt=Abstract
- Atanasov AT, Spasov V. Inhibiting and disaggregating effect of gel-filtered Galega officinalis L. herbal extract on platelet aggregation. *J Ethnopharmacol* 2000;69(3):235-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10722205&dopt=Abstract
- Azizov AP. [Effects of eleutherococcus, elton, leuzea, and leveton on the blood coagulation system during training in athletes]. *Eksp Klin Farmakol* 1997;60(5):58-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9483409&dopt=Abstract
- Azzi A, Breyer I, Feher M, Pastori M, Ricciarelli R, Spycher S, Staffieri M, Stocker A, Zimmer S, Zingg JM. Specific cellular responses to alpha-tocopherol. *J Nutr* 2000;130(7):1649-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10867030&dopt=Abstract
- Azzi A, Ricciarelli R, Zingg JM. Non-antioxidant molecular functions of alpha-tocopherol (vitamin E). *FEBS Lett* 2002;519(1-3):8-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12023009&dopt=Abstract
- Bach R, Schmidt U, Jung F, Kiesewetter H, Hennen B, Wenzel E, Schieffer H, Bette L, Heyden S. Effects of fish oil capsules in two dosages on blood pressure, platelet functions, haemorheological and clinical chemistry parameters in apparently healthy subjects. *Ann Nutr Metab* 1989;33(6):359-67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2694923&dopt=Abstract
- Bach AU, Anderson SA, Foley AL, Williams EC, Suttie JW. Assessment of vitamin K status in human subjects administered 'minidose' warfarin. *Am J Clin Nutr* 1996;64(6):894-902. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8942414&dopt=Abstract
- Baillargeon L, Drouin J, Desjardins L, Leroux D, Audet D. [The effects of Arnica Montana on blood coagulation. Randomized controlled trial]. *Can Fam Physician* 1993;39:2362-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7903572&dopt=Abstract

- Bakaltcheva I, Gyimah D, Reid T. Effects of alpha-tocopherol on platelets and the coagulation system. *Platelets* 2001;12(7):389-94. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11674855&dopt=Abstract
- Baker RI, Coughlin PB, Gallus AS, Harper PL, Salem HH, Wood EM. Warfarin reversal: consensus guidelines, on behalf of the Australasian Society of Thrombosis and Haemostasis. *Med J Aust* 2004;181(9):492-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15516194&dopt=Abstract
- Bakhshi S, Deorari AK, Roy S, Paul VK, Singh M. Prevention of subclinical vitamin K deficiency based on PIVKA-II levels: oral versus intramuscular route. *Indian Pediatr* 1996;33(12):1040-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9141807&dopt=Abstract
- Bal dit Sollier C, Caplain H, Drouet L. No alteration in platelet function or coagulation induced by EGb761 in a controlled study. *Clin Lab Haematol* 2003;25(4):251-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12890165&dopt=Abstract
- Banning M. The role of omega-3-fatty acids in the prevention of cardiac events. *Br J Nurs* 2005;14(9):503-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15924000&dopt=Abstract
- Bard JM, Luc G, Jude B, Bordet JC, Lacroix B, Bonte JP, Parra HJ, Duriez P. A therapeutic dosage (3 g/day) of borage oil supplementation has no effect on platelet aggregation in healthy volunteers. *Fundam Clin Pharmacol* 1997;11(2):143-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9107561&dopt=Abstract
- Baronzio G, Freitas I, Griffini P, Bertone V, Pacini F, Mascaro G, Razzini E, Gramaglia A. Omega-3 fatty acids can improve radioresponse modifying tumor interstitial pressure, blood rheology and membrane peroxidability. *Anticancer Res* 1994;14(3A):1145-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8074465&dopt=Abstract
- Barre DE. Potential of evening primrose, borage, black currant, and fungal oils in human health. *Ann Nutr Metab* 2001;45(2):47-57. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11359029&dopt=Abstract
- Barrowcliffe TW, Havercroft SJ, Kemball-Cook G, Lindahl U. The effect of Ca²⁺, phospholipid and factor V on the anti-(factor Xa) activity of heparin and its high-affinity oligosaccharides. *Biochem J* 1987;243(1):31-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3606581&dopt=Abstract
- Barstad RM, Roald HE, Petersen LB, Stokke KT, Kierulf P, Sakariassen KS. Dietary supplement of (omega)-3 fatty acids has no effect on acute collagen-induced thrombus formation in flowing native blood. *Blood Coagul Fibrinolysis* 1995;6(5):374-381. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8589202&dopt=Abstract
- Bartle WR, Ferland G. Fiddleheads and the international normalized ratio. *N Engl J Med* 1998;338(21):1550. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9599119&dopt=Abstract
- Bartle WR. Grapefruit juice might still be factor in warfarin response. *Am J Health Syst Pharm* 1999;56(7):676. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10423213&dopt=Abstract

- Bartle WR, Madorin P, Ferland G. Seaweed, vitamin K, and warfarin. Am J Health Syst Pharm 2001;58(23):2300. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11763808&dopt=Abstract
- Bassenge E, Fink N, Skatchkov M, Fink B. Dietary supplement with vitamin C prevents nitrate tolerance. J Clin Invest 1998;102(1):67-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9649558&dopt=Abstract
- Bassus S, Mahnel R, Scholz T, Wegert W, Westrup D, Kirchmaier CM. Effect of dealcoholized beer (Bitburger Drive) consumption on hemostasis in humans. Alcohol Clin Exp Res 2004;28(5):786-791. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15166655&dopt=Abstract
- Bates SM, Weitz JI. The mechanism of action of thrombin inhibitors. J Invasive Cardiol 2000;12 Suppl F:27F-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11156731&dopt=Abstract
- Bedsted T, Swanson R, Chuang YJ, Bock PE, Bjork I, Olson ST. Heparin and calcium ions dramatically enhance antithrombin reactivity with factor IXa by generating new interaction exosites. Biochemistry 2003;42(27):8143-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12846563&dopt=Abstract
- Belch JJ, Shaw B, O'Dowd A, Saniabadi A, Leiberman P, Sturrock RD, Forbes CD. Evening primrose oil (Efamol) in the treatment of Raynaud's phenomenon: a double blind study. Thromb Haemost 1985;54(2):490-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4082084&dopt=Abstract
- Bellinghieri G, Savica V, Barbera CM, Ricciardi B, Egitto M, Torre F, Valentini G, D'Iddio S, Bagiella E, Mallamace A. L-carnitine and platelet aggregation in uremic patients subjected to hemodialysis. Nephron 1990;55(1):28-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2141109&dopt=Abstract
- Bender NK, Kraynak MA, Chiquette E, Linn WD, Clark GM, Bussey HI. Effects of marine fish oils on the anticoagulation status of patients receiving chronic warfarin therapy. J Thromb Trombolysis 1998;5(3):257-261. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10767122&dopt=Abstract
- Benito P, Nelson GJ, Kelley DS, Bartolini G, Schmidt PC, Simon V. The effect of conjugated linoleic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. Lipids 2001;36(3):221-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11337976&dopt=Abstract
- Berg KJ, Skaga E, Skjaeggstad O, Stormorken H. Effect of linseed oil on platelet adhesiveness and bleeding-time in patients with coronary heart-disease. Lancet 1965;2(7420):980-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4159214&dopt=Abstract
- Bern M. Observations on possible effects of daily vitamin K replacement, especially upon warfarin therapy. JPEN J Parenter Enteral Nutr 2004;28(6):388-398. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15568285&dopt=Abstract
- Besson-Leaud M, Aucher C, Boniface C. [Prophylaxis of late hemorrhagic disease in newborn infants with vitamin K1 at birth]. Arch Pediatr 1996;3(1):89-90; author reply 90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8745836&dopt=Abstract

- Beyth RJ. Management of haemorrhagic complications associated with oral anticoagulant treatment. *Expert Opin Drug Saf* 2002;1(2):129-36. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12904147&dopt=Abstract
- Bhatnagar D, Durrington PN. Omega-3 fatty acids: their role in the prevention and treatment of atherosclerosis related risk factors and complications. *Int J Clin Pract* 2003;57(4):305-14. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12800463&dopt=Abstract
- Bielawiec M. [Clinical and experimental studies on fibrinolysis activation]. *Rocznik Akademii Medycznej im. Juliana Marchlewskiego Białymost Suppl* 1967;15:1-92. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4953138&dopt=Abstract
- Bierenbaum ML, Reichstein R, Watkins TR. Reducing atherogenic risk in hyperlipemic humans with flax seed supplementation: a preliminary report. *J Am Coll Nutr* 1993;12(5):501-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7903324&dopt=Abstract
- Bilo HJ, Gans RO. Fish oil: a panacea? *Biomed Pharmacother* 1990;44(3):169-74. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2144459&dopt=Abstract
- Biong AS, Muller H, Seljeflot I, Veierod MB, Pedersen JI. A comparison of the effects of cheese and butter on serum lipids, haemostatic variables and homocysteine. *Br J Nutr* 2004;92(5):791-797. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15533268&dopt=Abstract
- Blonk MC, Bilo HJ, Nauta JJ, Popp-Snijders C, Mulder C, Donker AJ. Dose-response effects of fish-oil supplementation in healthy volunteers. *Am J Clin Nutr* 1990;52(1):120-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2141757&dopt=Abstract
- Boberg M, Vessby B, Selinus I. Effects of dietary supplementation with n-6 and n-3 long-chain polyunsaturated fatty acids on serum lipoproteins and platelet function in hypertriglyceridaemic patients. *Acta Med Scand* 1986;220(2):153-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3535392&dopt=Abstract
- Boberg M, Pollare T, Siegbahn A, Vessby B. Supplementation with n-3 fatty acids reduces triglycerides but increases PAI-1 in non-insulin-dependent diabetes mellitus. *Eur J Clin Invest* 1992;22(10):645-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1459169&dopt=Abstract
- Bode-Boger SM, Boger RH, Galland A, Frolich JC. Differential inhibition of human platelet aggregation and thromboxane A₂ formation by L-arginine in vivo and in vitro. *Naunyn Schmiedebergs Arch Pharmacol* 1998;357(2):143-150. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9521487&dopt=Abstract
- Bonding P, Skriver E, Helin P, Qvortrup K. Destructive, granulating lesion in the temporal bone after elevated plasma homocysteine. *Otol Neurotol* 2004;25(4):610-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15241243&dopt=Abstract
- Bonham M, O'Connor JM, McAnena LB, Walsh PM, Downes CS, Hannigan BM, Strain JJ. Zinc supplementation has no effect on lipoprotein metabolism, hemostasis, and putative indices of copper status in healthy men. *Biol Trace Elem Res* 2003;93(1-3):75-86. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12835492&dopt=Abstract

- Booth SL, Suttie JW. Dietary intake and adequacy of vitamin K. *J Nutr* 1998;128(5):785-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9566982&dopt=Abstract
- Booth SL, Golly I, Sacheck JM, Roubenoff R, Dallal GE, Hamada K, Blumberg JB. Effect of vitamin E supplementation on vitamin K status in adults with normal coagulation status. *Am J Clin Nutr* 2004;80(1):143-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15213041&dopt=Abstract
- Booth NL, Nikolic D, van Breemen RB, Geller SE, Banuvar S, Shulman LP, Farnsworth NR. Confusion regarding anticoagulant coumarins in dietary supplements. *Clin Pharmacol Ther* 2004;76(6):511-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15592321&dopt=Abstract
- Bordet JC, Trzeciak MC, Durbin S, Dechavanne M. Dose-response studies of platelet aggregation and bleeding time during eicosapentaenoic acid intake. *Thromb Haemost* 1991;65(1):110. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2024234&dopt=Abstract
- Bordia A, Bansal HC, Arora SK, Singh SV. Effect of the essential oils of garlic and onion on alimentary hyperlipemia. *Atherosclerosis* 1975;21(1):15-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1131298&dopt=Abstract
- Bordia AK, Joshi HK, Sanadhyा YK, Bhu N. Effect of essential oil of garlic on serum fibrinolytic activity in patients with coronary artery disease. *Atherosclerosis* 1977;28(2):155-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=911374&dopt=Abstract
- Bordia A, Paliwal DK, Jain K, Kothari LK. Acute effect of ascorbic acid on fibrinolytic activity. *Atherosclerosis* 1978;30(4):351-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=568476&dopt=Abstract
- Bordia AK, Joshi HK. Garlic on fibrinolytic activity in cases of acute myocardial infarction. Part II. *J Assoc Physicians India* 1978;26(5):323-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=730711&dopt=Abstract
- Bordia A, Chuttani SK. Effect of gum guggulu on fibrinolysis and platelet adhesiveness in coronary heart disease. *Indian J Med Res* 1979;70:992-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=396237&dopt=Abstract
- Bordia AK. The effect of vitamin C on blood lipids, fibrinolytic activity and platelet adhesiveness in patients with coronary artery disease. *Atherosclerosis* 1980;35(2):181-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7352955&dopt=Abstract
- Bordia A, Sharma KD, Parmar YK, Verma SK. Protective effect of garlic oil on the changes produced by 3 weeks of fatty diet on serum cholesterol, serum triglycerides, fibrinolytic activity and platelet adhesiveness in man. *Indian Heart J* 1982;34(2):86-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7118147&dopt=Abstract
- Bordia A, Verma SK, Srivastava KC. Effect of ginger (*Zingiber officinale Rosc.*) and fenugreek (*Trigonella foenumgraecum L.*) on blood lipids, blood sugar and platelet aggregation in patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 1997;56(5):379-384. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9175175&dopt=Abstract

Bordia A, Verma SK, Srivastava KC. Effect of garlic (*Allium sativum*) on blood lipids, blood sugar, fibrinogen and fibrinolytic activity in patients with coronary artery disease. Prostaglandins Leukot Essent Fatty Acids 1998;58(4):257-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9654398&dopt=Abstract

Borets VM. [The effect of riboflavin on the blood coagulation and anticoagulation systems in patients with atherosclerosis and hypertension]. Klin Med (Mosk) 1968;46(8):37-42. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5707099&dopt=Abstract

Bougle D, Vert P. [Indications for vitamin E in the premature infant]. Arch Fr Pediatr 1984;41(1):63-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6372731&dopt=Abstract

Bovill EG, Malhotra OP, Mann KG. Mechanisms of vitamin K antagonism. Baillieres Clin Haematol 1990;3(3):555-81. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2271783&dopt=Abstract

Bovill EG, Fung M, Cushman M. Vitamin K and oral anticoagulation: thought for food. Am J Med 2004;116(10):711-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15121498&dopt=Abstract

Braginskii BM, Borets VM, Ustilovskii VD. [Effect of biotin on several indices of protein and lipid metabolism, state of the coagulation and anticoagulation system and thromboelastograms in patients with arteriosclerosis and hypertensive disease]. Kardiologiya 1970;10(9):149-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5501508&dopt=Abstract

Breckenridge A. Oral anticoagulants--the totem and the taboo. Br Med J 1976;1(6007):419-23. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=766893&dopt=Abstract

Brenner B, Tavori S, Zivelin A, Keller CB, Sutie JW, Tatarsky I, Seligsohn U. Hereditary deficiency of all vitamin K-dependent procoagulants and anticoagulants. Br J Haematol 1990;75(4):537-42. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2145029&dopt=Abstract

Brenner B, Sanchez-Vega B, Wu SM, Lanir N, Stafford DW, Solera J. A missense mutation in gamma-glutamyl carboxylase gene causes combined deficiency of all vitamin K-dependent blood coagulation factors. Blood 1998;92(12):4554-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9845520&dopt=Abstract

Bresolin N, Bet L, Binda A, Moggio M, Comi G, Nador F, Ferrante C, Carenzi A, Scarlato G. Clinical and biochemical correlations in mitochondrial myopathies treated with coenzyme Q10. Neurology 1988;38(6):892-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3368070&dopt=Abstract

Bridgman GC. Prophylactic vitamin K and haemorrhagic disease of the newborn. Lancet 1983;1(8336):1279. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6134071&dopt=Abstract

Briggs WH, Xiao H, Parkin KL, Shen C, Goldman IL. Differential inhibition of human platelet aggregation by selected Allium thiosulfinate. J Agric Food Chem 2000;48(11):5731-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11087546&dopt=Abstract

- Brister SJ, Buchanan MR. Effects of linoleic acid and/or marine fish oil supplements on vessel wall thromboresistance in patients undergoing cardiac surgery. *Adv Exp Med Biol* 1997;433:275-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9561151&dopt=Abstract
- Britten A. Hemophilic bleeding on the first day of life. Report of a unique case and review of the relevant literature. *Clin Pediatr (Phila)* 1966;5(2):123-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5948179&dopt=Abstract
- Brophy MT, Fiore LD, Deykin D. Low-dose vitamin K therapy in excessively anticoagulated patients: A dose-finding study. *J Thromb Thrombolysis* 1997;4(2):289-292. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10639272&dopt=Abstract
- Brousson MA, Klein MC. Controversies surrounding the administration of vitamin K to newborns: a review. *Can Med Assoc J* 1996;154(3):307-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8564900&dopt=Abstract
- Brown SG, McHugh G, Shapleski J, Wotherspoon PA, Taylor BJ, Gillett WR. Should intramuscular vitamin K prophylaxis for haemorrhagic disease of the newborn be continued? A decision analysis. *N Z Med J* 1989;102(860):3-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2643775&dopt=Abstract
- Brown JE, Wahle KW. Effect of fish-oil and vitamin E supplementation on lipid peroxidation and whole-blood aggregation in man. *Clin Chim Acta* 1990;193(3):147-56. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2282693&dopt=Abstract
- Brown KM, Morrice PC, Duthie GG. Vitamin E supplementation suppresses indexes of lipid peroxidation and platelet counts in blood of smokers and nonsmokers but plasma lipoprotein concentrations remain unchanged. *Am J Clin Nutr* 1994;60(3):383-387. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8074069&dopt=Abstract
- Bubnova MG, Oganov RG. [Impaired tolerance to the dietary fats and its contribution to atherothrombogenesis]. *Ter Arkh* 2004;76(1):73-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15108445&dopt=Abstract
- Buckley MS, Goff AD, Knapp WE. Fish oil interaction with warfarin. *Ann Pharmacother* 2004;38(1):50-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14742793&dopt=Abstract
- Burnham BE. Garlic as a possible risk for postoperative bleeding. *Plast Reconstr Surg* 1995;95(1):213. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7809259&dopt=Abstract
- Burri BJ, Dougherty RM, Kelley DS, Iacono JM. Platelet aggregation in humans is affected by replacement of dietary linoleic acid with oleic acid. *Am J Clin Nutr* 1991;54(2):359-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1858699&dopt=Abstract
- Bussey HI. Managing excessive warfarin anticoagulation. *Ann Intern Med* 2001;135(6):460-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11560459&dopt=Abstract
- Byrd DC, Stephens MA, Hamann GL, Dorko C. Subcutaneous phytonadione for reversal of warfarin-induced elevation of the International Normalized Ratio. *Am J Health Syst Pharm* 1999;56(22):2312-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10582823&dopt=Abstract

- Byshevskii A. [The effect of certain vitamins on the anticoagulation system]. *Vopr Pitan* 1968;27(5):17-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4238231&dopt=Abstract
- Calzada C, Bruckdorfer KR, Rice-Evans CA. The influence of antioxidant nutrients on platelet function in healthy volunteers. *Atherosclerosis* 1997;128(1):97-105. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9051202&dopt=Abstract
- Calzada C, Chapuy P, Lagarde M, Vericel E. Intake of small amounts of n-3 fatty acids decreases platelet lipid peroxidation in elderly people. *Lipids* 1999;34 Suppl:S311. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10419188&dopt=Abstract
- Cambria-Kiely J. Effect of soy milk on warfarin efficacy. *Ann Pharmacother* 2002;36(12):1893-1896. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12452752&dopt=Abstract
- Campbell KA, Turck CJ, Burkiewicz JS, Peppers LR. Pharmacist interventions in an anticoagulation clinic. *Am J Health Syst Pharm* 2004;61(22):2360, 2363-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15581258&dopt=Abstract
- Canfield LM, Corrigan JJ, Jr., Plezia PM, Jeter M, Sayers S, Alberts DS. Effects of chronic beta-carotene supplementation on vitamin K status in adults. *Nutr Cancer* 1990;13(4):263-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2189123&dopt=Abstract
- Carbalal D, Arruzazabala ML, Valdes S, Mas R. Effect of policosanol on platelet aggregation and serum levels of arachidonic acid metabolites in healthy volunteers. *Prostaglandins Leukot Essent Fatty Acids* 1998;58(1):61-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9482167&dopt=Abstract
- Carr ME, Klotz J, Bergeron M. Coumadin resistance and the vitamin supplement "Noni". *Am J Hematol* 2004;77(1):103. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15307118&dopt=Abstract
- Castano G, Mas R, Arruzazabala ML, Noa M, Illnait J, Fernandez JC, Molina V, Menendez A. Effects of policosanol and pravastatin on lipid profile, platelet aggregation and endothelema in older hypercholesterolemic patients. *Int J Clin Pharmacol Res* 1999;19(4):105-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10939028&dopt=Abstract
- Castano G, Fernandez L, Mas R, Illnait J, Mesa M, Fernandez JC. Comparison of the effects of policosanol and atorvastatin on lipid profile and platelet aggregation in patients with dyslipidaemia and type 2 diabetes mellitus. *Clin Drug Invest* 2003;23(10):639-650.
- Catania PN. Problems with herbal remedies in anticoagulated home care patients. *Home Care Provid* 1998;3(5):253-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10030196&dopt=Abstract
- Celestini A, Pulcinelli FM, Pignatelli P, Lenti L, Frati G, Gazzaniga PP, Violi F. Vitamin E potentiates the antiplatelet activity of aspirin in collagen-stimulated platelets. *Haematologica* 2002;87(4):420-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11940487&dopt=Abstract
- Challen AD, Branch WJ, Cummings JH. The effect of pectin and wheat bran on platelet function and haemostasis in man. *Hum Nutr Clin Nutr* 1983;37(3):209-17. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6307933&dopt=Abstract

- Chan K, Lo AC, Yeung JH, Woo KS. The effects of Danshen (*Salvia miltiorrhiza*) on warfarin pharmacodynamics and pharmacokinetics of warfarin enantiomers in rats. *J Pharm Pharmacol* 1995;47(5):402-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7494191&dopt=Abstract
- Chan TY. Interaction between warfarin and danshen (*Salvia miltiorrhiza*). *Ann Pharmacother* 2001;35(4):501-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11302416&dopt=Abstract
- Chang WC, Hsu FL. Inhibition of platelet activation and endothelial cell injury by polyphenolic compounds isolated from *Lonicera japonica* Thunb. *Prostaglandins Leukot Essent Fatty Acids* 1992;45(4):307-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1603820&dopt=Abstract
- Chang SJ, Lee YC, Liu SY, Chang TW. Chinese yam (*Dioscorea alata* cv. Tainung No. 2) feeding exhibited antioxidative effects in hyperhomocysteinemia rats. *J Agric Food Chem* 2004;52(6):1720-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15030236&dopt=Abstract
- Chanvitvan P, Laosombat V. Acquired prothrombin complex deficiency (APCD) syndrome after vitamin K prophylaxis: a case report with delay supplementary feeding. *J Med Assoc Thai* 1986;69(5):288-91. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3734661&dopt=Abstract
- Chen KJ. [Advances in the study of huo xue hua yu in Japan]. *Zhong Xi Yi Jie He Za Zhi* 1985;5(3):185-9, 174. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3157504&dopt=Abstract
- Chen YF, Lin YT, Wu SC. Effectiveness of coenzyme Q10 on myocardial preservation during hypothermic cardioplegic arrest. *J Thorac Cardiovasc Surg* 1994;107(1):242-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8283892&dopt=Abstract
- Cheng B, Hung CT, Chiu W. Herbal medicine and anaesthesia. *Hong Kong Med J* 2002;8(2):123-30. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11937667&dopt=Abstract
- Cheong JL, Bucknall R. Retinal vein thrombosis associated with a herbal phytoestrogen preparation in a susceptible patient. *Postgrad Med J* 2005;81(954):266-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15811894&dopt=Abstract
- Chernomorets NN, Kotlubei GV, Vatutin NT, Zhivotovskaya IA, Gnilitskaya VB, Alifanova RE, Lobach E, Mal'tseva NV, Mitrofanov AN. [The effect of tocopherol and nicotinic acid on the microcirculation and blood coagulability in patients with ischemic heart disease]. *Vrach Delo* 1990(12):6-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2089804&dopt=Abstract
- Chesney CM, Elam MB, Herd JA, Davis KB, Garg R, Hunninghake D, Kennedy JW, Applegate WB. Effect of niacin, warfarin, and antioxidant therapy on coagulation parameters in patients with peripheral arterial disease in the Arterial Disease Multiple Intervention Trial (ADMIT). *Am Heart J* 2000;140(4):631-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11011338&dopt=Abstract
- Chia S, Wilson R, Ludlam CA, Webb DJ, Flapan AD, Newby DE. Endothelial dysfunction in patients with recent myocardial infarction and hyperhomocysteinaemia: effects of vitamin supplementation. *Clin Sci (Lond)* 2005;108(1):65-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15367100&dopt=Abstract

- Chistolini A, Mazzucconi G, De Sanctis V, Dragoni F, Mandelli F. Ascorbic acid for the treatment of autoimmune thrombocytopenic purpura. *Haematologica* 1992;77(2):187-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1398308&dopt=Abstract
- Cho SY, Sim JS, Kang SS, Jeong CS, Linhardt RJ, Kim YS. Enhancement of heparin and heparin disaccharide absorption by the Phytolacca americana saponins. *Arch Pharm Res* 2003;26(12):1102-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14723347&dopt=Abstract
- Chow WH, Chow TC, Tse TM, Tai YT, Lee WT. Anticoagulation instability with life-threatening complication after dietary modification. *Postgrad Med J* 1990;66(780):855-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2099431&dopt=Abstract
- Chung KF, Dent G, McCusker M, Guinot P, Page CP, Barnes PJ. Effect of a ginkgolide mixture (BN 52063) in antagonising skin and platelet responses to platelet activating factor in man. *Lancet* 1987;1(8527):248-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2880069&dopt=Abstract
- Churukian MM, Zemplenyi J, Steiner M, Kamer FM, Cohen A. Postrhinoplasty epistaxis. Role of vitamin E? *Arch Otolaryngol Head Neck Surg* 1988;114(7):748-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3289582&dopt=Abstract
- Chutani SK, Bordia A. The effect of fried versus raw garlic on fibrinolytic activity in man. *Atherosclerosis* 1981;38(3-4):417-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7225179&dopt=Abstract
- Chvapil M. Effect of zinc on cells and biomembranes. *Med Clin North Am* 1976;60(4):799-812. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=775220&dopt=Abstract
- Ciocon JO, Ciocon DG, Galindo DJ. Dietary supplements in primary care: Botanicals can affect surgical outcomes and follow-up. *Geriatrics* 2004;59(9):20-24. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15461234&dopt=Abstract
- Clagett GP, Sobel M, Jackson MR, Lip GYH, Tangelder M, Verhaeghe R. Antithrombotic therapy in peripheral arterial occlusive disease: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126(3 SUPPL.):609S-626S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383487&dopt=Abstract
- Clarke R, Harrison G, Richards S. Effect of vitamins and aspirin on markers of platelet activation, oxidative stress and homocysteine in people at high risk of dementia. *J Intern Med* 2003;254(1):67-75. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12823643&dopt=Abstract
- Clarkson PM, James AG. Parenteral vitamin K1: the effective prophylaxis against haemorrhagic disease for all newborn infants. *N Z Med J* 1990;103(885):95-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2179775&dopt=Abstract
- Coche JC, Horsmans Y, Greer Y, Geubel AG. Budd-Chiari syndrome likely related to a slimming drug preparation. *J Hepatol* 1995;23(5):626-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8583154&dopt=Abstract

- Colette C, Pares-Herbute N, Monnier LH, Cartry E. Platelet function in type I diabetes: effects of supplementation with large doses of vitamin E. Am J Clin Nutr 1988;47(2):256-61. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2963532&dopt=Abstract
- Conquer JA, Maiani G, Azzini E, Raguzzini A, Holub BJ. Supplementation with quercetin markedly increases plasma quercetin concentration without effect on selected risk factors for heart disease in healthy subjects. J Nutr 1998;128(3):593-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9482769&dopt=Abstract
- Conquer JA, Cheryk LA, Chan E, Gentry PA, Holub BJ. Effect of supplementation with dietary seal oil on selected cardiovascular risk factors and hemostatic variables in healthy male subjects. Thromb Res 1999;96(3):239-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10588467&dopt=Abstract
- Conway SP. Vitamin K in cystic fibrosis. J R Soc Med 2004;97 Suppl 44:48-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15239294&dopt=Abstract
- Coppola A, Davi G, De Stefano V, Mancini FP, Cerbone AM, Di Minno G. Homocysteine, coagulation, platelet function, and thrombosis. Semin Thromb Hemost 2000;26(3):243-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11011842&dopt=Abstract
- Cordova C, Musca A, Violi F, Alessandri C, Vezza E. Improvement of some blood coagulation factors in cirrhotic patients treated with low doses of heparin. Scand J Haematol 1982;29(3):235-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7146823&dopt=Abstract
- Cordova C, Musca A, Violi F, Perrone A, Alessandri C. Influence of ascorbic acid on platelet aggregation in vitro and in vivo. Atherosclerosis 1982;41(1):15-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7073791&dopt=Abstract
- Cornelissen EA, Kollee LA, De Abreu RA, van Baal JM, Motohara K, Verbruggen B, Monnens LA. Effects of oral and intramuscular vitamin K prophylaxis on vitamin K1, PIVKA-II, and clotting factors in breast fed infants. Arch Dis Child 1992;67(10):1250-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1444522&dopt=Abstract
- Cornelissen M, Steegers-Theunissen R, Kollee L, Eskes T, Motohara K, Monnens L. Supplementation of vitamin K in pregnant women receiving anticonvulsant therapy prevents neonatal vitamin K deficiency. Am J Obstet Gynecol 1993;168(3 Pt 1):884-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8456897&dopt=Abstract
- Cornelissen M, von Kries R, Loughnan P, Schubiger G. Prevention of vitamin K deficiency bleeding: efficacy of different multiple oral dose schedules of vitamin K. Eur J Pediatr 1997;156(2):126-30. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9039517&dopt=Abstract
- Cornu P. Recent developments with vitamin K. Nouv Rev Fr Hematol 1988;30(4):203-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3057434&dopt=Abstract
- Corrigan JJ, Jr., Ulfers LL. Effect of vitamin E on prothrombin levels in warfarin-induced vitamin K deficiency. Am J Clin Nutr 1981;34(9):1701-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7282596&dopt=Abstract

- Costakos DT, Greer FR, Love LA, Dahlen LR, Suttie JW. Vitamin K prophylaxis for premature infants: 1 mg versus 0.5 mg. *Am J Perinatol* 2003;20(8):485-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14703597&dopt=Abstract
- Couris RR, Tataronis GR, Booth SL, Dallal GE, Blumberg JB, Dwyer JT. Development of a self-assessment instrument to determine daily intake and variability of dietary vitamin K. *J Am Coll Nutr* 2000;19(6):801-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11194535&dopt=Abstract
- Couris RR, Tataronis GR, Dallal GE, Blumberg JB, Dwyer JT. Assessment of healthcare professionals' knowledge about warfarin-vitamin K drug-nutrient interactions. *J Am Coll Nutr* 2000;19(4):439-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10963462&dopt=Abstract
- Crawford GP, Warlow CP, Bennett B, Dawson AA, Douglas AS, Kerridge DF, Ogston D. The effect of vitamin C supplements on serum cholesterol, coagulation, fibrinolysis and platelet adhesiveness. *Atherosclerosis* 1975;21(3):451-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=807225&dopt=Abstract
- Croset M, Vericel E, Rigaud M, Hanss M, Courpron P, Dechavanne M, Lagarde M. Functions and tocopherol content of blood platelets from elderly people after low intake of purified eicosapentaenoic acid. *Thromb Res* 1990;57(1):1-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2105538&dopt=Abstract
- Crowther MA, Donovan D, Harrison L, McGinnis J, Ginsberg J. Low-dose oral vitamin K reliably reverses over-anticoagulation due to warfarin. *Thromb Haemost* 1998;79(6):1116-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9657434&dopt=Abstract
- Crowther MA, Julian J, McCarty D, Douketis J, Kovacs M, Biagnoli L, Schnurr T, McGinnis J, Gent M, Hirsh J, Ginsberg J. Treatment of warfarin-associated coagulopathy with oral vitamin K: a randomised controlled trial. *Lancet* 2000;356(9241):1551-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11075768&dopt=Abstract
- Crowther MA, Julian J, McCarty D. Vitamin K lowered the international normalised ratio into the therapeutic range in patients receiving warfarin. *Evid Based Med* 2001;6(4):115.
- Crowther MA, Douketis JD, Schnurr T, Steidl L, Mera V, Ultori C, Venco A, Aggeno W. Oral vitamin K lowers the international normalized ratio more rapidly than subcutaneous vitamin K in the treatment of warfarin-associated coagulopathy. A randomized, controlled trial. *Ann Intern Med* 2002;137(4):251-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12186515&dopt=Abstract
- Crowther MA, Wilson S. Vitamin K for the treatment of asymptomatic coagulopathy associated with oral anticoagulant therapy. *J Thromb Thrombolysis* 2003;16(1-2):69-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14760216&dopt=Abstract
- Culpeper KS, Nousari HC. Purpura fulminans. *Lancet* 2003;361(9355):384. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12573375&dopt=Abstract
- Dacosta A, Comtet C, Tardy B, Guy JM, Page Y, Zeni F, Bertrand JC. [Hemorrhagic tamponade attributed to treatment with antivitamin K]. *Rev Med Interne* 1992;13(4):323. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1287778&dopt=Abstract

- Dager WE, Vondracek TG, McIntosh BA, Nutescu EA. Ximelagatran: an oral direct thrombin inhibitor. *Ann Pharmacother* 2004;38(11):1881-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383641&dopt=Abstract
- Dahl SW, Rasmussen SK, Petersen LC, Hejgaard J. Inhibition of coagulation factors by recombinant barley serpin BSZx. *FEBS Lett* 1996;394(2):165-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8843156&dopt=Abstract
- Dahlback B, Villoutreix BO. The anticoagulant protein C pathway. *FEBS Lett* 2005;579(15):3310-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15943976&dopt=Abstract
- D'Amico AV, Toupless G, Lopes L, Valentine KJ, Cormack RA, Tempany CM, Kumar S, Marks PJ. Self-administration of untested medical therapy for treatment of prostate cancer can lead to clinically significant adverse events. *Int J Radiat Oncol Biol Phys* 2002;54(5):1311-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12459351&dopt=Abstract
- d'Arcangues C, Piaggio G, Brache V, Aissa RB, Hazelden C, Massai R, Pinol A, Subakir SB, Su-Juan G. Effectiveness and acceptability of vitamin E and low-dose aspirin, alone or in combination, on Norplant-induced prolonged bleeding. *Contraception* 2004;70(6):451-462. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15541406&dopt=Abstract
- Davi G, Di Minno G, Coppola A, Andria G, Cerbone AM, Madonna P, Tufano A, Falco A, Marchesani P, Ciabattoni G, Patrono C. Oxidative stress and platelet activation in homozygous homocystinuria. *Circulation* 2001;104(10):1124-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11535567&dopt=Abstract
- Davis NB, Nahlik L, Vogelzang NJ. Does PC-SPEs interact with warfarin? *J Urol* 2002;167(4):1793. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11912419&dopt=Abstract
- de Bosch NB, Bosch V, Apitz R. Dietary fatty acids in athero-thrombogenesis: influence of palm oil ingestion. *Haemostasis* 1996;26 Suppl 4:46-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8979111&dopt=Abstract
- de Bree A, Mennen LI, Hercberg S, Galan P. Evidence for a protective (synergistic?) effect of B-vitamins and omega-3 fatty acids on cardiovascular diseases. *Eur J Clin Nutr* 2004;58(5):732-744. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15116076&dopt=Abstract
- de Gaetano G. Low-dose aspirin and vitamin E in people at cardiovascular risk: a randomised trial in general practice. Collaborative Group of the Primary Prevention Project. *Lancet* 2001;357(9250):89-95. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11197445&dopt=Abstract
- de Lange DW, van de Wiel A. Drink to prevent: Review on the cardioprotective mechanisms of alcohol and red wine polyphenols. *Semin Vasc Med* 2004;4(2):173-186. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15478039&dopt=Abstract
- de Lorgeril M, Boissinat P, Salen P, Monjaud I, Monnez C, Guidollet J, Ferrera R, Dureau G, Ninet J, Renaud S. The beneficial effect of dietary antioxidant supplementation on platelet aggregation and cyclosporine treatment in heart transplant recipients. *Transplantation* 1994;58(2):193-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8042237&dopt=Abstract

- de Lorgeril M, Salen P. Wine ethanol, platelets, and Mediterranean diet. *Lancet* 1999;353(9158):1067. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10199360&dopt=Abstract
- de Maat MP, Pijl H, Kluft C, Princen HM. Consumption of black and green tea had no effect on inflammation, haemostasis and endothelial markers in smoking healthy individuals. *Eur J Clin Nutr* 2000;54(10):757-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11083483&dopt=Abstract
- Dearing BD, Lavie CJ, Lohmann TP, Genton E. Niacin-induced clotting factor synthesis deficiency with coagulopathy. *Arch Intern Med* 1992;152(4):861-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1558449&dopt=Abstract
- Dehmer GJ, Popma JJ, van den Berg EK, Eichhorn EJ, Prewitt JB, Campbell WB, Jennings L, Willerson JT, Schmitz JM. Reduction in the rate of early restenosis after coronary angioplasty by a diet supplemented with n-3 fatty acids. *N Engl J Med* 1988;319(12):733-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2842680&dopt=Abstract
- Delsart D, Chambefort V, Decousus H. [Heparins, antivitamins K. Principles and rules of use. Posology of non-fractionated heparins]. *Rev Prat* 2001;51(13):1489-97. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11601082&dopt=Abstract
- Deng ZH. [Observation on platelet aggregation in retinal vein occlusion]. *Zhong Xi Yi Jie He Za Zhi* 1989;9(2):88-90, 69. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2736693&dopt=Abstract
- Dent SB, Peterson CT, Brace LD, Swain JH, Reddy MB, Hanson KB, Robinson JG, Alekel DL. Soy protein intake by perimenopausal women does not affect circulating lipids and lipoproteins or coagulation and fibrinolytic factors. *J Nutr* 2001;131(9):2280-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11533267&dopt=Abstract
- Deol PS, Barnes TA, Dampier K, Pasi KJ, Oppenheimer C, Pavord SR. The effects of folic acid supplements on coagulation status in pregnancy. *Br J Haematol* 2004;127(2):204-208. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15461627&dopt=Abstract
- DePinho RA, Kaplan KL. The Hermansky-Pudlak syndrome. Report of three cases and review of pathophysiology and management considerations. *Medicine (Baltimore)* 1985;64(3):192-202. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3921802&dopt=Abstract
- Deutsch E. Vitamin K in medical practice: adults. *Vitam Horm* 1966;24:665-79. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5340885&dopt=Abstract
- Deykin D. Warfarin therapy. 2. *N Engl J Med* 1970;283(15):801-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4917271&dopt=Abstract
- Deykin D. Warfarin therapy. 1. *N Engl J Med* 1970;283(13):691-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4916914&dopt=Abstract
- Diaz MN, Frei B, Vita JA, Keaney JF, Jr. Antioxidants and atherosclerotic heart disease. *N Engl J Med* 1997;337(6):408-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9241131&dopt=Abstract

- Dickson RC, Stubbs TM, Lazarchick J. Antenatal vitamin K therapy of the low-birth-weight infant. Am J Obstet Gynecol 1994;170(1 Pt 1):85-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8296850&dopt=Abstract
- Dmoszynska-Giannopoulou A, Janicka L, Sokolowska B, Ksiazek A, Orlowska G, Janicki K. The effect of sulphipyrazone and alpha-tocopherol on platelet activation and function in haemodialysed patients. Int Urol Nephrol 1990;22(6):561-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2093696&dopt=Abstract
- Domula M. [General preventive use of vitamin K in newborn infants]. Kinderarztl Prax 1988;56(6):265-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3063871&dopt=Abstract
- Doncheva N. Omega-3 fatty acids - therapeutical potentialities. Gen Med 2004;6(4):42-47.
- Dong WG, Liu SP, Zhu HH, Luo HS, Yu JP. Abnormal function of platelets and role of angelica sinensis in patients with ulcerative colitis. World J Gastroenterol 2004;10(4):606-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14966927&dopt=Abstract
- Donnelly SM, Ali MA, Churchill DN. Effect of n-3 fatty acids from fish oil on hemostasis, blood pressure, and lipid profile of dialysis patients. J Am Soc Nephrol 1992;2(11):1634-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1610984&dopt=Abstract
- Dowd P, Ham SW, Naganathan S, Hershline R. The mechanism of action of vitamin K. Annu Rev Nutr 1995;15:419-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8527228&dopt=Abstract
- Drent M, Wessels S, Jacobs JA, Thijssen H. Association of diffuse alveolar haemorrhage with acquired vitamin K deficiency. Respiration 2000;67(6):697. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11124658&dopt=Abstract
- Drevon CA, Henriksen HB, Sanderud M, Gundersen TE, Blomhoff R. [Biological effects of vitamin K and concentration of vitamin K in Norwegian food]. Tidsskr Nor Laegeforen 2004;124(12):1650-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15229714&dopt=Abstract
- Driss F, Vericel E, Lagarde M, Dechavanne M, Darce P. Inhibition of platelet aggregation and thromboxane synthesis after intake of small amount of icosapentanoic acid. Thromb Res 1984;36(5):389-96. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6098051&dopt=Abstract
- Duan Y, Zhao X, Xu X, Yang J, Li Z. Treatment of primary thrombocytopenic purpura by modified minor decoction of bupleurum. J Tradit Chin Med 1995;15(2):96-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7650970&dopt=Abstract
- Duan X, Yang D, Sun X. [Effect of yimai jiangya extract on platelet activation and fibrinolytic activity and angiotensin II in aged patients with essential hypertension]. Zhongguo Zhong Xi Yi Jie He Za Zhi 2000;20(7):508-10. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11789207&dopt=Abstract
- Duong TM, Plowman BK, Morreale AP, Janetzy K. Retrospective and prospective analyses of the treatment of overanticoagulated patients. Pharmacotherapy 1998;18(6):1264-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9855325&dopt=Abstract

- Durie PR. Vitamin K and the management of patients with cystic fibrosis. *Can Med Assoc J* 1994;151(7):933-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7922929&dopt=Abstract
- Duttaroy AK, Jorgensen A. Effects of kiwi fruit consumption on platelet aggregation and plasma lipids in healthy human volunteers. *Platelets* 2004;15(5):287-92. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15370099&dopt=Abstract
- Duvina PL, Simoni MR, Pieroni O, Guazzini S. [Notes on coagulation in the neonatal period. II. Effect of vitamin K on the activity of coagulation factors II, VII and X]. *Minerva Pediatr* 1978;30(8):639-44. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=661772&dopt=Abstract
- Ebong PE, Owu DU, Isong EU. Influence of palm oil (*Elaeis guineensis*) on health. *Plant Foods Hum Nutr* 1999;53(3):209-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10517280&dopt=Abstract
- Edwards SL. Maintaining calcium balance: physiology and implications. *Nurs Times* 2005;101(19):58-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15920876&dopt=Abstract
- Eilat S, Vered Z, Mirelman D. [Influence of garlic on blood lipids and blood coagulation]. *Harefuah* 1993;124(7):418-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8330789&dopt=Abstract
- Eisenberg DM, Davis RB, Ettner SL, Appel S, Wilkey S, Van Rompay M, Kessler RC. Trends in alternative medicine use in the United States, 1990-1997: results of a follow-up national survey. *JAMA* 1998;280(18):1569-75. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9820257&dopt=Abstract
- Eisenberg DM, Kessler RC, Van Rompay MI, Kaptchuk TJ, Wilkey SA, Appel S, Davis RB. Perceptions about complementary therapies relative to conventional therapies among adults who use both: results from a national survey. *Ann Intern Med* 2001;135(5):344-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11529698&dopt=Abstract
- Ekelund H, Lindeberg L, Wranne L. Combined deficiency of coagulation factors II, VII, IX, and X: a case of probable congenital origin. *Pediatr Hematol Oncol* 1986;3(2):187-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3153231&dopt=Abstract
- Ellis GR, Anderson RA, Chirkov YY, Morris-Thurgood J, Jackson SK, Lewis MJ, Horowitz JD, Frenneaux MP. Acute effects of vitamin C on platelet responsiveness to nitric oxide donors and endothelial function in patients with chronic heart failure. *J Cardiovasc Pharmacol* 2001;37(5):564-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11336107&dopt=Abstract
- Engelsen J, Nielsen JD, Winther K. Effect of coenzyme Q10 and Ginkgo biloba on warfarin dosage in stable, long-term warfarin treated outpatients. A randomised, double blind, placebo-crossover trial. *Thromb Haemost* 2002;87(6):1075-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12083489&dopt=Abstract
- Engelsen J, Nielsen JD, Hansen KF. [Effect of Coenzyme Q10 and Ginkgo biloba on warfarin dosage in patients on long-term warfarin treatment. A randomized, double-blind, placebo-controlled cross-over trial]. *Ugeskr Laeger* 2003;165(18):1868-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12772396&dopt=Abstract

- Engler MB. Vascular effects of omega-3 fatty acids: possible therapeutic mechanisms in cardiovascular disease. *J Cardiovasc Nurs* 1994;8(3):53-67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8024656&dopt=Abstract
- Engstrom K, Wallin R, Saldeen T. Effect of low-dose aspirin in combination with stable fish oil on whole blood production of eicosanoids. *Prostaglandins Leukot Essent Fatty Acids* 2001;64(6):291-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11427037&dopt=Abstract
- Enocksson E, Jonsson B. [Hemorrhagic disease of the newborn. Several cases of late onset despite oral vitamin K prophylaxis]. *Lakartidningen* 1990;87(22):1944-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2362483&dopt=Abstract
- Erdogan D, Kocaman O, Oflaz H, Goren T. Alveolar hemorrhage associated with warfarin therapy: a case report and literature review. *Int J Cardiovasc Imaging* 2004;20(2):155-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15068147&dopt=Abstract
- Eritsland J, Arnesen H, Smith P, Seljeflot I, Dahl K. Effects of highly concentrated omega-3 polyunsaturated fatty acids and acetylsalicylic acid, alone and combined, on bleeding time and serum lipid profile. *J Oslo City Hosp* 1989;39(8-9):97-101. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2809856&dopt=Abstract
- Eritsland J, Seljeflot I, Abdelnoor M, Arnesen H. Long-term influence of omega-3 fatty acids on fibrinolysis, fibrinogen, and serum lipids. *Fibrinolysis* 1994;8(2):120-125.
- Eritsland J, Arnesen H, Seljeflot I, Kierulf P. Long-term effects of n-3 polyunsaturated fatty acids on haemostatic variables and bleeding episodes in patients with coronary artery disease. *Blood Coagul Fibrinolysis* 1995;6(1):17-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7795149&dopt=Abstract
- Eritsland J, Arnesen H, Gronseth K, Fjeld NB, Abdelnoor M. Effect of dietary supplementation with n-3 fatty acids on coronary artery bypass graft patency. *Am J Cardiol* 1996;77(1):31-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8540453&dopt=Abstract
- Ernst E. [Ginkgo biloba in treatment of intermittent claudication. A systematic research based on controlled studies in the literature]. *Fortschr Med* 1996;114(8):85-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8647571&dopt=Abstract
- Ernst E, Thompson Coon J. Heavy metals in traditional Chinese medicines: a systematic review. *Clin Pharmacol Ther* 2001;70(6):497-504. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11753265&dopt=Abstract
- Ernst E. Cardiovascular adverse effects of herbal medicines: a systematic review of the recent literature. *Can J Cardiol* 2003;19(7):818-27. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12813616&dopt=Abstract
- Evensen SA, Forde R, Opedal I, Stormorken H. Acute iron intoxication with abruptly reduced levels of vitamin K-dependent coagulation factors. *Scand J Haematol* 1982;29(1):25-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7123152&dopt=Abstract

- Ezbianski AA. Warfarin and herbal supplements. A volatile combination. *Adv Nurse Pract* 2003;11(11):77-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14639889&dopt=Abstract
- Ezgu FS, Atalay Y, Hasanoglu A, Gucuyener K, Koc E, Ergenekon E. Intracranial venous thrombosis after hypoxic-ischemic brain insult in two newborns: could low serum carnitine levels have contributed? *Nutr Neurosci* 2004;7(1):63-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15085561&dopt=Abstract
- Fawns HT. Vitamin K and blood clotting. *Nurs Times* 1978;74(43):1764-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=250782&dopt=Abstract
- Feetam CL, Leach RH, Meynell MJ. Lack of a clinically important interaction between warfarin and ascorbic acid. *Toxicol Appl Pharmacol* 1975;31(3):544-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1145638&dopt=Abstract
- Fenton JW, 2nd, Ofosu FA, Brezniak DV, Hassouna HI. Thrombin and antithrombotics. *Semin Thromb Hemost* 1998;24(2):87-91. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9579630&dopt=Abstract
- Fenwick GR, Hanley AB. The genus Allium--Part 3. *Crit Rev Food Sci Nutr* 1985;23(1):1-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3905263&dopt=Abstract
- Ferber P, Moll K, Koschinsky T, Rosen P, Susanto F, Schwippert B, Tschope D. High dose supplementation of RRR-alpha-tocopherol decreases cellular hemostasis but accelerates plasmatic coagulation in type 2 diabetes mellitus. *Horm Metab Res* 1999;31(12):665-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10668920&dopt=Abstract
- Ferenchick G, Rovner D. Hepatitis and hematemesis complicating nicotinic acid use. *Am J Med Sci* 1989;298(3):191-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2801756&dopt=Abstract
- Ferns GA, Forster LA, Williams JC, Tull SP, Verma PK, Starkey B, Gershlick AH. Effect of vitamin E supplementation on circulating cell adhesion molecules pre- and post-coronary angioplasty. *Ann Clin Biochem* 2000;37 (Pt 5):649-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11026517&dopt=Abstract
- Fink B, Bassenge E. Association between vascular tolerance and platelet upregulation: comparison of nonintermittent administration of pentaerithryltetranitrate and glyceryltrinitrate. *J Cardiovasc Pharmacol* 2002;40(6):890-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12451322&dopt=Abstract
- Finnegan YE, Howarth D, Minihane AM, Kew S, Miller GJ, Calder PC, Williams CM. Plant and marine derived (n-3) polyunsaturated fatty acids do not affect blood coagulation and fibrinolytic factors in moderately hyperlipidemic humans. *J Nutr* 2003;133(7):2210-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12840180&dopt=Abstract
- Fischer S, Honigmann G, Hora C, Schimke E, Beitz J, Hanefeld M, Leonhardt W, Haller H, Forster W, Schliack V. [Results of linseed oil and olive oil therapy in hyperlipoproteinemia patients]. *Dtsch Z Verdau Stoffwechselkr* 1984;44(5):245-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6391903&dopt=Abstract
- FitzGerald GA, Barry P. Dietary factors in thrombosis and hemostasis: summary and conclusions. *Am J Clin Nutr* 1997;65(5 Suppl):1699S-1701S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9129512&dopt=Abstract

- Florholmen J, Waldum H, Nordoy A. Cerebral thrombosis in two patients with malabsorption syndrome treated with vitamin K. Br Med J 1980;281(6239):541. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7427361&dopt=Abstract
- Folkers K, Langsjoen P, Langsjoen PH. Therapy with coenzyme Q10 of patients in heart failure who are eligible or ineligible for a transplant. Biochem Biophys Res Commun 1992;182(1):247-53. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1731784&dopt=Abstract
- Fondevila CG, Grosso SH, Santarelli MT, De Tezanos Pinto M. Reversal of excessive oral anticoagulation with a low oral dose of vitamin K1 compared with acenocoumarine discontinuation. A prospective, randomized, open study. Blood Coagul Fibrinolysis 2001;12(1):9-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11229833&dopt=Abstract
- Force T, Milani R, Hibberd P, Lorenz R, Uedelhoven W, Leaf A, Weber P. Aspirin-induced decline in prostacyclin production in patients with coronary artery disease is due to decreased endoperoxide shift. Analysis of the effects of a combination of aspirin and n-3 fatty acids on the eicosanoid profile. Circulation 1991;84(6):2286-93. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1959184&dopt=Abstract
- Francischetti IM, Monteiro RQ, Guimaraes JA. Identification of glycyrrhizin as a thrombin inhibitor. Biochem Biophys Res Commun 1997;235(1):259-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9196073&dopt=Abstract
- Franco V, Polanczyk CA, Clausell N, Rohde LE. Role of dietary vitamin K intake in chronic oral anticoagulation: Prospective evidence from observational and randomized protocols. Am J Med 2004;116(10):651-656. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15121490&dopt=Abstract
- Freedman JE, Farhat JH, Loscalzo J, Keaney JF, Jr. alpha-tocopherol inhibits aggregation of human platelets by a protein kinase C-dependent mechanism. Circulation 1996;94(10):2434-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8921785&dopt=Abstract
- Freedman JE, Parker C, 3rd, Li L, Perlman JA, Frei B, Ivanov V, Deak LR, Iafrati MD, Folts JD. Select flavonoids and whole juice from purple grapes inhibit platelet function and enhance nitric oxide release. Circulation 2001;103(23):2792-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11401934&dopt=Abstract
- Freedman JE, Keaney JF, Jr. Vitamin E inhibition of platelet aggregation is independent of antioxidant activity. J Nutr 2001;131(2):374S-7S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11160564&dopt=Abstract
- Freese R, Mutanen M, Valsta LM, Salminen I. Comparison of the effects of two diets rich in monounsaturated fatty acids differing in their linoleic/alpha-linolenic acid ratio on platelet aggregation. Thromb Haemost 1994;71(1):73-77. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7909389&dopt=Abstract
- Freese R, Mutanen M. Postprandial changes in platelet function and coagulation factors after high-fat meals with different fatty acid compositions. Eur J Clin Nutr 1995;49(9):658-64. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7498102&dopt=Abstract
- Freese R, Mutanen M. Alpha-linolenic acid and marine long-chain n-3 fatty acids differ only slightly in their effects on hemostatic factors in healthy subjects. Am J Clin Nutr 1997;66(3):591-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9280178&dopt=Abstract

Freese R, Basu S, Hietanen E, Nair J, Nakachi K, Bartsch H, Mutanen M. Green tea extract decreases plasma malondialdehyde concentration but does not affect other indicators of oxidative stress, nitric oxide production, or hemostatic factors during a high-linoleic acid diet in healthy females. *Eur J Nutr* 1999;38(3):149-57.

Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10443337&dopt=Abstract

Freese R, Vaarala O, Turpeinen AM, Mutanen M. No difference in platelet activation or inflammation markers after diets rich or poor in vegetables, berries and apple in healthy subjects. *Eur J Nutr* 2004;43(3):175-82. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15168040&dopt=Abstract

Fremont L. Biological effects of resveratrol. *Life Sci* 2000;66(8):663-73. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10680575&dopt=Abstract

Fugate SE, Ramsey AM. Resistance to oral vitamin K for reversal of overanticoagulation during Crohn's disease relapse. *J Thromb Thrombolysis* 2004;17(3):219-23. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15353921&dopt=Abstract

Fugate SE, Nichols CM, Cudd LA. Impaired warfarin response secondary to high-dose vitamin K1 for rapid anticoagulation reversal: case series and literature review. *Pharmacotherapy* 2004;24(9):1213-20. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15460182&dopt=Abstract

Fugh-Berman A. Herbs and dietary supplements in the prevention and treatment of cardiovascular disease. *Preventive Cardiology* 2000;3(1):24-32. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11834913&dopt=Abstract

Fujii T. [Significance of vitamin E in anemia]. *Rinsho Ketsueki* 1972;13(3):342-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4630346&dopt=Abstract

Fumeron F, Brigand L, Ollivier V, de Prost D, Driss F, Darriet P, Bard JM, Parra HJ, Fruchart JC, Apfelbaum M. n-3 polyunsaturated fatty acids raise low-density lipoproteins, high-density lipoprotein 2, and plasminogen-activator inhibitor in healthy young men. *Am J Clin Nutr* 1991;54(1):118-22. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2058572&dopt=Abstract

Gadkari JV, Joshi VD. Effect of ingestion of raw garlic on serum cholesterol level, clotting time and fibrinolytic activity in normal subjects. *J Postgrad Med* 1991;37(3):128-31. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1784022&dopt=Abstract

Gage BF, Eby CS. The genetics of vitamin K antagonists. *Pharmacogenomics J* 2004;4(4):224-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15148502&dopt=Abstract

Galan P, de Bree A, Mennen L, Potier de Courcy G, Preziozi P, Bertrais S, Castetbon K, Hercberg S. Background and rationale of the SU.FOL.OM3 study: double-blind randomized placebo-controlled secondary prevention trial to test the impact of supplementation with folate, vitamin B6 and B12 and/or omega-3 fatty acids on the prevention of recurrent ischemic events in subjects with atherosclerosis in the coronary or cerebral arteries. *J Nutr Health Aging* 2003;7(6):428-35. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14625623&dopt=Abstract

Galli C, Socini A. Biological actions and possible uses of vitamin E. *Acta Vitaminol Enzymol* 1982;4(3):245-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6756099&dopt=Abstract

- Gallus AS, Hirsh J. Treatment of venous thromboembolic disease. *Semin Thromb Hemost* 1976;2(4):291-331. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=798277&&dopt=Abstract
- Gallus AS, Hirsh J. Antithrombotic drugs: part I. *Drugs* 1976;12(1):41-68. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=789043&&dopt=Abstract
- Gardner SF, Franks AM, Gurley BJ, Haller CA, Singh BK, Mehta JL. Effect of a multicomponent, ephedra-containing dietary supplement (Metabolife 356) on Holter monitoring and hemostatic parameters in healthy volunteers. *Am J Cardiol* 2003;91(12):1510-3, A9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12804749&&dopt=Abstract
- Gawaz M, Ott I, Reininger AJ, Neumann FJ. Effects of magnesium on platelet aggregation and adhesion. Magnesium modulates surface expression of glycoproteins on platelets in vitro and ex vivo. *Thromb Haemost* 1994;72(6):912-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7740463&&dopt=Abstract
- Gawaz M, Reininger A, Neumann FJ. Platelet function and platelet-leukocyte adhesion in symptomatic coronary heart disease. Effects of intravenous magnesium. *Thromb Res* 1996;83(5):341-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8873343&&dopt=Abstract
- Gazso A, Kaliman J, Horrobin D, Sinzinger H. Effects of omega-3 fatty acids on the prostaglandin system in healthy volunteers. *Prog Clin Biol Res* 1989;301:517-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2508117&&dopt=Abstract

- Ghafoorunissa, Reddy V, Sesikaran B. Palmolein and groundnut oil have comparable effects on blood lipids and platelet aggregation in healthy Indian subjects. *Lipids* 1995;30(12):1163-1169. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8614308&&dopt=Abstract
- Ghafoorunissa, Vani A, Laxmi R, Sesikaran B. Effects of dietary alpha-linolenic acid from blended oils on biochemical indices of coronary heart disease in Indians. *Lipids* 2002;37(11):1077-86. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12558058&&dopt=Abstract
- Ghosh K, Shetty S, Mohanty D. Inherited deficiency of multiple vitamin K-dependent coagulation factors and coagulation inhibitors presenting as hemorrhagic diathesis, mental retardation, and growth retardation. *Am J Hematol* 1996;52(1):67. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8638624&&dopt=Abstract
- Gibney MJ, Bolton-Smith C. The effect of a dietary supplement of n-3 polyunsaturated fat on platelet lipid composition, platelet function and platelet plasma membrane fluidity in healthy volunteers. *Br J Nutr* 1988;60(1):5-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3408705&&dopt=Abstract
- Gisinger C, Jeremy J, Speiser P, Mikhailidis D, Dandona P, Schernthaner G. Effect of vitamin E supplementation on platelet thromboxane A2 production in type I diabetic patients. Double-blind crossover trial. *Diabetes* 1988;37(9):1260-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3044891&&dopt=Abstract
- Glatzel H, Ruberg-Schweer M. [Modification of blood coagulation and fibrinolysis by common spices]. *Med Klin* 1967;62(28):1086-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5592483&&dopt=Abstract

Gnegy R. Hemorrhagic disease of the newborn and vitamin K prophylaxis. W V Med J 1973;69(10):278-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4584461&dopt=Abstract

Goadsby PJ. Herbal medicine. N Engl J Med 2003;348(15):1498-501; author reply 1498-501. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12691065&dopt=Abstract

Golanski J, Pietrucha T, Baj Z, Greger J, Watala C. A novel approach to inhibit the anticoagulant-induced spontaneous activation of blood platelets--effect of magnesium on platelet release reaction in whole blood. Thromb Res 1997;85(2):127-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9058486&dopt=Abstract

Gooderham MH, Adlercreutz H, Ojala ST, Wahala K, Holub BJ. A soy protein isolate rich in genistein and daidzein and its effects on plasma isoflavone concentrations, platelet aggregation, blood lipids and fatty acid composition of plasma phospholipid in normal men. J Nutr 1996;126(8):2000-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8759372&dopt=Abstract

Goodnight SH, Cairns JA, Fisher M, FitzGerald GA. Assessment of the therapeutic use of n-3 fatty acids in vascular disease and thrombosis. Chest 1992;102(4 Suppl):374S-384S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1395822&dopt=Abstract

Goodnight SH, Cairns JA. Therapeutic use of n-3 fatty acids for vascular disease and thrombosis. Chest 1995;108(4 SUPPL.):302S-304S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7555184&dopt=Abstract

Goossens N. [On activation of fibrinolysis in vitro and in vivo by nicotinic acid, heparin and their mixtures]. Med Welt 1967;14:899-903. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4869469&dopt=Abstract

Gorey JD, Wahlqvist ML, Boyce NW. Adverse reaction to a Chinese herbal remedy. Med J Aust 1992;157(7):484-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1406399&dopt=Abstract

Gottstein N, Ewins BA, Eccleston C, Hubbard GP, Kavanagh IC, Minihane AM, Weinberg PD, Rimbach G. Effect of genistein and daidzein on platelet aggregation and monocyte and endothelial function. Br J Nutr 2003;89(5):607-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12720581&dopt=Abstract

Gou Y, Ho AL, Rowlands DK, Chung YW, Chan HC. Effects of Bak Foong Pill on blood coagulation and platelet aggregation. Biol Pharm Bull 2003;26(2):241-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12576687&dopt=Abstract

Grebe HB, Gregory PJ. Inhibition of warfarin anticoagulation associated with chelation therapy. Pharmacotherapy 2002;22(8):1067-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12173793&dopt=Abstract

Green B, Cairns S, Harvey R, Pettit M. Phytomenadione or menadiol in the management of an elevated international normalized ratio (prothrombin time). Aliment Pharmacol Ther 2000;14(12):1685-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11121919&dopt=Abstract

Greenberg S, Frishman WH. Co-enzyme Q10: a new drug for cardiovascular disease. J Clin Pharmacol 1990;30(7):596-608. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2202752&dopt=Abstract

- Greer FR, Marshall SP, Severson RR, Smith DA, Shearer MJ, Pace DG, Joubert PH. A new mixed micellar preparation for oral vitamin K prophylaxis: randomised controlled comparison with an intramuscular formulation in breast fed infants. *Arch Dis Child* 1998;79(4):300-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9875038&dopt=Abstract
- Greer FR. Vitamin K status of lactating mothers and their infants. *Acta Paediatr Suppl* 1999;88(430):95-103. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10569231&dopt=Abstract
- Griffith LD, Olvey SE, Triplett WC. Increasing prothrombin times in a warfarin-treated patient upon withdrawal of Ensure Plus. *Crit Care Med* 1982;10(11):799-800. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7140325&dopt=Abstract
- Grigg LE, Kay TW, Valentine PA, Larkins R, Flower DJ, Manolas EG, O'Dea K, Sinclair AJ, Hopper JL, Hunt D. Determinants of restenosis and lack of effect of dietary supplementation with eicosapentaenoic acid on the incidence of coronary artery restenosis after angioplasty. *J Am Coll Cardiol* 1989;13(3):665-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2537349&dopt=Abstract
- Guarrera PM. Traditional phytotherapy in Central Italy (Marche, Abruzzo, and Latium). *Fitoterapia* 2005;76(1):1-25. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15664457&dopt=Abstract
- Guccione JL, Zemtsov A, Cobos E, Neldner KH. Acquired purpura fulminans induced by alcohol and acetaminophen. Successful treatment with heparin and vitamin K. *Arch Dermatol* 1993;129(10):1267-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8215490&dopt=Abstract
- Guglielmone HA, Agnese AM, Nunez Montoya SC, Cabrera JL. Anticoagulant effect and action mechanism of sulphated flavonoids from Flaveria bidentis. *Thromb Res* 2002;105(2):183-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11958811&dopt=Abstract
- Gugliucci A, Menini T. The botanical extracts of Achyrocline satureoides and Ilex paraguariensis prevent methylglyoxal-induced inhibition of plasminogen and antithrombin III. *Life Sci* 2002;72(3):279-92. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12427487&dopt=Abstract
- Guillot M, Fischer AM, Goldszmidt D, Bacri JL, Gagnadoux MF, Usberti M, Josso F, Broyer M. [Nephrotic syndrome, antithrombin III deficiency and recurrent thrombosis. The value of vitamin K antagonists]. *Arch Fr Pediatr* 1979;36(9):930-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=555314&dopt=Abstract
- Guivernau M, Meza N, Barja P, Roman O. Clinical and experimental study on the long-term effect of dietary gamma-linolenic acid on plasma lipids, platelet aggregation, thromboxane formation, and prostacyclin production. *Prostaglandins Leukot Essent Fatty Acids* 1994;51(5):311-316. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7846101&dopt=Abstract
- Gupta KD, Banerji A. Paradoxical effect of vitamin K therapy in aggravating hypoprothrombinaemia. *J Indian Med Assoc* 1967;49(10):482-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5594214&dopt=Abstract
- Gurakan B, Yilmaz G, Ozbek N. Intravesical haemorrhage: a rare late manifestation of vitamin K deficiency inverted question markletterI. *J Paediatr Child Health* 2000;36(3):290. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10960343&dopt=Abstract

- Gustafsson D. Oral direct thrombin inhibitors in clinical development. *J Intern Med* 2003;254(4):322-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12974871&dopt=Abstract
- Gustafsson D, Bylund R, Antonsson T, Nilsson I, Nystrom J-E, Eriksson U, Bredberg U, Teger-Nilsson A-C. A new oral anticoagulant: The 50-year challenge. *Nat Rev Drug Discov* 2004;3(8):649-659.
- Haglund O, Mehta JL, Saldeen T. Effects of fish oil on some parameters of fibrinolysis and lipoprotein(a) in healthy subjects. *Am J Cardiol* 1994;74(2):189-92. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8023790&dopt=Abstract
- Hagstrom JN, Bovill EG, Soll RF, Davidson KW, Sadowski JA. The pharmacokinetics and lipoprotein fraction distribution of intramuscular vs. oral vitamin K1 supplementation in women of childbearing age: effects on hemostasis. *Thromb Haemost* 1995;74(6):1486-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8772225&dopt=Abstract
- Haines AP, Sanders TA, Imeson JD, Mahler RF, Martin J, Mistry M, Vickers M, Wallace PG. Effects of a fish oil supplement on platelet function, haemostatic variables and albuminuria in insulin-dependent diabetics. *Thromb Res* 1986;43(6):643-55. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3020732&dopt=Abstract
- Hall RC, Clemett RS. Central retinal vein occlusion associated with liquorice ingestion. *Clin Experiment Ophthalmol* 2004;32(3):341. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15180854&dopt=Abstract
- Hallak HO, Wedlund PJ, Modi MW, Patel IH, Lewis GL, Woodruff B, Trowbridge AA. High clearance of (S)-warfarin in a warfarin-resistant subject. *Br J Clin Pharmacol* 1993;35(3):327-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8471414&dopt=Abstract
- Hamano H, Nanba A, Nagayama M, Takizawa S, Shinohara Y. [An adult case of homocystinuria probably due to methylenetetrahydrofolate-reductase deficiency--treatment with folic acid and the course of coagulation-fibrinolysis parameters]. *Rinsho Shinkeigaku* 1996;36(2):330-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8752689&dopt=Abstract
- Hanck AB. [Blood coagulation in man during a 3-week daily rg L(+)-ascorbic acid administration]. *Blut* 1975;30(1):47-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1111655&dopt=Abstract
- Hanley JP. Warfarin reversal. *J Clin Pathol* 2004;57(11):1132-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15509671&dopt=Abstract
- Hansen JB, Olsen JO, Wilsgard L, Osterud B. Effects of dietary supplementation with cod liver oil on monocyte thromboplastin synthesis, coagulation and fibrinolysis. *J Intern Med Suppl* 1989;225(731):133-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2539830&dopt=Abstract
- Hansen KN, Teglund L, Lange A, Ebbesen F. [Late hemorrhagic disease in newborn infants. Is the current preventive treatment with oral vitamin K adequate?]. *Ugeskr Laeger* 1992;154(16):1095-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1523716&dopt=Abstract

- Hansen J, Grimsgaard S, Nordoy A, Bonaa KH. Dietary supplementation with highly purified eicosapentaenoic acid and docosahexaenoic acid does not influence PAI-1 activity. *Thromb Res* 2000;98(2):123-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10713312&dopt=Abstract
- Hansen RA, Savage CJ, Reidlinger K, Traub-Dargatz JL, Ogilvie GK, Mitchell D, Fettman MJ. Effects of dietary flaxseed oil supplementation on equine plasma fatty acid concentrations and whole blood platelet aggregation. *J Vet Intern Med* 2002;16(4):457-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12141309&dopt=Abstract
- Hansen AS, Marckmann P, Dragsted LO, Finne Nielsen I-L, Nielsen SE, Gronbaek M. Effect of red wine and red grape extract on blood lipids, haemostatic factors, and other risk factors for cardiovascular disease. *Eur J Clin Nutr* 2005;59(3):449-455. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15674304&dopt=Abstract
- Hanslik T, Prinseau J. The use of vitamin K in patients on anticoagulant therapy: a practical guide. *Am J Cardiovasc Drugs* 2004;4(1):43-55. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14967065&dopt=Abstract
- Hanss M, Martoia R, Horellou MH, Samama M. Severe acquired deficiency of vitamin K-dependent factors and resistance to multiple vitamin K injections. *Thromb Haemost* 1989;62(2):816. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2814932&dopt=Abstract
- Harenberg J, Giese C, Zimmermann R. Effect of dried garlic on blood coagulation, fibrinolysis, platelet aggregation and serum cholesterol levels in patients with hyperlipoproteinemia. *Atherosclerosis* 1988;74(3):247-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3240334&dopt=Abstract
- Harker LA. New antithrombotic strategies for resistant thrombotic processes. *J Clin Pharmacol* 1994;34(1):3-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8132848&dopt=Abstract
- Harrell CC, Kline SS. Oral vitamin K1: an option to reduce warfarin's activity. *Ann Pharmacother* 1995;29(12):1228-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8672826&dopt=Abstract
- Harris WS, Silveira S, Dujovne CA. The combined effects of N-3 fatty acids and aspirin on hemostatic parameters in man. *Thromb Res* 1990;57(4):517-26. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2109371&dopt=Abstract
- Hasselmark L, Malmgren R, Zetterstrom O, Unge G. Selenium supplementation in intrinsic asthma. *Allergy* 1993;48(1):30-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8457023&dopt=Abstract
- Hathaway WE. New insights on vitamin K. *Hematol Oncol Clin North Am* 1987;1(3):367-79. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3329179&dopt=Abstract
- Hawkins D. Limitations of traditional anticoagulants. *Pharmacotherapy* 2004;24(7 II):62S-65S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15317400&dopt=Abstract
- Heemskerk JW, Vossen RC, van Dam-Mieras MC. Polyunsaturated fatty acids and function of platelets and endothelial cells. *Curr Opin Lipidol* 1996;7(1):24-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8925184&dopt=Abstract

- Heidinger K. [In practice: use of vitamin K antagonists]. Pharm Unserer Zeit 2004;33(3):236-43. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15208912&dopt=Abstract
- Heit JA, Melton LJ, 3rd, Lohse CM, Petterson TM, Silverstein MD, Mohr DN, O'Fallon WM. Incidence of venous thromboembolism in hospitalized patients vs community residents. Mayo Clin Proc 2001;76(11):1102-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11702898&dopt=Abstract
- Heller AR, Fischer S, Rossel T, Geiger S, Siegert G, Ragaller M, Zimmermann T, Koch T. Impact of n-3 fatty acid supplemented parenteral nutrition on haemostasis patterns after major abdominal surgery. Br J Nutr 2002;87 Suppl 1:S95-101. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11895160&dopt=Abstract
- Hellsten G, Boman K, Saarem K, Hallmans G, Nilsson TK. Effects on fibrinolytic activity of corn oil and a fish oil preparation enriched with omega-3-polyunsaturated fatty acids in a long-term study. Curr Med Res Opin 1993;13(3):133-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8222740&dopt=Abstract
- Hendra TJ, Britton ME, Roper DR, Wagaine-Twabwe D, Jeremy JY, Dandona P, Haines AP, Yudkin JS. Effects of fish oil supplements in NIDDM subjects. Controlled study. Diabetes Care 1990;13(8):821-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2209315&dopt=Abstract
- Henriksson P, Nilsson L, Nilsson IM, Stenberg P. Fatal iron intoxication with multiple coagulation defects and degradation of factor VIII and factor XIII. Scand J Haematol 1979;22(3):235-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=451454&dopt=Abstract
- Heron P, Cull A, Bourchier D, Lees H. Avoidable hazard to New Zealand children: case reports of haemorrhagic disease of the newborn. N Z Med J 1988;101(851):507-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3405530&dopt=Abstract
- Herrmann W, Biermann J, Kostner GM. Comparison of effects of N-3 to N-6 fatty acids on serum level of lipoprotein(a) in patients with coronary artery disease. Am J Cardiol 1995;76(7):459-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7653444&dopt=Abstract
- Hesseling PB, Girdle-Brown B, Oosthuysen E, Smit J. Treatment of onyala with prednisolone, intravenous gammaglobulin and ascorbic acid. A prospective clinical trial. S Afr Med J 1984;66(24):917-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6095468&dopt=Abstract
- Heymann E, Mentlein R. [Has dipeptidyl peptidase IV an effect on blood pressure and coagulation?]. Klin Wochenschr 1984;62(1):2-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6199552&dopt=Abstract
- Higashi MK, Veenstra DL, Kondo LM, Wittkowsky AK, Srinouanprachanh SL, Farin FM, Rettie AE. Association between CYP2C9 genetic variants and anticoagulation-related outcomes during warfarin therapy. JAMA 2002;287(13):1690-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11926893&dopt=Abstract
- Hirano A, Ueoka H. [Successful treatment of an elderly patient with idiopathic thrombocytopenic purpura accompanied with chronic subdural hematoma, using a Chinese herbal medicine, EK-49, and ascorbic acid]. Nippon Ronen Igakkai Zasshi 2001;38(2):224-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11305038&dopt=Abstract

- Hirsh J, Dalen J, Anderson DR, Poller L, Bussey H, Ansell J, Deykin D. Oral anticoagulants: mechanism of action, clinical effectiveness, and optimal therapeutic range. *Chest* 2001;119(1 Suppl):8S-21S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11157640&dopt=Abstract
- Hirsh J, Warkentin TE, Shaughnessy SG, Anand SS, Halperin JL, Raschke R, Granger C, Ohman EM, Dalen JE. Heparin and low-molecular-weight heparin: mechanisms of action, pharmacokinetics, dosing, monitoring, efficacy, and safety. *Chest* 2001;119(1 Suppl):64S-94S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11157643&dopt=Abstract
- Hirsh J, Fuster V, Ansell J, Halperin JL. American Heart Association/American College of Cardiology Foundation guide to warfarin therapy. *Circulation* 2003;107(12):1692-711. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12668507&dopt=Abstract
- Hitzenberger G. [The effect of ginkgo biloba special extract (EGb 761, Tebofortan)]. *Wien Med Wochenschr* 1992;142(17):371-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1481543&dopt=Abstract
- Hodby ED, Hirsh J, Adeniyi-Jones C. The influence of drugs upon the anticoagulant activity of heparin. *Can Med Assoc J* 1972;106(5):562-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5027639&dopt=Abstract
- Hodges RE. Vitamin E and coronary heart disease. *J Am Diet Assoc* 1973;62(6):638-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4576935&dopt=Abstract
- Hogan RP, 3rd. Hemorrhagic diathesis caused by drinking an herbal tea. *JAMA* 1983;249(19):2679-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6133016&dopt=Abstract
- Holvoet P, Collen D. Lipid lowering and enhancement of fibrinolysis with niacin. *Circulation* 1995;92(4):698-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7641345&dopt=Abstract
- Hong H, Xu ZM, Pang BS, Cui L, Wei Y, Guo WJ, Mao YL, Yang XC. Effects of simvastatin combined with omega-3 fatty acids on high sensitive C-reactive protein, lipidemia, and fibrinolysis in patients with mixed dyslipidemia. *Chin Med Sci J* 2004;19(2):145-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15250255&dopt=Abstract
- Horikoshi A, Shida M, Abe M, Hosokawa Y, Sawada S, Horie T. [A case of Evans's syndrome in which thrombocytopenia and hemolysis was improved by Sairei-to]. *Rinsho Ketsueki* 1995;36(10):1237-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8531338&dopt=Abstract
- Horlocker TT, Wedel DJ, Benzon H, Brown DL, Enneking KF, Heit JA, Mulroy MF, Rosenquist RW, Rowlingson J, Tryba M, Yuan C-S. Regional anesthesia in the anticoagulated patient: defining the risks. *Reg Anesth Pain Med* 2004;29(2 Supple 2):1-11. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12772135&dopt=Abstract
- Horrobin DF, Oka M, Manku MS. The regulation of prostaglandin E1 formation: a candidate for one of the fundamental mechanisms involved in the actions of vitamin C. *Med Hypotheses* 1979;5(8):849-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=390331&dopt=Abstract

- Horstkotte D, Piper C, Wiemer M. Optimal frequency of patient monitoring and intensity of oral anticoagulation therapy in valvular heart disease. *J Thromb Thrombolysis* 1998;5 Suppl 1(3):19-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10767128&dopt=Abstract
- Horwitt MK. Vitamin E: a reexamination. *Am J Clin Nutr* 1976;29(5):569-78. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=773168&dopt=Abstract
- Hu JX, Jia GX, Yan ZR. [Clinical and experimental study of shenshao tongguan pian in treating angina pectoris of coronary heart disease]. *Zhong Xi Yi Jie He Za Zhi* 1990;10(10):596-9, 580. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2268917&dopt=Abstract
- Huang N, Lineberger B, Steiner M. Alpha-tocopherol, a potent modulator of endothelial cell function. *Thromb Res* 1988;50(4):547-57. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3137680&dopt=Abstract
- Huang CG, Chu ZL, Wei SJ, Jiang H, Jiao BH. Effect of berberine on arachidonic acid metabolism in rabbit platelets and endothelial cells. *Thromb Res* 2002;106(4-5):223-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12297129&dopt=Abstract
- Huang SM, Hall SD, Watkins P, Love LA, Serabjit-Singh C, Betz JM, Hoffman FA, Honig P, Coates PM, Bull J, Chen ST, Kearns GL, Murray MD. Drug interactions with herbal products and grapefruit juice: a conference report. *Clin Pharmacol Ther* 2004;75(1):1-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14749688&dopt=Abstract
- Hubbard GP, Wolffram S, Lovegrove JA, Gibbins JM. Ingestion of quercetin inhibits platelet aggregation and essential components of the collagen-stimulated platelet activation pathway in humans. *J Thromb Haemost* 2004;2(12):2138-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15613018&dopt=Abstract
- Humpl T, Bruhl K, Brzezinska R, Hafner G, Coerdt W, Shearer MJ. Fatal late vitamin K-deficiency bleeding after oral vitamin K prophylaxis secondary to unrecognized bile duct paucity. *J Pediatr Gastroenterol Nutr* 1999;29(5):594-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10554130&dopt=Abstract
- Huraib S, Tanimu D, Shaheen F, Hejaili F, Giles C, Pagayon V. Effect of vitamin-E-modified dialysers on dialyser clotting, erythropoietin and heparin dosage: a comparative crossover study. *Am J Nephrol* 2000;20(5):364-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11092992&dopt=Abstract
- Huysman MW, Sauer PJ. The vitamin K controversy. *Curr Opin Pediatr* 1994;6(2):129-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8032391&dopt=Abstract
- Hwang DH, Chanmugam PS, Ryan DH, Boudreau MD, Windhauser MM, Tulley RT, Brooks ER, Bray GA. Does vegetable oil attenuate the beneficial effects of fish oil in reducing risk factors for cardiovascular disease? *Am J Clin Nutr* 1997;66(1):89-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9209174&dopt=Abstract
- Iacoviello L, Amore C, De Curtis A, Tacconi MT, de Gaetano G, Cerletti C, Donati MB. Modulation of fibrinolytic response to venous occlusion in humans by a combination of low-dose aspirin and n-3 polyunsaturated fatty acids. *Arterioscler Thromb* 1992;12(10):1191-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1390591&dopt=Abstract

- Inada T, Kiriyama T. [Urological evaluations of "bromelain" and clinical studies on its influences for blood coagulation]. Hinyokika Kiyo 1965;11(6):532-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5318607&dopt=Abstract
- Isaev VA, Panchenko VM, Liutova LV, Karabasova MA. [Use of biologically active supplement containing omega-3 polyunsaturated fatty acids in patients with type 2 diabetes mellitus]. Vopr Pitani 2004;73(1):16-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15049151&dopt=Abstract
- Izzat MB, Yim AP, El-Zufari MH. A taste of Chinese medicine! Ann Thorac Surg 1998;66(3):941-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9768962&dopt=Abstract
- Izzo AA, Ernst E. Interactions between herbal medicines and prescribed drugs: a systematic review. Drugs 2001;61(15):2163-75. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11772128&dopt=Abstract
- Jackson CM, Suttie JW. Recent developments in understanding the mechanism of vitamin K and vitamin K-antagonist drug action and the consequences of vitamin K action in blood coagulation. Prog Hematol 1977;10:333-59. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=337364&dopt=Abstract
- Jain SK, Krueger KS, McVie R, Jaramillo JJ, Palmer M, Smith T. Relationship of blood thromboxane-B2 (Tx_B2) with lipid peroxides and effect of vitamin E and placebo supplementation on Tx_B2 and lipid peroxide levels in type 1 diabetic patients. Diabetes Care 1998;21(9):1511-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9727900&dopt=Abstract
- Jandak J, Steiner M, Richardson PD. Reduction of platelet adhesiveness by vitamin E supplementation in humans. Thromb Res 1988;49(4):393-404. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3381198&dopt=Abstract
- Jandak J, Steiner M, Richardson PD. Alpha-tocopherol, an effective inhibitor of platelet adhesion. Blood 1989;73(1):141-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2910355&dopt=Abstract
- Janetzky K, Morreale AP. Probable interaction between warfarin and ginseng. Am J Health Syst Pharm 1997;54(6):692-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9075501&dopt=Abstract
- Janssen PLTMK, Meyboom S, Van Staveren WA, De Vegt F, Katan MB. Consumption of ginger (*Zingiber Officinale Roscoe*) does not affect ex vivo platelet thromboxane production in humans. Eur J Clin Nutr 1996;50(11):772-774. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8933126&dopt=Abstract
- Janssen K, Mensink RP, Cox FJ, Harryvan JL, Hovenier R, Hollman PC, Katan MB. Effects of the flavonoids quercetin and apigenin on hemostasis in healthy volunteers: results from an in vitro and a dietary supplement study. Am J Clin Nutr 1998;67(2):255-62. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9459373&dopt=Abstract
- Jenkins ME, Gottschlich MM, Kopcha R, Khouri J, Warden GD. A prospective analysis of serum vitamin K in severely burned pediatric patients. J Burn Care Rehabil 1998;19(1 Pt 1):75-81; discussion 73-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9502029&dopt=Abstract

Ji XY, Tan BK, Zhu YZ. Salvia miltorrhiza and ischemic diseases. *Acta Pharmacol Sin* 2000;21(12):1089-94. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11603281&dopt=Abstract

Jia WC, Zhang YC, Wei AP. [Immune functional changes in patients of acute Henoch-Schonlein purpura and regulatory effect of integrated Traditional Chinese and Western medicine on it]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2001;21(8):585-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12575571&dopt=Abstract

Jiang X, Williams KM, Liauw WS, Ammit AJ, Roufogalis BD, Duke CC, Day RO, McLachlan AJ. Effect of St John's wort and ginseng on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2004;57(5):592-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15089812&dopt=Abstract

Jiang X, Williams KM, Liauw WS, Ammit AJ, Roufogalis BD, Duke CC, Day RO, McLachlan AJ. Effect of St John's wort and ginseng on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2004;57(5):592-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15089812&dopt=Abstract

Jiang H-Y, Guo S-J, Shan L-L. Effect of qileng decoction on the hemorheology of patients with transient ischemic attack. *Chin J Clin Rehabil* 2004;8(34):7736-7737.

Jin X, Qin HS, Shang DJ. [Clinical observation on 206 cases with lower limb deep venous thrombosis treated by integrated traditional Chinese and Western medicine]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1997;17(5):267-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9863107&dopt=Abstract

Johansson JO, Egberg N, Asplund-Carlson A, Carlson LA. Nicotinic acid treatment shifts the fibrinolytic balance favourably and decreases plasma fibrinogen in hypertriglyceridaemic men. *J Cardiovasc Risk* 1997;4(3):165-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9475670&dopt=Abstract

Johansson AK, Korte H, Yang B, Stanley JC, Kallio HP. Sea buckthorn berry oil inhibits platelet aggregation. *J Nutr Biochem* 2000;11(10):491-495. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11120446&dopt=Abstract

Jones SC, Miederhoff P, Karnes HT. The development of a human tissue model to determine the effect of plant-derived dietary supplements on prothrombin time. *J Herb Pharmacother* 2001;1(1):21-34.

Joosten P, Briet E, Veltkamp JJ. [The yet unexpected vitamin K deficiency]. *Ned Tijdschr Geneeskde* 1986;130(11):476-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3960150&dopt=Abstract

Jorgensen KA, Dyerberg J. Platelets and atherosclerosis. *Adv Nutr Res* 1983;5:57-75. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6303066&dopt=Abstract

Jorgensen FS, Felding P, Vinther S, Andersen GE. Vitamin K to neonates. Peroral versus intramuscular administration. *Acta Paediatr Scand* 1991;80(3):304-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2035325&dopt=Abstract

Joshi J, Ghaisas S, Vaidya A, Vaidya R, Kamat DV, Bhagwat AN, Bhide S. Early human safety study of turmeric oil (*Curcuma longa* oil) administered orally in healthy volunteers. *J Assoc Physicians India* 2003;51:1055-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15260388&dopt=Abstract

Jung F, Mrowietz C, Kiesewetter H, Wenzel E. Effect of Ginkgo biloba on fluidity of blood and peripheral microcirculation in volunteers. Arzneimittelforschung 1990;40(5):589-93. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2383302&dopt=Abstract

Junker R, Pieke B, Schulte H, Nofer R, Neufeld M, Assmann G, Wahrburg U. Changes in hemostasis during treatment of hypertriglyceridemia with a diet rich in monounsaturated and n-3 polyunsaturated fatty acids in comparison with a low-fat diet. Thromb Res 2001;101(5):355-66. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11297752&dopt=Abstract

Kagawa K, Tokura K, Uchida K, Kakushi H, Shike T. Platelet aggregation inhibitors from Populus sieboldii Miquel. Chem Pharm Bull (Tokyo) 1992;40(8):2191-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1423779&dopt=Abstract

Kalafatis M, Swords NA, Rand MD, Mann KG. Membrane-dependent reactions in blood coagulation: role of the vitamin K-dependent enzyme complexes. Biochim Biophys Acta 1994;1227(3):113-29. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7986819&dopt=Abstract

Kalus U, Pindur G, Jung F, Mayer B, Radtke H, Bachmann K, Mrowietz C, Koscielny J, Kiesewetter H. Influence of the onion as an essential ingredient of the Mediterranean diet on arterial blood pressure and blood fluidity. Arzneimittelforschung 2000;50(9):795-801. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11050695&dopt=Abstract

Kamali F, Edwards C, Butler TJ, Wynne HA. The contribution of plasma (R)- & (S)-warfarin and vitamin K concentrations to intra-individual variability in anticoagulation. Thromb Haemost 2000;83(2):349-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10739399&dopt=Abstract

Kamali F, Edwards C, Butler TJ, Wynne HA. The influence of (R)- and (S)-warfarin, vitamin K and vitamin K epoxide upon warfarin anticoagulation. Thromb Haemost 2000;84(1):39-42. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10928467&dopt=Abstract

Kaneoka T, Ogawa E. [Implication of the routine administration of phytonadione in hemorrhagic disease of the newborn]. Sanfujinka No Jissai 1965;14(11):946-58. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5899489&dopt=Abstract

Karduss Urueta A, Morales Polanco MR, Pizzuto Chavez J, Meillon Garcia LA. [Results of the treatment of chronic idiopathic thrombocytopenic purpura with ascorbic acid]. Gac Med Mex 1993;129(1):23-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8063073&dopt=Abstract

Karlic H, Lohninger A. Supplementation of L-carnitine in athletes: does it make sense? Nutrition 2004;20(7-8):709-15. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15212755&dopt=Abstract

Kato T, Yoneda S, Kako T, Koketsu M, Hayano I, Fujinami T. Reduction in blood viscosity by treatment with coenzyme Q10 in patients with ischemic heart disease. Int J Clin Pharmacol Ther Toxicol 1990;28(3):123-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2318549&dopt=Abstract

Katsumata T, Katayama Y. [Icosapentanoic acid (EPA), docosahexanoic acid (DHA)]. Nippon Rinsho 2004;62 Suppl 12:127-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15658280&dopt=Abstract

Kaul U, Sanghvi S, Bahl VK, Dev V, Wasir HS. Fish oil supplements for prevention of restenosis after coronary angioplasty. *Int J Cardiol* 1992;35(1):87-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1563884&dopt=Abstract

Kawamura M, Naito C, Hayashi H, Hashimoto Y, Kato H, Matsushima T. [Effects of 4 weeks' intake of polyunsaturated fatty acid ethylester rich in eicosapentaenoic acid (ethylester) on plasma lipids, plasma and platelet phospholipid fatty acid composition and platelet aggregation; a double blind study]. *Nippon Naika Gakkai Zasshi* 1983;72(1):18-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6343532&dopt=Abstract

Kay P. The vitamin K controversy. *Birth Gaz* 2000;16(2):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11899341&dopt=Abstract

Kaye AD, Kucera I, Sabar R. Perioperative anesthesia clinical considerations of alternative medicines. *Anesthesiol Clin North Am* 2004;22(1):125-139. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15109694&dopt=Abstract

Kazzi NJ, Ilagan NB, Liang KC, Kazzi GM, Poland RL, Grietsell LA, Fujii Y, Brans YW. Maternal administration of vitamin K does not improve the coagulation profile of preterm infants. *Pediatrics* 1989;84(6):1045-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2587133&dopt=Abstract

Keen CL. Chocolate: food as medicine/medicine as food. *J Am Coll Nutr* 2001;20(5 Suppl):436S-439S; discussion 440S-442S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11603654&dopt=Abstract

Keji C, Jun S. Progress of research on ischemic stroke treated with Chinese medicine. *J Tradit Chin Med* 1992;12(3):204-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1453762&dopt=Abstract

Kelly KC, Raj G, Weideman RA. Influence of body weight on response to subcutaneous vitamin K administration in over-anticoagulated patients. *Am J Med* 2001;110(8):623-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11382370&dopt=Abstract

Kendler BS. Garlic (*Allium sativum*) and onion (*Allium cepa*): a review of their relationship to cardiovascular disease. *Prev Med* 1987;16(5):670-85. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3317392&dopt=Abstract

Kessler RC, Davis RB, Foster DF, Van Rompay MI, Walters EE, Wilkey SA, Kaptchuk TJ, Eisenberg DM. Long-term trends in the use of complementary and alternative medical therapies in the United States. *Ann Intern Med* 2001;135(4):262-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11511141&dopt=Abstract

Khalmuradov AG, Shtutman Ts M. [Cofactor role of vitamin K in blood coagulation processes]. *Vopr Pitan* 1980(3):3-11. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6996327&dopt=Abstract

Khan T, Wynne H, Wood P, Torrance A, Hankey C, Avery P, Kesteven P, Kamali F. Dietary vitamin K influences intra-individual variability in anticoagulant response to warfarin. *Br J Haematol* 2004;124(3):348-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14717783&dopt=Abstract

Khmelevskii Iu V, Kakhnover NB, Kornitskaia AI. [Clinical use of tocopherol (a review of the literature)]. *Vrach Delo* 1981(5):31-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7020243&dopt=Abstract

Khoksi DK. [Vitamins and trace elements in abnormal hemostasis]. Klin Med (Mosk) 1998;76(8):15-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9770959&dopt=Abstract

Khurshid M, Lee TJ, Peake IR, Bloom AL. Vitamin E deficiency and platelet functional defect in a jaundiced infant. Br Med J 1975;4(5987):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1174903&dopt=Abstract

Kiesewetter H, Jung F, Mrowietz C, Pindur G, Heiden M, Wenzel E, Gu LD. Effects of garlic on blood fluidity and fibrinolytic activity: a randomised, placebo-controlled, double-blind study. Br J Clin Pract Suppl 1990;69:24-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2128029&dopt=Abstract

Kiesewetter H, Jung F, Pindur G, Jung EM, Mrowietz C, Wenzel E. Effect of garlic on thrombocyte aggregation, microcirculation, and other risk factors. Int J Clin Pharmacol Ther Toxicol 1991;29(4):151-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2071264&dopt=Abstract

Kiesewetter H, Jung F, Jung EM, Blume J, Mrowietz C, Birk A, Koscielny J, Wenzel E. Effects of garlic coated tablets in peripheral arterial occlusive disease. Clin Investig 1993;71(5):383-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8508009&dopt=Abstract

Kiesewetter H, Jung F, Jung EM, Mrowietz C, Koscielny J, Wenzel E. Effect of garlic on platelet aggregation in patients with increased risk of juvenile ischaemic attack. Eur J Clin Pharmacol 1993;45(4):333-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8299665&dopt=Abstract

Kiguchi T, Kimura F, Niiya K, Katayama Y, Harada M. Acute thrombocytopenic purpura after ingestion of Sho-saiko-to for hepatitis. Liver 2000;20(6):491. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11169065&dopt=Abstract

Kim JM, White RH. Effect of vitamin E on the anticoagulant response to warfarin. Am J Cardiol 1996;77(7):545-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8629604&dopt=Abstract

Kiseleva LN, Romanenko GK. [Changes in the coagulation and anti-coagulation systems of the blood under the influence of nicotinic acid]. Klin Med (Mosk) 1966;44(1):48-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5988141&dopt=Abstract

Klerk M, Verhoef P, Verbruggen B, Schouten EG, Blom HJ, Bos GM, den Heijer M. Effect of homocysteine reduction by B-vitamin supplementation on markers of clotting activation. Thromb Haemost 2002;88(2):230-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12195694&dopt=Abstract

Knapp HR. Dietary fatty acids in human thrombosis and hemostasis. Am J Clin Nutr 1997;65(5 Suppl):1687S-1698S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9129511&dopt=Abstract

Knight D, Howie R, Doran J, Barrie D, Bourchier D, Richardson V, Darlow B, Broadbent R. Vitamin K administration in the newborn: statement by Fetus and Newborn Committee of Paediatric Society of New Zealand. N Z Med J 1992;105(941):362. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1436834&dopt=Abstract

- Ko FN, Wu TS, Liou MJ, Huang TF, Teng CM. Inhibition of platelet thromboxane formation and phosphoinositides breakdown by osthole from Angelica pubescens. *Thromb Haemost* 1989;62(3):996-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2556815&dopt=Abstract
- Koh KK, Blum A, Hathaway L, Mincemoyer R, Csako G, Waclawiw MA, Panza JA, Cannon RO, 3rd. Vascular effects of estrogen and vitamin E therapies in postmenopausal women. *Circulation* 1999;100(18):1851-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10545428&dopt=Abstract
- Kohler S, Funk P, Kieser M. Influence of a 7-day treatment with Ginkgo biloba special extract EGb 761 on bleeding time and coagulation: A randomized, placebo-controlled, double-blind study in healthy volunteers. *Blood Coagul Fibrinolysis* 2004;15(4):303-309. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15166915&dopt=Abstract
- Kolstgers G, Offerman JJ, Russchen CJ. [Thrombotic thrombocytopenic purpura: a benign illness with a very serious acute stage]. *Ned Tijdschr Geneeskde* 1990;134(17):872-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2338955&dopt=Abstract
- Kondo H, Imamura T. Pernicious anemia (PA) subsequent to insulin-dependent diabetes mellitus and idiopathic thrombocytopenic purpura, and effects of oral cobalamin on PA. *Am J Hematol* 1999;62(1):61-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10467280&dopt=Abstract
- Kopeć M. [Vitamin K dependent blood clotting proteins (author's transl)]. *Postępy Biochem* 1980;26(1):3-28. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6994082&dopt=Abstract
- Korsan-Bengtsen K, Elmfeldt D, Holm T. Prolonged plasma clotting time and decreased fibrinolysis after long term treatment with alpha-tocopherol. *Thromb Diath Haemorrh* 1974;31(3):505-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4422949&dopt=Abstract
- Kotel'nikov MV. [Hyperhomocysteinemia: from theory and practice in the treatment of thrombophilias]. *Kardiologija* 2004;44(10):102-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15477801&dopt=Abstract
- Kovacs MJ, Kearon C, Rodger M, Anderson DR, Turpie AG, Bates SM, Desjardins L, Douketis J, Kahn SR, Solymoss S, Wells PS. Single-arm study of bridging therapy with low-molecular-weight heparin for patients at risk of arterial embolism who require temporary interruption of warfarin. *Circulation* 2004;110(12):1658-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15364803&dopt=Abstract
- Koyama T, Hirosawa S. [Control of thrombosis by retinoids and vitamin D3 derivatives]. *Rinsho Ketsueki* 1999;40(5):378-81. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10390885&dopt=Abstract
- Kristensen SD, Iversen AM, Schmidt EB. n-3 polyunsaturated fatty acids and coronary thrombosis. *Lipids* 2001;36 Suppl:S79-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11837997&dopt=Abstract
- Krivoy N, Pavlotzky E, Chrubasik S, Eisenberg E, Brook G. Effect of salicis cortex extract on human platelet aggregation. *Planta Med* 2001;67(3):209-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11345689&dopt=Abstract

- Kroll DJ. ASHP statement on the use of dietary supplements. Am J Health Syst Pharm 2004;61(16):1707-11. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15540485&dopt=Abstract
- Kruth P, Brosi E, Fux R, Morike K, Gleiter CH. Ginger-associated overanticoagulation by phenprocoumon. Ann Pharmacother 2004;38(2):257-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14742762&dopt=Abstract
- Krylov Iu F, Liubimov IB, Muliar AG. [The pharmacodynamics of eicosapentaenoic and docosahexaenoic acids]. Farmakol Toksikol 1991;54(5):67-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1839286&dopt=Abstract
- Kucher N, Connolly S, Beckman JA, Cheng LH, Tsilimingras KV, Fanikos J, Goldhaber SZ. International normalized ratio increase before warfarin-associated hemorrhage: brief and subtle. Arch Intern Med 2004;164(19):2176-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15505133&dopt=Abstract
- Kudolo GB, Dorsey S, Blodgett J. Effect of the ingestion of Ginkgo biloba extract on platelet aggregation and urinary prostanoïd excretion in healthy and Type 2 diabetic subjects. Thromb Res 2002;108(2-3):151-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12590952&dopt=Abstract
- Kudolo GB, Wang W, Dorsey S, Blodgett J. Oral ingestion of Ginkgo biloba extract reduces thiobarbituric acid reacting (TBAR) substances in washed platelets of healthy subjects. J Herb Pharmacother 2003;3(4):1-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15277117&dopt=Abstract
- Kudolo GB, Delaney D, Blodgett J. Short-term oral ingestion of Ginkgo biloba extract (EGb 761) reduces malondialdehyde levels in washed platelets of type 2 diabetic subjects. Diabetes Res Clin Pract 2005;68(1):29-38. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15811563&dopt=Abstract
- Kunzer W, Niederhoff H. [Supplying vitamin K to the newborn infant]. Dtsch Med Wochenschr 1988;113(11):432-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3280289&dopt=Abstract
- Kurekci AE, Atay AA, Sarici SU, Zeybek C, Koseoglu V, Ozcan O. Effect of iron therapy on the whole blood platelet aggregation in infants with iron deficiency anemia. Thromb Res 2000;97(5):281-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10709903&dopt=Abstract
- Kurnik D, Loebstein R, Rabinovitz H, Austerweil N, Halkin H, Almog S. Over-the-counter vitamin K1-containing multivitamin supplements disrupt warfarin anticoagulation in vitamin K1-depleted patients. A prospective, controlled trial. Thromb Haemost 2004;92(5):1018-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15543329&dopt=Abstract
- Kurnik D, Lubetsky A, Loebstein R, Almog S, Halkin H. Multivitamin supplements may affect warfarin anticoagulation in susceptible patients. Ann Pharmacother 2003;37(11):1603-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14565795&dopt=Abstract
- Kurtoglu E, Ugur A, Baltaci AK, Halifeoglu I. Effects of trace element levels on platelet aggregation. Biol Trace Elem Res 2004;99(1-3):93-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15235144&dopt=Abstract

Labinjoh C, Newby DE, Wilkinson IB, Megson IL, MacCallum H, Melville V, Boon NA, Webb DJ. Effects of acute methionine loading and vitamin C on endogenous fibrinolysis, endothelium-dependent vasomotion and platelet aggregation. *Clin Sci (Lond)* 2001;100(2):127-35. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11171280&dopt=Abstract

Lagarde M, Calzada C, Vericel E. Pathophysiologic role of redox status in blood platelet activation. Influence of docosahexaenoic acid. *Lipids* 2003;38(4):465-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12848295&dopt=Abstract

Lake AM, Stuart MJ, Osaki FA. Vitamin E deficiency and enhanced platelet function: reversal following E supplementation. *J Pediatr* 1977;90(5):722-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=853335&dopt=Abstract

Lakin KM, Makarov VA, Novikova NV, Tret'jak VM. [Inhibitors of thrombocyte aggregation]. *Farmakol Toksikol* 1983;46(3):113-26. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6134634&dopt=Abstract

Lam AY, Elmer GW, Mohutsky MA. Possible interaction between warfarin and Lycium barbarum L. *Ann Pharmacother* 2001;35(10):1199-201. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11675844&dopt=Abstract

Lambert JP, Cormier A. Potential interaction between warfarin and boldo-fenugreek. *Pharmacotherapy* 2001;21(4):509-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11310527&dopt=Abstract

Landbo C, Almdal TP. [Interaction between warfarin and coenzyme Q10]. *Ugeskr Laeger* 1998;160(22):3226-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9621803&dopt=Abstract

Langsjoen PH, Vadhanavikit S, Folkers K. Response of patients in classes III and IV of cardiomyopathy to therapy in a blind and crossover trial with coenzyme Q10. *Proc Natl Acad Sci U S A* 1985;82(12):4240-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3858877&dopt=Abstract

Lanzmann-Petithory D. Alpha-linolenic acid and cardiovascular diseases. *J Nutr Health Aging* 2001;5(3):179-83. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11458289&dopt=Abstract

Latini G, Quartulli L, De Miti B, Del Vecchio A, Vecchio C. Intracranial hemorrhage associated with vitamin K deficiency in a breastfed infant after intramuscular vitamin K prophylaxis at birth. follow-up at 18 months. *Acta Paediatr* 2000;89(7):878-80. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10943974&dopt=Abstract

Lau CS, McLaren M, Belch JJ. Effects of fish oil on plasma fibrinolysis in patients with mild rheumatoid arthritis. *Clin Exp Rheumatol* 1995;13(1):87-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7774110&dopt=Abstract

Lazarus SA, Bowen K, Garg ML. Tomato juice and platelet aggregation in type 2 diabetes. *JAMA* 2004;292(7):805-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15315994&dopt=Abstract

Leaphart WL, Meyer MC, Capeless EL, Tracy PB. Adenosine diphosphate-induced platelet activation inhibited by magnesium in a dose-dependent manner. *Obstet Gynecol* 1998;91(3):421-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9491871&dopt=Abstract

- Lee CM, Jiang LM, Shang HS, Hon PM, He Y, Wong HN. Prehispanolone, a novel platelet activating factor receptor antagonist from *Leonurus heterophyllus*. *Br J Pharmacol* 1991;103(3):1719-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1657264&dopt=Abstract
- Lee JM, Zipfel GJ, Choi DW. The changing landscape of ischaemic brain injury mechanisms. *Nature* 1999;399(6738 Suppl):A7-14. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10392575&dopt=Abstract
- Lefevre M, Kris-Etherton PM, Zhao G, Tracy RP. Dietary fatty acids, hemostasis, and cardiovascular disease risk. *J Am Diet Assoc* 2004;104(3):410-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14993864&dopt=Abstract
- Leger CL, Carboneau MA, Michel F, Mas E, Monnier L, Cristol JP, Descomps B. A thromboxane effect of a hydroxytyrosol-rich olive oil wastewater extract in patients with uncomplicated type 1 diabetes. *Eur J Clin Nutr* 2005;59(5):727-730. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15798774&dopt=Abstract
- Leggio ML, Cattaneo F, Masera G. [The thrombotest in the normal infant: response to vitamin K]. *Minerva Pediatr* 1968;20(28):1458-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5705349&dopt=Abstract
- Legnani C, Frascaro M, Guazzaloca G, Ludovici S, Cesarano G, Coccheri S. Effects of a dried garlic preparation on fibrinolysis and platelet aggregation in healthy subjects. *Arzneimittelforschung* 1993;43(2):119-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8457236&dopt=Abstract
- Lempert KD, Rogers JS, 2nd, Albrink MJ. Effects of dietary fish oil on serum lipids and blood coagulation in peritoneal dialysis patients. *Am J Kidney Dis* 1988;11(2):170-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3341374&dopt=Abstract
- Lesho EP, Saullo L, Udvari-Nagy S. A 76-year-old woman with erratic anticoagulation. *Cleve Clin J Med* 2004;71(8):651-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15449760&dopt=Abstract
- Levinson PD, Iosifidis AH, Saritelli AL, Herbert PN, Steiner M. Effects of n-3 fatty acids in essential hypertension. *Am J Hypertens* 1990;3(10):754-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2222942&dopt=Abstract
- Levy Y, Bartha P, Ben-Amotz A, Brook JG, Dankner G, Lin S, Hammerman H. Plasma antioxidants and lipid peroxidation in acute myocardial infarction and thrombolysis. *J Am Coll Nutr* 1998;17(4):337-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9710842&dopt=Abstract
- Levy J, Kapelushnick J, Ravinowitz R, Moser A, Lifshitz T. Traumatic subtotal hyphema in a child with vitamin K deficiency. *Can J Ophthalmol* 2004;39(7):790-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15696773&dopt=Abstract
- Li XL. [Blood platelets, neoplasm metastasis and anti-metastatic effect of huoxue-huayu drugs]. *Zhong Xi Yi Jie He Za Zhi* 1989;9(10):637-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2691108&dopt=Abstract
- Li XL, Steiner M. Fish oil: a potent inhibitor of platelet adhesiveness. *Blood* 1990;76(5):938-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2118400&dopt=Abstract

- Li YC. [Treatment of idiopathic thrombocytopenic purpura with Chinese herbal drugs]. Zhong Xi Yi Jie He Za Zhi 1991;11(6):380-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1889109&dopt=Abstract
- Li ED, Barinov VG, Shafransky Yu A, Martynov IV, Vertkin AL, Martynov AI, Pyshkina IA. Changes of plasma - platelet part of hemostasis during nondrug correction of atherogenic dislipidemia. Kardiologiya 1994;34(9):44-48.
- Li XM. [Progress on study of anaphylactic purpura treated with traditional Chinese medicine and Chinese materia medica]. Zhongguo Zhong Xi Yi Jie He Za Zhi 1994;14(6):379-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8000230&dopt=Abstract
- Li M, Handa S, Ikeda Y, Goto S. Specific inhibiting characteristics of tetramethylpyrazine, one of the active ingredients of the Chinese herbal medicine 'Chuanxiong,' on platelet thrombus formation under high shear rates. Thromb Res 2001;104(1):15-28. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11583735&dopt=Abstract
- Li L, Shen YM, Yang XS, Zuo GY, Shen ZQ, Chen ZH, Hao XJ. Antiplatelet aggregation activity of diterpene alkaloids from Spiraea japonica. Eur J Pharmacol 2002;449(1-2):23-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12163102&dopt=Abstract
- Liao F. Herbs of activating blood circulation to remove blood stasis. Clin Hemorheol Microcirc 2000;23(2-4):127-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11321431&dopt=Abstract
- Liede KE, Haukka JK, Saxen LM, Heinonen OP. Increased tendency towards gingival bleeding caused by joint effect of alpha-tocopherol supplementation and acetylsalicylic acid. Ann Med 1998;30(6):542-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9920356&dopt=Abstract
- Lin WY, Teng CM, Tsai IL, Chen IS. Anti-platelet aggregation constituents from Gynura elliptica. Phytochemistry 2000;53(8):833-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10820787&dopt=Abstract
- Lindman AS, Pedersen JI, Hjerkinn EM, Arnesen H, Veierod MB, Ellingsen I, Seljeflot I. The effects of long-term diet and omega-3 fatty acid supplementation on coagulation factor VII and serum phospholipids with special emphasis on the R353Q polymorphism of the FVII gene. Thromb Haemost 2004;91(6):1097-1104. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15175795&dopt=Abstract
- Lipkan GN, Umovist NM. [Effect of vitamin B 6 therapy on blood coagulation indicators in patients with arteriosclerotic dystrophy of macula lutea]. Vrach Delo 1975(8):52-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1221607&dopt=Abstract
- Lipman MM. Herbal medicine. N Engl J Med 2003;348(15):1498-501; author reply 1498-501. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12686712&dopt=Abstract
- Liu JK, Ma YB, Wu DG, Lu Y, Shen ZQ, Zheng QT, Chen ZH. Paeonilide, a novel anti-PAF-active monoterpenoid-derived metabolite from Paeonia delavayi. Biosci Biotechnol Biochem 2000;64(7):1511-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10945272&dopt=Abstract
- Liu M, Wallmon A, Olsson-Mortlock C, Wallin R, Saldeen T. Mixed tocopherols inhibit platelet aggregation in humans: potential mechanisms. Am J Clin Nutr 2003;77(3):700-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12600864&dopt=Abstract

- Locatelli R, Centonza D, Bregani P, Esposito R. [Changes in fibrinolysis after administration of theophylline nicotinate]. Haematologica 1967;52(2):132-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4976133&dopt=Abstract
- Logani S, Chen MC, Tran T, Le T, Raffa RB. Actions of Ginkgo Biloba related to potential utility for the treatment of conditions involving cerebral hypoxia. Life Sci 2000;67(12):1389-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10983836&dopt=Abstract
- Loots D, Oosthuizen W, Pieters M, Spies C, Vorster HH. Foodstate vitamin C complex may beneficially affect haemostasis and fibrin network structure in hyperlipidaemic patients. Blood Coagul Fibrinolysis 2004;15(8):677-85. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15613923&dopt=Abstract
- Loughnan PM, McDougall PN. The efficacy of oral vitamin K1: implications for future prophylaxis to prevent haemorrhagic disease of the newborn. J Paediatr Child Health 1993;29(3):171-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8305002&dopt=Abstract
- Loughnan PM, McDougall PN, Balvin H, Doyle LW, Smith AL. Late onset haemorrhagic disease in premature infants who received intravenous vitamin K1. J Paediatr Child Health 1996;32(3):268-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8827551&dopt=Abstract
- Loureiro DM, Lopes LH, Vignal CV, Morelli VM. [Clinical and laboratory evaluation of patients treated with oral anticoagulation]. Arq Bras Cardiol 1997;68(5):353-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9497524&dopt=Abstract
- Lox CD. The effects of dietary marine fish oils (omega-3 fatty acids) on coagulation profiles in men. Gen Pharmacol 1990;21(2):241-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2332143&dopt=Abstract
- Lubetsky A, Dekel-Stern E, Chetrit A, Lubin F, Halkin H. Vitamin K intake and sensitivity to warfarin in patients consuming regular diets. Thromb Haemost 1999;81(3):396-399. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10102468&dopt=Abstract
- Lubetsky A, Shasha Y, Olchovsky D, Loebstein R, Halkin H, Ezra D. Impact of pre-treatment INR level on the effect of intravenous low dose vitamin K in patients with excessive anticoagulation. Thromb Haemost 2003;90(1):71-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12876628&dopt=Abstract
- Lubetsky A, Yonath H, Olchovsky D, Loebstein R, Halkin H, Ezra D. Comparison of oral vs intravenous phytonadione (vitamin K1) in patients with excessive anticoagulation: a prospective randomized controlled study. Arch Intern Med 2003;163(20):2469-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14609783&dopt=Abstract
- Lugrin D, Isetta C, Roul C, Kotaiche M, Jourdan J. [Thrombocytopenia induced by heparin and cardiac surgery with extracorporeal circulation]. Ann Fr Anesth Reanim 1990;9(4):393-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2400150&dopt=Abstract
- Luley C, Lehmann-Leo W, Moller B, Martin T, Schwartzkopff W. Lack of efficacy of dried garlic in patients with hyperlipoproteinemia. Arzneimittelforschung 1986;36(4):766-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3521619&dopt=Abstract

- Lumb AB. Effect of dried ginger on human platelet function. *Thromb Haemost* 1994;71(1):110-1. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8165628&dopt=Abstract
- Luo YG, Liu YQ, Hu J. [Clinical study on effect of recombinant roasted licorice decoction combined with low-dose glucocorticoids in treating idiopathic thrombocytopenic purpura]. Zhongguo Zhong Xi Yi Jie He Za Zhi 2001;21(7):501-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12575392&dopt=Abstract
- Luo J, Lin ZB. [Advances of pharmacological effects of triterpenes from Ganoderma lucidum]. Yao Xue Xue Bao 2002;37(7):574-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12914332&dopt=Abstract
- Maak B. [Vitamin K for newborn infants: why and how?]. Kinderarztl Prax 1993;61(7-8):258-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8271675&dopt=Abstract
- Mabile L, Bruckdorfer KR, Rice-Evans C. Moderate supplementation with natural alpha-tocopherol decreases platelet aggregation and low-density lipoprotein oxidation. *Atherosclerosis* 1999;147(1):177-85. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10525139&dopt=Abstract
- Mackie IJ, Walshe K, Cohen H, McCarthy P, Shearer M, Scott SD, Karran SJ, Machin SJ. Effects of N-methyl-thiotetrazole cephalosporin on haemostasis in patients with reduced serum vitamin K1 concentrations. *J Clin Pathol* 1986;39(11):1245-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3466904&dopt=Abstract
- MacLaren R, Wilson SJ, Campbell A, Anderson D, Rocker G. Evaluation and survey of intravenous vitamin K1 for treatment of coagulopathy in critically ill patients. *Pharmacotherapy* 2001;21(2):175-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11213854&dopt=Abstract
- MacLennan FM, Ah-See AK, Wong AE, Anderson JA, Bennett B. Severe depletion of vitamin-K-dependent clotting factors during postoperative latamoxef therapy. *Lancet* 1983;1(8335):1215. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6134006&dopt=Abstract
- MacLeod SM, Sellers EM. Pharmacodynamic and pharmacokinetic drug interactions with coumarin anticoagulants. *Drugs* 1976;11(6):461-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=782840&dopt=Abstract
- Magallon Martinez M, Ortega Blanco F, Gago de Luis J, Jover Sagarrà S, Martin Villar J. [New looks in the treatment of haemophilia "A" patients with specific factor VIII inhibitors (author's transl)]. *Sangre (Barc)* 1978;23(1):47-63. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=345497&dopt=Abstract
- Mahady GB. Ginkgo biloba for the prevention and treatment of cardiovascular disease: a review of the literature. *J Cardiovasc Nurs* 2002;16(4):21-32. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12597260&dopt=Abstract
- Mahieux F, Verdy E, Romatet S, Guillard A. [Hypoprothrombinemia under cefotaxime during a vitamin K-deficient diet]. *Presse Med* 1988;17(21):1095. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2969522&dopt=Abstract

Makino T, Wakushima H, Okamoto T, Okukubo Y, Deguchi Y, Kano Y. Pharmacokinetic interactions between warfarin and kangen-karyu, a Chinese traditional herbal medicine, and their synergistic action. *J Ethnopharmacol* 2002;82(1):35-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12169403&dopt=Abstract

Malasanos TH, Stacpoole PW. Biological effects of omega-3 fatty acids in diabetes mellitus. *Diabetes Care* 1991;14(12):1160-79. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1773702&dopt=Abstract

Malik S, Udani RH, Bichile SK, Agrawal RM, Bahrainwala AT, Tilaye S. Comparative study of oral versus injectable vitamin K in neonates. *Indian Pediatr* 1992;29(7):857-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1428134&dopt=Abstract

Malyszko JS, Malyszko J, Pawlak D, Buczko W, Mysliwiec M. Hemostasis, platelet functions, serotonin and serum lipids during omega-3 fatty acid treatment in patients with glomerulonephritis. *Nephron* 1998;80(1):94-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9730718&dopt=Abstract

Malyszko JS, Malyszko J, Skrzyllewska E, Pawlak K, Mysliwiec M. Protein Z and vitamin K in kidney disease. *Rocz Akad Med Bialymst* 2004;49:197-200. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15631343&dopt=Abstract

Mann KG, Nesheim ME, Church WR, Haley P, Krishnaswamy S. Surface-dependent reactions of the vitamin K-dependent enzyme complexes. *Blood* 1990;76(1):1-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2194585&dopt=Abstract

Mann KG, Lawson JH. The role of the membrane in the expression of the vitamin K-dependent enzymes. *Arch Pathol Lab Med* 1992;116(12):1330-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1456880&dopt=Abstract

Mann KG. Blood coagulation. *Alcohol Clin Exp Res* 1999;23(6):1111-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10397299&dopt=Abstract

Mann KG. The challenge of regulating anticoagulant drugs: focus on warfarin. *Am Heart J* 2005;149(1 Suppl):S36-42. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15644792&dopt=Abstract

Marckmann P, Sandstrom B, Jespersen J. Low-fat, high-fiber diet favorably affects several independent risk markers of ischemic heart disease: observations on blood lipids, coagulation, and fibrinolysis from a trial of middle-aged Danes. *Am J Clin Nutr* 1994;59(4):935-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8147341&dopt=Abstract

Marckmann P. Diet, blood coagulation and fibrinolysis. *Dan Med Bull* 1995;42(5):410-25. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8747799&dopt=Abstract

Marongiu F, Soriano GG, Conti M, Mameli G, Biondi G, Licheri D, Balastrieri A. Known vitamin K intake and management of poorly controlled oral anticoagulant therapy. *Lancet* 1992;340(8818):545-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1354291&dopt=Abstract

Marra F, Riccardi D, Melani L, Spadoni S, Galli C, Fabrizio P, Tosti-Guerra C, Carloni V, Gentilini P, Laffi G. Effects of supplementation with unsaturated fatty acids on plasma and membrane lipid composition and platelet function in patients with cirrhosis and defective aggregation. *J Hepatol* 1998;28(4):654-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9566835&dopt=Abstract

Martinez E, Domingo P, Roca-Cusachs A. Potentiation of acenocoumarol action by L-carnitine. *J Intern Med* 1993;233(1):94. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8429297&dopt=Abstract

Marx R. [Anticoagulants. Various developmental starting points on direct antithrombins as antithrombotic agents]. *Thromb Diath Haemorrh Suppl* 1973;55:179-97. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4612863&dopt=Abstract

Masugi J, Iwai M, Kimura S, Ochi F, Suzuki K, Nakano O, Sakamoto T, Fukunaga H, Amano M, Fukuda T. Combination of ascorbic acid and methylprednisolone pulse therapy in the treatment of idiopathic thrombocytopenic purpura. *Intern Med* 1994;33(3):165-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8061395&dopt=Abstract

Mathur GP, Mathur S, Goenka R, Bhalla JN, Agarwal A, Tripathi VN. Prothrombin time in first week of life with special reference to vitamin K administration. *Indian Pediatr* 1990;27(7):723-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2246044&dopt=Abstract

Matsuda I, Endo F, Motohara K. Vitamin K deficiency in infancy. *World Rev Nutr Diet* 1991;64:85-108. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2028625&dopt=Abstract

Maurer HR. Bromelain: biochemistry, pharmacology and medical use. *Cell Mol Life Sci* 2001;58(9):1234-45. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11577981&dopt=Abstract

Mayer O, Filipovsky J, Hromadka M, Svobodova V, Racek J, Mayer O, Jr., Stehlík P, Trefil L, Zarybnicka M. Treatment of hyperhomocysteinemia with folic acid: effects on homocysteine levels, coagulation status, and oxidative stress markers. *J Cardiovasc Pharmacol* 2002;39(6):851-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12021579&dopt=Abstract

Mayer O, Jr., Simon J, Rosolova H, Hromadka M, Subrt I, Vobrubova I. The effects of folate supplementation on some coagulation parameters and oxidative status surrogates. *Eur J Clin Pharmacol* 2002;58(1):1-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11956665&dopt=Abstract

McCarty MF. An antithrombotic role for nutritional antioxidants: implications for tumor metastasis and other pathologies. *Med Hypotheses* 1986;19(4):345-57. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3520253&dopt=Abstract

McGuffin M. Herbal medicine. *N Engl J Med* 2003;348(15):1498-501; author reply 1498-501. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12691063&dopt=Abstract

McNairy SL, Millns JL, Phyllyk RL, Rogers RS, 3rd. Vitamin K-responsive coagulopathy in Henoch-Schönlein purpura. *Mayo Clin Proc* 1977;52(11):746-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=926852&dopt=Abstract

Meissner MH, Karmy-Jones R. Management of the anticoagulated patient. *Thorac Surg Clin* 2005;15(2 SPEC. ISS.):243-262. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15999523&dopt=Abstract

- Mekhfi H, Haouari ME, Legssyer A, Bnouham M, Aziz M, Atmani F, Remmal A, Ziyyat A. Platelet anti-aggregant property of some Moroccan medicinal plants. *J Ethnopharmacol* 2004;94(2-3):317-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15325737&dopt=Abstract
- Memin Y, Najean Hueber E. [Double-blind study based upon a quantitative appreciation scale of treating chronic cerebrovascular disorders]. *Therapeutique* 1973;49(9):605-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4600040&dopt=Abstract
- Mendes-Silva W, Assafim M, Ruta B, Monteiro RQ, Guimaraes JA, Zingali RB. Antithrombotic effect of Glycyrrhizin, a plant-derived thrombin inhibitor. *Thromb Res* 2003;112(1-2):93-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15013279&dopt=Abstract
- Mendoza CE, Ferreira AC, de Marchena E. Warfarin and herbal products interaction causing prosthetic aortic valve thrombosis presenting as acute myocardial infarction. *J Heart Valve Dis* 2004;13(1):22-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14765834&dopt=Abstract
- Menendez-Jandula B, Souto JC, Oliver A, Montserrat I, Quintana M, Gich I, Bonfill X, Fontcuberta J. Comparing self-management of oral anticoagulant therapy with clinic management: a randomized trial. *Ann Intern Med* 2005;142(1):1-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15630104&dopt=Abstract
- Mensink RP, van Houwelingen AC, Kromhout D, Hornstra G. A vitamin E concentrate rich in tocotrienols had no effect on serum lipids, lipoproteins, or platelet function in men with mildly elevated serum lipid concentrations. *Am J Clin Nutr* 1999;69(2):213-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9989682&dopt=Abstract
- Meredith MJ. Herbal nutriceuticals: a primer for dentists and dental hygienists. *J Contemp Dent Pract* 2001;2(2):1-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12167930&dopt=Abstract
- Mesa MD, Buckley R, Minihane AM, Yaqoob P. Effects of oils rich in eicosapentaenoic and docosahexaenoic acids on the oxidizability and thrombogenicity of low-density lipoprotein. *Atherosclerosis* 2004;175(2):333-343. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15262190&dopt=Abstract
- Meydani SN, Lichtenstein AH, White PJ, Goodnight SH, Elson CE, Woods M, Gorbach SL, Schaefer EJ. Food use and health effects of soybean and sunflower oils. *J Am Coll Nutr* 1991;10(5):406-28. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1955619&dopt=Abstract
- Meydani SN, Meydani M, Blumberg JB, Leka LS, Pedrosa M, Diamond R, Schaefer EJ. Assessment of the safety of supplementation with different amounts of vitamin E in healthy older adults. *Am J Clin Nutr* 1998;68(2):311-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9701188&dopt=Abstract
- Mezey E, Potter JJ, Rennie-Tankersley L, Caballeria J, Pares A. A randomized placebo controlled trial of vitamin E for alcoholic hepatitis. *J Hepatol* 2004;40(1):40-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14672612&dopt=Abstract
- Mezzano D. Distinctive effects of red wine and diet on haemostatic cardiovascular risk factors. *Biol Res* 2004;37(2):217-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15455650&dopt=Abstract

Miao YN, Chen MC, Huang Z. [Clinical observation on treatment of snake bite induced disseminated intravascular coagulation by qinwen baidu decoction]. Zhongguo Zhong Xi Yi Jie He Za Zhi 2003;23(8):590-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14503057&dopt=Abstract

Michaelson R, Kempin SJ, Navia B, Gold JW. Inhibition of the hypoprothrombinemic effect of warfarin (Coumadin) by Ensure Plus, a dietary supplement. Clin Bull 1980;10(4):171-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7214706&dopt=Abstract

Michalsen A, Dobos GJ. [Effects of nutritional factors on haemostasis]. Hamostaseologie 2005;25(1):13-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15711715&dopt=Abstract

Mijares ME, Nagy E, Guerrero B, Arocha-Pinango CL. [Vitamin K: biochemistry, function, and deficiency. Review]. Invest Clin 1998;39(3):213-29. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9780555&dopt=Abstract

Miller GJ. Dietary fatty acids and blood coagulation. Prostaglandins Leukot Essent Fatty Acids 1997;57(4-5):389-94. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9430384&dopt=Abstract

Miller GJ. Effects of diet composition on coagulation pathways. Am J Clin Nutr 1998;67(3 Suppl):542S-545S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9497167&dopt=Abstract

Miller KL, Liebowitz RS, Newby LK. Complementary and alternative medicine in cardiovascular disease: A review of biologically based approaches. Am Heart J 2004;147(3):401-411. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14999187&dopt=Abstract

Miller GJ. Dietary fatty acids and the haemostatic system. Atherosclerosis 2005;179(2):213-27. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15777535&dopt=Abstract

Mills E, Montori VM, Wu P, Gallicano K, Clarke M, Guyatt G. Interaction of St John's wort with conventional drugs: systematic review of clinical trials. Br Med J 2004;329(7456):27-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15231618&dopt=Abstract

Milner M, Makise K. Natto and its active ingredient nattokinase: A potent and safe thrombolytic agent. Altern Complement Ther 2002;8(3):157-164.

Minford AM, Eden OB. Haemorrhage responsive to vitamin K in a 6-week-old infant. Arch Dis Child 1979;54(4):310-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=453915&dopt=Abstract

Missl NLA, Thompson PJ. Fish oil supplementation inhibits platelet aggregation and ATP release induced by platelet-activating factor and other agonists. Platelets 1995;6(5):275-282.

Miwa H, Yamamoto M, Futata T, Kan K, Asano T. Thin-layer chromatography and high-performance liquid chromatography for the assay of fatty acid compositions of individual phospholipids in platelets from non-insulin-dependent diabetes mellitus patients: Effect of eicosapentaenoic acid ethyl ester administration. J Chromatogr B Biomed Appl 1996;677(2):217-223. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8704924&dopt=Abstract

Miyamoto S, Kawano H, Takazoe K, Soejima H, Sakamoto T, Hokamaki J, Yoshimura M, Nakamura H, Yodoi J, Ogawa H. Vitamin E improves fibrinolytic activity in patients with coronary spastic angina. Thromb Res 2004;113(6):345-351. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15226088&dopt=Abstract

- Moller JM, Svaneborg N, Lervang HH, Varming K, Madsen P, Dyerberg J, Schmidt EB. The acute effect of a single very high dose of N-3 fatty acids on coagulation and fibrinolysis. *Thromb Res* 1992;67(5):569-77. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1448789&dopt=Abstract
- Monterrey-Rodriguez J. Interaction between warfarin and mango fruit. *Ann Pharmacother* 2002;36(5):940-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12014354&dopt=Abstract
- Morales WJ, Angel JL, O'Brien WF, Knuppel RA, Marsalisi F. The use of antenatal vitamin K in the prevention of early neonatal intraventricular hemorrhage. *Am J Obstet Gynecol* 1988;159(3):774-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3421279&dopt=Abstract
- Morel O, Jesel L, Hugel B, Douchet MP, Zupan M, Chauvin M, Freyssinet JM, Toti F. Protective effects of vitamin C on endothelium damage and platelet activation during myocardial infarction in patients with sustained generation of circulating microparticles. *J Thromb Haemost* 2003;1(1):171-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12871555&dopt=Abstract
- Mori TA, Beilin LJ, Burke V, Morris J, Ritchie J. Interactions between dietary fat, fish, and fish oils and their effects on platelet function in men at risk of cardiovascular disease. *Arterioscler Thromb Vasc Biol* 1997;17(2):279-86. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9081682&dopt=Abstract
- Morreale AP, Janetzky K. Probable interaction of warfarin and acarbose. *Am J Health Syst Pharm* 1997;54(13):1551-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9217947&dopt=Abstract
- Morrice LM, Jagdis FA, Thommasen H. Case report: fatal hemorrhagic disease in a newborn despite vitamin K prophylaxis. *Can Fam Physician* 1998;44:1893-4, 1896. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9789669&dopt=Abstract
- Morris J, Burke V, Mori TA, Vandongen R, Beilin LJ. Effects of garlic extract on platelet aggregation: a randomized placebo-controlled double-blind study. *Clin Exp Pharmacol Physiol* 1995;22(6-7):414-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8582091&dopt=Abstract
- Morton RA. Ubiquinones, plastoquinones and vitamins K. *Biol Rev Camb Philos Soc* 1971;46(1):47-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4942392&dopt=Abstract
- Motohara K, Endo F, Matsuda I. Effect of vitamin K administration on acarboxy prothrombin (PIVKA-II) levels in newborns. *Lancet* 1985;2(8449):242-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2862419&dopt=Abstract
- Motz R. Late haemothorax after oral vitamin K. *N Z Med J* 1992;105(945):459. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1436866&dopt=Abstract
- Mousalem M, Spronk HM, Sacy R, Hakime N, Soute BA. Congenital combined deficiencies of all vitamin K-dependent coagulation factors. *Thromb Haemost* 2001;86(5):1334-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11816728&dopt=Abstract
- Mueller BA, Talbert RL, Tegeler CH, Prihoda TJ. The bleeding time effects of a single dose of aspirin in subjects receiving omega-3 fatty acid dietary supplementation. *J Clin Pharmacol* 1991;31(2):185-190. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2010565&dopt=Abstract

Mueller NJ, Schiller P, Shimizu N, Flury R, Aschwanden M, Widmer U, Enzler T. Factor VII deficiency and a copper metabolism disorder in a patient with Klippel-Trenaunay syndrome. Dermatology 2002;204(3):244-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12037456&dopt=Abstract

Mueller RL. First-generation agents: aspirin, heparin and coumarins. Best Pract Res Clin Haematol 2004;17(1):23-53. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15171956&dopt=Abstract

Muller H, Seljeflot I, Solvoll K, Pedersen JI. Partially hydrogenated soybean oil reduces postprandial t-PA activity compared with palm oil. Atherosclerosis 2001;155(2):467-76. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11254919&dopt=Abstract

Mustapha A, Yakasai IA, Aguye IA. Effect of Tamarindus indica L. on the bioavailability of aspirin in healthy human volunteers. Eur J Drug Metab Pharmacokinet 1996;21(3):223-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8980919&dopt=Abstract

Mutanen M, Viita L, Mykkanen HM. Selenium supplementation does not alter platelet activation in subjects with normal selenium status. Int J Vitam Nutr Res 1989;59(3):309-13. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2532184&dopt=Abstract

Mutanen M, Freese R. Polyunsaturated fatty acids and platelet aggregation. Curr Opin Lipidol 1996;7(1):14-19. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8925182&dopt=Abstract

Mutanen M, Aro A. Coagulation and fibrinolysis factors in healthy subjects consuming high stearic or trans fatty acid diets. Thromb Haemost 1997;77(1):99-104. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9031457&dopt=Abstract

Myrup B, Rossing P, Jensen T, Parving HH, Holmer G, Gram J, Kluft C, Jespersen J. Lack of effect of fish oil supplementation on coagulation and transcapillary escape rate of albumin in insulin-dependent diabetic patients with diabetic nephropathy. Scand J Clin Lab Invest 2001;61(5):349-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11569481&dopt=Abstract

Nagakawa Y, Orimo H, Harasawa M, Morita I, Yashiro K, Murota S. Effect of eicosapentaenoic acid on the platelet aggregation and composition of fatty acid in man. A double blind study. Atherosclerosis 1983;47(1):71-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6307322&dopt=Abstract

Nagayama H, Sugiyama T, Tada T, Okada Y. Clinical application of plant protease (Kimotab) in the surgical field. Nippon Geka Hokan 1966;35(2):395-406. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4226836&dopt=Abstract

Nakamura K, Toyohira H, Kariyazono H, Ishibashi M, Saigenji H, Shimokawa S, Taira A. Anticoagulant effects of warfarin and kinetics of K vitamins in blood and feces. Artery 1994;21(3):148-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7794122&dopt=Abstract

Nalbandian RM, Henry RL. A proposed comprehensive pathophysiology of thrombotic thrombocytopenic purpura with implicit novel tests and therapies. Semin Thromb Hemost 1980;6(4):356-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6452692&dopt=Abstract

Naranjo CA, Busto U, Sellers EM, Sandor P, Ruiz I, Roberts EA, Janecek E, Domecq C, Greenblatt DJ. A method for estimating the probability of adverse drug reactions. Clin Pharmacol Ther 1981;30(2):239-45. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7249508&dopt=Abstract

Neafsey P. Of blood, bones, and broccoli: warfarin-vitamin K interactions. Home Healthc Nurse 2004;22(3):178-82; quiz 183-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15017321&dopt=Abstract

Nee R, Doppenschmidt D, Donovan DJ, Andrews TC. Intravenous versus subcutaneous vitamin K1 in reversing excessive oral anticoagulation. Am J Cardiol 1999;83(2):286-8, A6-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10073841&dopt=Abstract

Nelson GJ, Schmidt PC, Bartolini G, Kelley DS, Kyle D. The effect of dietary arachidonic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. Lipids 1997;32(4):421-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9113631&dopt=Abstract

Nelson GJ, Schmidt PS, Bartolini GL, Kelley DS, Kyle D. The effect of dietary docosahexaenoic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. Lipids 1997;32(11):1129-36. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9397397&dopt=Abstract

Nemerson Y, Furie B. Zymogens and cofactors of blood coagulation. CRC Crit Rev Biochem 1980;9(1):45-85. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6777115&dopt=Abstract

Nielsen NC. Coagulation and fibrinolysis in normal women immediately post partum and in newborn infants. Influence of prophylactic vitamin K. Acta Obstet Gynecol Scand 1969;48(3):371-91. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5370777&dopt=Abstract

Nighoghossian N, Ffrench P, Massignon D, Trouillas P. [Intracranial hematoma in a patient with antithrombin III deficiency treated with anticoagulants. Early prevention of thromboembolic complications]. Presse Med 1990;19(24):1155. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2141941&dopt=Abstract

Niiya K, Mitani M, Kitagawa T, Yamato K, Fujishita M, Okimoto N, Yoshimoto S, Kobayashi M, Kubonishi I, Taguchi H, et al. [Clinical studies on the deficiency of vitamin K-dependent coagulation factors in adult patients]. Rinsho Ketsueki 1984;25(1):37-44. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6748255&dopt=Abstract

Nill HJ, Fischer H. [Comparative investigations concerning the effect of extract of horse chestnut upon the pressure-volume-diagramm of patients with venous disorders]. Arztl Forsch 1970;24(5):141-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4938002&dopt=Abstract

Nilsen DW, Dalaker K, Nordoy A, Osterud B, Ingebretsen OC, Lyngmo V, Almdahl S, Vaage J, Rasmussen K. Influence of a concentrated ethylester compound of n-3 fatty acids on lipids, platelets and coagulation in patients undergoing coronary bypass surgery. Thromb Haemost 1991;66(2):195-201. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1771612&dopt=Abstract

Nilsen DW, Almdahl SM, Svensson B, Vaage J, Rasmussen K, Osterud B. Lipopolysaccharide induced monocyte thromboplastin synthesis and coagulation responses in patients undergoing coronary bypass surgery after preoperative supplementation with n-3 fatty acids. *Thromb Haemost* 1993;70(6):900-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8165608&dopt=Abstract

Nomura S, Yanabu M, Soga T, Fukuroi T, Kido H, Nagata H, Kokawa T, Yasunaga K. [Chronic ITP with a remarkable response to vitamin C administration after splenectomy]. *Rinsho Ketsueki* 1990;31(4):523-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2381073&dopt=Abstract

Norcross WA, Ganiats TG, Ralph LP, Seidel RG, Ikeda TS. Accidental poisoning by warfarin-contaminated herbal tea. *West J Med* 1993;159(1):80-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8351917&dopt=Abstract

Nordoy A, Bonaa KH, Sandset PM, Hansen JB, Nilsen H. Effect of omega-3 fatty acids and simvastatin on hemostatic risk factors and postprandial hyperlipemia in patients with combined hyperlipemia. *Arterioscler Thromb Vasc Biol* 2000;20(1):259-65. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10634827&dopt=Abstract

Norred CL, Finlayson CA. Hemorrhage after the preoperative use of complementary and alternative medicines. *AANA J* 2000;68(3):217-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11132009&dopt=Abstract

Norred CL, Zamudio S, Palmer SK. Use of complementary and alternative medicines by surgical patients. *AANA J* 2000;68(1):13-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10876447&dopt=Abstract

Norred CL, Brinker F. Potential coagulation effects of preoperative complementary and alternative medicines. *Altern Ther Health Med* 2001;7(6):58-67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11712472&dopt=Abstract

Norred CL. Complementary and alternative medicine use by surgical patients. *AORN J* 2002;76(6):1013-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12528489&dopt=Abstract

Norred CL. A follow-up survey of the use of complementary and alternative medicines by surgical patients. *AANA J* 2002;70(2):119-25. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11969062&dopt=Abstract

Nurtjahja-Tjendraputra E, Ammit AJ, Roufogalis BD, Tran VH, Duke CC. Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger. *Thromb Res* 2003;111(4-5):259-65. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14693173&dopt=Abstract

Nussbaum M, Moschos CB. Anticoagulants and Anticoagulation. *Med Clin North Am* 1976;60(5):855-69. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=781413&dopt=Abstract

O'Connor ME, Addiego JE, Jr. Use of oral vitamin K1 to prevent hemorrhagic disease of the newborn infant. *J Pediatr* 1986;108(4):616-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3514830&dopt=Abstract

Ogata T, Motohara K, Endo F, Kondo Y, Ikeda T, Kudo Y, Iribe K, Matsuda I. Vitamin K effect in low birth weight infants. *Pediatrics* 1988;81(3):423-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3344186&dopt=Abstract

- Ogle CW, Dai S, Ma JC. The haemostatic effects of the Chinese herbal drug Yunnan Bai Yao: a pilot study. *Am J Chin Med* 1976;4(2):147-52. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=937237&dopt=Abstract
- Ogston D, Douglas AS. Anticoagulant and thrombolytic drugs. I. Patho-physiological and pharmacological aspects. *Drugs* 1971;1(3):228-46. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4256645&dopt=Abstract
- Ohmori T, Nishii K, Hagiwara A, Takeda M, Sekido K. Acute thrombocytopenia induced by jui, a traditional herbal medicine. *J Thromb Haemost* 2004;2(8):1479-80. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15304064&dopt=Abstract
- O'Reilly RA, Aggeler PM. Determinants of the response to oral anticoagulant drugs in man. *Pharmacol Rev* 1970;22(1):35-96. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4918964&dopt=Abstract
- O'Reilly RA. Vitamin K and oral anticoagulant drugs as competitive antagonists in man. *Pharmacology* 1972;7(3):149-58. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5054585&dopt=Abstract
- O'Reilly RA. Drug interactions involving oral anticoagulants. *Cardiovasc Clin* 1974;6(2):23-41. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4613460&dopt=Abstract
- O'Reilly RA. Vitamin K and the oral anticoagulant drugs. *Annu Rev Med* 1976;27:245-61. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=779597&dopt=Abstract
- O'Reilly RA, Aggeler PM. Covert anticoagulant ingestion: study of 25 patients and review of world literature. *Medicine (Baltimore)* 1976;55(5):389-99. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=957998&dopt=Abstract
- Osorio e Castro VR, Vernon LP. Stimulation of prothrombinase activity by the nonapeptide Thr-Trp-Ala-Arg-Asn-Ser-Tyr-Asn-Val, a segment of a plant thionin. *Peptides* 2003;24(4):515-21. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12860194&dopt=Abstract
- Osterud B, Ellevoll E, Barstad H, Brox J, Halvorsen H, Lia K, Olsen JO, Olsen RL, Sissener C, Rekdal O, et al. Effect of marine oils supplementation on coagulation and cellular activation in whole blood. *Lipids* 1995;30(12):1111-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8614301&dopt=Abstract
- Packham MA, Mustard JF. Clinical pharmacology of platelets. *Blood* 1977;50(4):555-73. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=332253&dopt=Abstract
- Page RL, 2nd, Lawrence JD. Potentiation of warfarin by dong quai. *Pharmacotherapy* 1999;19(7):870-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10417036&dopt=Abstract
- Paiva SA, Sepe TE, Booth SL, Camilo ME, O'Brien ME, Davidson KW, Sadowski JA, Russell RM. Interaction between vitamin K nutriture and bacterial overgrowth in hypochlorhydria induced by omeprazole. *Am J Clin Nutr* 1998;68(3):699-704. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9734750&dopt=Abstract

- Palareti G, Salardi S, Piazz S, Legnani C, Poggi M, Grauso F, Caniato A, Coccheri S, Cacciari E. Blood coagulation changes in homocystinuria: effects of pyridoxine and other specific therapy. *J Pediatr* 1986;109(6):1001-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3783325&dopt=Abstract
- Palareti G, Coccheri S. Lowered antithrombin III activity and other clotting changes in homocystinuria: effects of a pyridoxine-folate regimen. *Haemostasis* 1989;19 Suppl 1:24-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2807044&dopt=Abstract
- Palmer ME, Haller C, McKinney PE, Klein-Schwartz W, Tschirgi A, Smolinske SC, Woolf A, Sprague BM, Ko R, Everson G, Nelson LS, Dodd-Butera T, Bartlett WD, Landzberg BR. Adverse events associated with dietary supplements: an observational study. *Lancet* 2003;361(9352):101-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12531576&dopt=Abstract
- Palot M, Daigremont-Botmans C, Visseaux H. Prevention of deep vein thrombosis and pre-eclampsia. Therapeutic possibilities. *Ann Med Interne (Paris)* 2003;154(5-6):354-360. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15027590&dopt=Abstract
- Panchenko VM, Baranov GF, Baishev UA, Aleshkina VA. [Effect of oxygen-vitamin cocktails on the hemocoagulation process in patients with hypertensive disease and chronic coronary insufficiency]. *Sov Med* 1970;33(10):30-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5504184&dopt=Abstract
- Panchenko VM, Karabasova MA, Liutova LV, Togoev AM, Ershov AA, Chernova GI, Isaev VA. [Influence polyunsaturated fatty acids omega-3 on coagulation and fibrinolysis systems in patients with NIDDM]. *Klin Med (Mosk)* 2002;80(2):40-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11898721&dopt=Abstract
- Pantaleo P, Marra F, Vizzutti F, Spadoni S, Ciabattoni G, Galli C, La Villa G, Gentilini P, Laffi G. Effects of dietary supplementation with arachidonic acid on platelet and renal function in patients with cirrhosis. *Clin Sci (Lond)* 2004;106(1):27-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12877651&dopt=Abstract
- Park BK, Choonara IA, Haynes BP, Breckenridge AM, Malia RG, Preston FE. Abnormal vitamin K metabolism in the presence of normal clotting factor activity in factory workers exposed to 4-hydroxycoumarins. *Br J Clin Pharmacol* 1986;21(3):289-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3964529&dopt=Abstract
- Park Y, Harris W. EPA, but not DHA, decreases mean platelet volume in normal subjects. *Lipids* 2002;37(10):941-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12530552&dopt=Abstract
- Passeri M, Provvedini D. Vitamins: their relationship to atherosclerosis. *Acta Vitaminol Enzymol* 1982;4(1-2):169-77. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6751050&dopt=Abstract
- Patel RJ, Witt DM, Saseen JJ, Tillman DJ, Wilkinson DS. Randomized, placebo-controlled trial of oral phytonadione for excessive anticoagulation. *Pharmacotherapy* 2000;20(10):1159-66. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034038&dopt=Abstract

- Pathak A, Leger P, Bagheri H, Senard JM, Boccalon H, Montastruc JL. Garlic interaction with fluindione: a case report. Therapie 2003;58(4):380-1. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14679681&dopt=Abstract
- Pathare A, Alkindi S, Albalushi T, Bayoumi R, Dennison D, Muralitharan S. Heterozygous methylene tetrahydrofolate reductase mutation with mild hyperhomocysteinemia associated with deep vein thrombosis. Clin Lab Haematol 2004;26(2):143-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15053809&dopt=Abstract
- Pavlu J, Harrington DJ, Voong K, Savidge GF, Jan-Mohamed R, Kaczmarek R. Superwarfarin poisoning. Lancet 2005;365(9459):628. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15708110&dopt=Abstract
- Peck MD. Omega-3 polyunsaturated fatty acids: benefit or harm during sepsis? New Horiz 1994;2(2):230-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7922448&dopt=Abstract
- Pedersen FM, Hamberg O, Hess K, Ovesen L. The effect of dietary vitamin K on warfarin-induced anticoagulation. J Intern Med 1991;229(6):517-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2045759&dopt=Abstract
- Pellegrini MP, Newby DE, Johnston NR, Maxwell S, Webb DJ. Vitamin C has no effect on endothelium-dependent vasomotion and acute endogenous fibrinolysis in healthy smokers. J Cardiovasc Pharmacol 2004;44(1):117-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15175566&dopt=Abstract
- Pellegrino M, Sacco M, D'Altilia MR, Meleleo D, De Anseris AG. Hemorrhagic disease in an infant fed on a vitamin K-deficient soya formula. J Pediatr Gastroenterol Nutr 1996;23(4):413-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8956177&dopt=Abstract
- Pengo V, Banzato A, Garelli E, Zasso A, Biasiolo A. Reversal of excessive effect of regular anticoagulation: low oral dose of phytonadione (vitamin K1) compared with warfarin discontinuation. Blood Coagul Fibrinolysis 1993;4(5):739-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8292723&dopt=Abstract
- Penzias AS, Treisman O. Vitamin K-dependent clotting factor deficiency in pregnancy. Obstet Gynecol 1988;72(3 Pt 2):452-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3405563&dopt=Abstract
- Pepping J. Coenzyme Q10. Am J Health Syst Pharm 1999;56(6):519-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10192685&dopt=Abstract
- Pereira SP, Shearer MJ, Williams R, Mieli-Vergani G. Intestinal absorption of mixed micellar phylloquinone (vitamin K1) is unreliable in infants with conjugated hyperbilirubinaemia: implications for oral prophylaxis of vitamin K deficiency bleeding. Arch Dis Child Fetal Neonatal Ed 2003;88(2):F113-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12598499&dopt=Abstract
- Perry CA, Dwyer J, Gelfand JA, Couris RR, McCloskey WW. Health effects of salicylates in foods and drugs. Nutr Rev 1996;54(8):225-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8961750&dopt=Abstract

- Petrushina GN, Kalugin SA, Makarov VA. [The effect of n-3 polyunsaturated fatty acids on the blood coagulation system]. Eksp Klin Farmakol 1997;60(1):76-88. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9162295&dopt=Abstract
- Petry JJ. Surgically significant nutritional supplements. Plast Reconstr Surg 1996;97(1):233-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8532785&dopt=Abstract
- Petry JJ. Nutritional supplements and surgical patients. AORN J 1997;65(6):1117-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9187458&dopt=Abstract
- Pinhas RS. Salicylates in the management of rheumatoid arthritis. Mod Treat 1971;8(4):796-806. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5316723&dopt=Abstract
- Pirich C, Gaszo A, Granegger S, Sinzinger H. Effects of fish oil supplementation on platelet survival and ex vivo platelet function in hypercholesterolemic patients. Thromb Res 1999;96(3):219-227. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10588465&dopt=Abstract
- Plat J, Mensink RP. Vegetable oil based versus wood based stanol ester mixtures: effects on serum lipids and hemostatic factors in non-hypercholesterolemic subjects. Atherosclerosis 2000;148(1):101-12. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10580176&dopt=Abstract
- Ploem JE, Jekel M. Studies on the effect of parenteral iron, Ferastral, an iron-poly(sorbitol-gluconic acid) complex, on blood coagulation in man. Scand J Haematol Suppl 1977;32:53-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=341292&dopt=Abstract
- Plotnikoff GA, McKenna D, Watanabe K, Blumenthal M. Ginseng and warfarin interactions. Ann Intern Med 2004;141(11):893-4; author reply 894-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15583242&dopt=Abstract
- Pogozheva AV, Rozanova IA, Sorokovoi KV, Karagodina ZV, Levachev MM. [Lipid peroxidation in patients with ischemic heart disease, hyperlipidemia and/or hypertension while polyunsaturated omega-3 fatty acids of plant and animal origin were in their diet]. Vopr Pitan 1997(4):32-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9412077&dopt=Abstract
- Polasek J. Acetylsalicylic acid and vitamin E in prevention of arterial thrombosis. Can J Cardiol 1997;13(5):533-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9179093&dopt=Abstract
- Poppitt SD, Keogh GF, Mulvey TB, Phillips A, McArdle BH, MacGibbon AKH, Cooper GJS. Effect of moderate changes in dietary fatty acid profile on postprandial lipaemia, haemostatic and related CVD risk factors in healthy men. Eur J Clin Nutr 2004;58(5):819-827. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15116086&dopt=Abstract
- Potocnik FCV, Van Rensburg SJ, Park C, Taljaard JJF, Emsley RA. Zinc and platelet membrane microviscosity in Alzheimer's disease. The in vivo effect of zinc on platelet membranes and cognition. S Afr Med J 1997;87(9):1116-1119. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9358828&dopt=Abstract
- Preli RB, Klein KP, Herrington DM. Vascular effects of dietary L-arginine supplementation. Atherosclerosis 2002;162(1):1-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11947892&dopt=Abstract

- Priestley BL. Haemorrhagic disease and vitamin K. Arch Dis Child 1987;62(9):979. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3674956&dopt=Abstract
- Prisco D, Paniccia R, Filippini M, Francalanci I, Bandinelli B, Comeglio P, Rostagno C, Abbate R, Neri Serneri GG. No changes in PAI-1 levels after four-month n-3 PUFA ethyl ester supplementation in healthy subjects. Thromb Res 1994;76(3):237-44. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7863474&dopt=Abstract
- Prisco D, Filippini M, Francalanci I, Paniccia R, Gensini GF, Serneri GG. Effect of n-3 fatty acid ethyl ester supplementation on fatty acid composition of the single platelet phospholipids and on platelet functions. Metabolism 1995;44(5):562-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7752902&dopt=Abstract
- Prowse CV, Cash JD. Physiologic and pharmacologic enhancement of fibrinolysis. Semin Thromb Hemost 1984;10(1):51-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6367048&dopt=Abstract
- Puckett RM, Offringa M. Prophylactic vitamin K for vitamin K deficiency bleeding in neonates. Cochrane Database Syst Rev 2000(4):CD002776. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034761&dopt=Abstract
- Pulcinelli FM, Pignatelli P, Violi F, Gazzaniga PP. Platelets and oxygen radicals: mechanisms of functional modulation. Haematologica 2001;86(11 Suppl 2):31-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11926772&dopt=Abstract
- Pyzh MV, Gratsiansky NA, Dobrovolsky AB. [The effect of the long-term use of a diet enriched with omega-3 polyunsaturated fatty acids on the fatty acid composition, fibrinolytic system indices and lipid spectrum of the blood in patients with ischemic heart disease]. Kardiologija 1993;33(10):46-50+5-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8139173&dopt=Abstract
- Quick AJ. Vitamin Q in control of bleeding. Wis Med J 1975;74(8):85-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1163058&dopt=Abstract
- Quick AJ. The correlated actions of vitamin C, K, and Q. Life Sci 1975;16(7):1017-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1094211&dopt=Abstract
- Quick AJ. The role of vitamins in hemostasis. Thromb Diath Haemorrh 1975;33(2):191-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1138416&dopt=Abstract
- Qureshi AA, Qureshi N, Wright JJ, Shen Z, Kramer G, Gapor A, Chong YH, DeWitt G, Ong A, Peterson DM, et al. Lowering of serum cholesterol in hypercholesterolemic humans by tocotrienols (palmvitene). Am J Clin Nutr 1991;53(4 Suppl):1021S-1026S. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2012010&dopt=Abstract
- Radimer K, Bindewald B, Hughes J, Ervin B, Swanson C, Picciano MF. Dietary supplement use by US adults: data from the National Health and Nutrition Examination Survey, 1999-2000. Am J Epidemiol 2004;160(4):339-49. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15286019&dopt=Abstract

Raghavan SA, Sharma P, Dikshit M. Role of ascorbic acid in the modulation of inhibition of platelet aggregation by polymorphonuclear leukocytes. *Thromb Res* 2003;110(2-3):117-26. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12893026&dopt=Abstract

Rahman K, Billington D. Dietary supplementation with aged garlic extract inhibits ADP-induced platelet aggregation in humans. *J Nutr* 2000;130(11):2662-5. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11053504&dopt=Abstract

Rajaram S. The effect of vegetarian diet, plant foods, and phytochemicals on hemostasis and thrombosis. *Am J Clin Nutr* 2003;78(3 Suppl):552S-558S. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12936949&dopt=Abstract

Ravel A, Roussel AM, Boitard M, Alary J. [Walnut oil and platelet aggregation and coagulation times]. *Med Nutr* 1987;23(3):161-5.

Ravn HB, Vissinger H, Kristensen SD, Wennmalm A, Thygesen K, Husted SE. Magnesium inhibits platelet activity--an infusion study in healthy volunteers. *Thromb Haemost* 1996;75(6):939-44. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8822590&dopt=Abstract

Ravn HB. Pharmacological effects of magnesium on arterial thrombosis--mechanisms of action? *Magnes Res* 1999;12(3):191-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10488475&dopt=Abstract

Ravn HB, Lassen JF, Bergenhem N, Kristensen AT. Intravenous magnesium does not influence the activity of the coagulation cascade. *Blood Coagul Fibrinolysis* 2001;12(4):223-8. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11460004&dopt=Abstract

Reed J. Cranberry flavonoids, atherosclerosis and cardiovascular health. *Crit Rev Food Sci Nutr* 2002;42(3 Suppl):301-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12058989&dopt=Abstract

Renaud S, Dumont E, Godsey F, McGregor L, Morazain R. Effects of diet on blood clotting and platelet aggregation. *Prog Clin Biol Res* 1981;67:361-81. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7029564&dopt=Abstract

Rezaie AR, Olson ST. Calcium enhances heparin catalysis of the antithrombin-factor Xa reaction by promoting the assembly of an intermediate heparin-antithrombin-factor Xa bridging complex. Demonstration by rapid kinetics studies. *Biochemistry* 2000;39(39):12083-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11009624&dopt=Abstract

Riegert-Johnson DL, Kaur JS, Pfeifer EA. Calciphylaxis associated with cholangiocarcinoma treated with low-molecular-weight heparin and vitamin K. *Mayo Clin Proc* 2001;76(7):749-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11444409&dopt=Abstract

Rifici VA, Schneider SH, Chen Y, Khachadurian AK. Administration of antioxidant vitamins does not alter plasma fibrinolytic activity in subjects with central obesity. *Thromb Haemost* 1997;78(3):1111-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9308762&dopt=Abstract

Ripa S, Ripa R. [Zinc and atherosclerosis]. *Minerva Med* 1994;85(12):647-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7854558&dopt=Abstract

Ritter G, Dembicki EL. The herbal history of Digitalis: lessons for alternative medicine. *JAMA* 2000;283(7):884-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10685707&dopt=Abstract

- Robertson BR. Effect of nicotinic acid on fibrinolytic activity in health, in thrombotic disease and in liver cirrhosis. *Acta Chir Scand* 1971;137(7):643-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5149150&dopt=Abstract
- Roncaglioni MC. Aspirin but not vitamin E prevented cardiovascular events in patients at risk. *Evid Based Med* 2001;6(4):112.
- Rosado MF. Thrombosis of a prosthetic aortic valve disclosing a hazardous interaction between warfarin and a commercial ginseng product. *Cardiology* 2003;99(2):111. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12711887&dopt=Abstract
- Rose SJ. Neonatal haemorrhage and vitamin K. *Acta Haematol* 1985;74(2):121. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3937416&dopt=Abstract
- Rose KD, Croissant PD, Parliament CF, Levin MB. Spontaneous spinal epidural hematoma with associated platelet dysfunction from excessive garlic ingestion: a case report. *Neurosurgery* 1990;26(5):880-2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2352608&dopt=Abstract
- Rosenblatt M, Mindel J. Spontaneous hyphema associated with ingestion of Ginkgo biloba extract. *N Engl J Med* 1997;336(15):1108. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9091822&dopt=Abstract
- Rosenthal G. Interaction of ascorbic acid and warfarin. *JAMA* 1971;215(10):1671. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5107696&dopt=Abstract
- Ross JA, Davies SM. Vitamin K prophylaxis and childhood cancer. *Med Pediatr Oncol* 2000;34(6):434-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10842253&dopt=Abstract
- Rossi V, Masi M, Di Macco E, Papa G. Ascorbic acid as first-line therapy in immune thrombocytopenic purpura. *Haematologica* 1991;76(5):438-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1806452&dopt=Abstract
- Rossi R, Albrecht O, Pollmann H, Jorch G, Harms E. Effect of a reduced vitamin K supplementation on prothrombin time in prematures and high-risk neonates. *Acta Paediatr* 1996;85(6):747-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8816216&dopt=Abstract
- Rost S, Fregin A, Koch D, Compes M, Muller CR, Oldenburg J. Compound heterozygous mutations in the gamma-glutamyl carboxylase gene cause combined deficiency of all vitamin K-dependent blood coagulation factors. *Br J Haematol* 2004;126(4):546-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15287948&dopt=Abstract
- Roughead ZK, Hunt JR, Johnson LK, Badger TM, Lykken GI. Controlled substitution of soy protein for meat protein: effects on calcium retention, bone, and cardiovascular health indices in postmenopausal women. *J Clin Endocrinol Metab* 2005;90(1):181-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15483071&dopt=Abstract
- Rowin J, Lewis SL. Spontaneous bilateral subdural hematomas associated with chronic Ginkgo biloba ingestion. *Neurology* 1996;46(6):1775-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8649594&dopt=Abstract

Rozenfeld V, Crain JL, Callahan AK. Possible augmentation of warfarin effect by glucosamine-chondroitin. Am J Health Syst Pharm 2004;61(3):306-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14986566&dopt=Abstract

Rynca J. [Role of vitamin K in protein modification]. Postepy Biochem 1985;31(2):283-304. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2869478&dopt=Abstract

Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, Nicolucci A. Primary Prevention of Cardiovascular Events with Low Dose Aspirin and Vitamin E in Type 2 Diabetic Patients: Results of the Primary Prevention Project (PPP) trial. Diabetes Care 2003;26(12):3264-3272. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14633812&dopt=Abstract

Sainani GS, Desai DB, Gorhe NH, Natu SM, Pise DV, Sainani PG. "Dietary garlic, onion and some coagulation parameters in Jain community". J Assoc Physicians India 1979;27(8):707-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=541336&dopt=Abstract

Saito H, Tamura Y. [Antiatherogenic action of omega-3 polyunsaturated fatty acids]. Nippon Rinsho 1993;51(8):2004-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8411664&dopt=Abstract

Sakamoto N, Nishiike T, Iguchi H, Sakamoto K. Effects of eicosapentaenoic acid intake on plasma fibrinolytic and coagulation activity by using physical load in the young. Nutrition 2000;16(1):11-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10674228&dopt=Abstract

Salachas A, Papadopoulos C, Sakadamis G, Styliadis J, Voudris V, Oakley D, Saynor R. Effects of a low-dose fish oil concentrate on angina, exercise tolerance time, serum triglycerides, and platelet function. Angiology 1994;45(12):1023-1031. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7985829&dopt=Abstract

Salonen R, Nikkari T, Seppanen K, Venalainen JM, Ihanainen M, Rissanen V, Rauramaa R, Salonen JT. Effect of omega-3 fatty acid supplementation on platelet aggregability and platelet produced thromboxane. Thromb Haemost 1987;57(3):269-72. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3660329&dopt=Abstract

Salonen JT. Antioxidants and platelets. Ann Med 1989;21(1):59-62. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2923705&dopt=Abstract

Salonen JT, Salonen R, Seppanen K, Rinta-Kiikka S, Kuukka M, Korpela H, Alfthan G, Kantola M, Schalch W. Effects of antioxidant supplementation on platelet function: a randomized pair-matched, placebo-controlled, double-blind trial in men with low antioxidant status. Am J Clin Nutr 1991;53(5):1222-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1826987&dopt=Abstract

Samuels N. Herbal remedies and anticoagulant therapy. Thromb Haemost 2005;93(1):3-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15630483&dopt=Abstract

Sanchez-Muniz FJ, Oubina P, Rodenas S, Benedi J, Cuesta C. Platelet aggregation, thromboxane production and thrombogenic ratio in postmenopausal women consuming high oleic acid-sunflower oil or palmolein. Eur J Nutr 2003;42(6):299-306. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14673602&dopt=Abstract

- Sanders TA, Roshanai F. The influence of different types of omega 3 polyunsaturated fatty acids on blood lipids and platelet function in healthy volunteers. *Clin Sci (Lond)* 1983;64(1):91-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6295686&dopt=Abstract
- Sanders TAB. Effects of unsaturated fatty acids on blood clotting and fibrinolysis. *Curr Opin Lipidol* 1996;7(1):20-23. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8925183&dopt=Abstract
- Sanders TA, de Grassi T, Acharya J, Miller GJ, Humphries SE. Postprandial variations in fibrinolytic activity in middle-aged men are modulated by plasminogen activator inhibitor I 4G-675/5G genotype but not by the fat content of a meal. *Am J Clin Nutr* 2004;79(4):577-81. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15051600&dopt=Abstract
- Sann L, Leclercq M, Guillaumont M, Bethenod M. [Does the newborn infant need vitamin K supplementation?]. *Arch Fr Pediatr* 1988;45(10):775-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3071283&dopt=Abstract
- Sargent FB, Judkins RF, Pai VT, Bellino JP. Effect of the preoperative ingestion of vitamin K1 on prothrombin time. Hypoprothrombinemia, rarely a cause of bleeding after tonsillectomy, warrants attention where malnutrition is suspected. *R I Med J* 1971;54(3):151-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5279724&dopt=Abstract
- Sattler FR, Weitekamp MR, Ballard JO. Potential for bleeding with the new beta-lactam antibiotics. *Ann Intern Med* 1986;105(6):924-31. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3535606&dopt=Abstract
- Sattler FR, Weitekamp MR, Sayegh A, Ballard JO. Impaired hemostasis caused by beta-lactam antibiotics. *Am J Surg* 1988;155(5A):30-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3287966&dopt=Abstract
- Saupe J, Ronden JE, Soute BA, Vermeer C. Vitamin K-antagonistic effect of plastoquinone and ubiquinone derivatives in vitro. *FEBS Lett* 1994;338(2):143-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8307171&dopt=Abstract
- Schepers GP, Dimitry AR, Eckhauser FE, Kirking DM. Efficacy and safety of low-dose intravenous versus intramuscular vitamin K in parenteral nutrition patients. *JPEN J Parenter Enteral Nutr* 1988;12(2):174-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3129593&dopt=Abstract
- Schindler TH, Lewandowski E, Olszewski M, Hasler K, Solzbach U, Just H. [Effect of vitamin C on platelet aggregation in smokers and nonsmokers]. *Med Klin (Munich)* 2002;97(5):263-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12078386&dopt=Abstract
- Schmidt EB, Kristensen SD, Dyerberg J. The effect of fish oil on lipids, coagulation and fibrinolysis in patients with angina pectoris. *Artery* 1988;15(6):316-29. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3178506&dopt=Abstract
- Schmitz PG, McCloud LK, Reikes ST, Leonard CL, Gellens ME. Prophylaxis of hemodialysis graft thrombosis with fish oil: Double-blind, randomized, prospective trial. *J Am Soc Nephrol* 2002;13(1):184-190. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11752036&dopt=Abstract

- Schneider J, Maglett L. [Studies on the efficacy of Essaven]. Med Welt 1965;43:2454-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5326223&dopt=Abstract
- Schneider J, Myrtek M. [The influence of an aesculin compounds preparation on blood coagulation and capillary resistance]. Arztl Forsch 1969;23(5):153-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5409315&dopt=Abstract
- Schneider J, Myrtek M. [The influence of an aesculin compound preparation on blood coagulation and capillary resistance]. Arztl Forsch 1971;23(5):153-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5109595&dopt=Abstract
- Schoene NW, Chanmugam P, Reynolds RD. Effect of oral vitamin B6 supplementation on in vitro platelet aggregation. Am J Clin Nutr 1986;43(5):825-30. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3706190&dopt=Abstract
- Schoene NW. Vitamin E and omega-3 fatty acids: effectors of platelet responsiveness. Nutrition 2001;17(10):793-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11684381&dopt=Abstract
- Scholtz SC, Pieters M, Oosthuizen W, Jerling JC, Bosman MJ, Vorster HH. The effect of red palm olein and refined palm olein on lipids and haemostatic factors in hyperfibrinogenaemic subjects. Thromb Res 2004;113(1):13-25. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15081561&dopt=Abstract
- Schrör K, Braun M. Platelets as a source of vasoactive mediators. Stroke 1990;21(1 Suppl):IV32-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2124387&dopt=Abstract
- Schurgers LJ, Shearer MJ, Hamulyak K, Stocklin E, Vermeer C. Effect of vitamin K intake on the stability of oral anticoagulant treatment: dose-response relationships in healthy subjects. Blood 2004;104(9):2682-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15231565&dopt=Abstract
- Schwartz L, Seidelin PH. Antithrombotic and thrombolytic therapy in patients undergoing coronary artery interventions: A review. Prog Cardiovasc Dis 1995;38(1):67-86. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7631021&dopt=Abstract
- Scott GN. Interaction of warfarin with glucosamine--chondroitin. Am J Health Syst Pharm 2004;61(11):1186; author reply 1186. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15237575&dopt=Abstract
- Scurr JH, Gulati OP. Zinopin--the rationale for its use as a food supplement in Traveller's thrombosis and motion sickness. Phytother Res 2004;18(9):687-95. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15478211&dopt=Abstract
- Seligman B. Oral bromelains as adjuncts in the treatment of acute thrombophlebitis. Angiology 1969;20(1):22-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4885019&dopt=Abstract
- Semplicini A, Valle R. Fish oils and their possible role in the treatment of cardiovascular diseases. Pharmacol Ther 1994;61(3):385-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7938179&dopt=Abstract

Senturk UK, Yalcin O, Gunduz F, Kuru O, Meiselman HJ, Baskurt OK. Effect of antioxidant vitamin treatment on the time course of hematological and hemorheological alterations after an exhausting exercise episode in human subjects. *J Appl Physiol* 2005;98(4):1272-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15579575&dopt=Abstract

Seol SY, Kim MH, Ryu JS, Choi MG, Shin DW, Ahn BO. DA-9601 for erosive gastritis: results of a double-blind placebo-controlled phase III clinical trial. *World J Gastroenterol* 2004;10(16):2379-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15285023&dopt=Abstract

Sepulveda-Sanchez JM, Matia-Frances R, Martinez-Salio A, Gonzalez-de la Aleja-Tejera J, Rodriguez-Pena Marin M, Porta-Etessam J. [Homocysteine and cerebrovascular disease]. *Rev Neurol* 2004;38(4):347-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14997460&dopt=Abstract

Serebruany VL, Herzog WR, Atamas SP, Gurbel PA, Rohde M, Mortensen SA, Folkers K. Hemostatic changes after dietary coenzyme Q10 supplementation in swine. *J Cardiovasc Pharmacol* 1996;28(2):175-81. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8856471&dopt=Abstract

Serebruany VL, Gurbel PA, Ordonez JV, Herzog WR, Rohde M, Mortensen SA, Folkers K. Could coenzyme Q10 affect hemostasis by inhibiting platelet vitronectin (CD51/CD61) receptor? *Mol Aspects Med* 1997;18 Suppl:S189-94. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9266521&dopt=Abstract

Serebruany VL, Ordonez JV, Herzog WR, Rohde M, Mortensen SA, Folkers K, Gurbel PA. Dietary coenzyme Q10 supplementation alters platelet size and inhibits human vitronectin (CD51/CD61) receptor expression. *J Cardiovasc Pharmacol* 1997;29(11):16-22. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9007665&dopt=Abstract

Serebruany VL, Atar D, Dalesandro MR, O'Connor CM, Gurbel PA. Changes in hemostasis after parenteral magnesium in myocardial ischemia-reperfusion: from animal studies to clinical trials. *Magnes Res* 1998;11(2):133-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9675757&dopt=Abstract

Sermet A, Aybak M, Ulak G, Guzel C, Denli O. Effect of oral pyridoxine hydrochloride supplementation on in vitro platelet sensitivity to different agonists. *Arzneimittelforschung* 1995;45(1):19-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7893263&dopt=Abstract

Shah MC, Schwarz KB. Hazards of small amounts of heparin in a patient with subclinical vitamin K deficiency. *JPEN J Parenter Enteral Nutr* 1989;13(3):324-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2503646&dopt=Abstract

Sharma KK, Sharma SP, Arora RC. Some observations on the mechanism of fibrinolytic enhancing effect of garlic during alimentary lipaemia in man. *J Postgrad Med* 1978;24(2):98-102. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=722609&dopt=Abstract

Sharma RK, Marwaha N, Kumar P, Narang A. Effect of oral water soluble vitamin K on PIVKA-II levels in newborns. *Indian Pediatr* 1995;32(8):863-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8635828&dopt=Abstract

- Shaw D, Leon C, Kolev S, Murray V. Traditional remedies and food supplements. A 5-year toxicological study (1991-1995). *Drug Saf* 1997;17(5):342-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9391777&dopt=Abstract
- Shaw HS, Kroll DJ. The convergence of herb pharmacodynamics and herb-drug interactions on hemostasis. *Altern Ther Health Med* 2001;7(6):46-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11712470&dopt=Abstract
- Shearer MJ, Vitamin K. *Lancet* 1995;345(8944):229-34. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7823718&dopt=Abstract
- Shechter M, Merz CN, Paul-Labrador M, Meisel SR, Rude RK, Molloy MD, Dwyer JH, Shah PK, Kaul S. Oral magnesium supplementation inhibits platelet-dependent thrombosis in patients with coronary artery disease. *Am J Cardiol* 1999;84(2):152-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10426331&dopt=Abstract
- Shechter M, Merz CN, Rude RK, Paul Labrador MJ, Meisel SR, Shah PK, Kaul S. Low intracellular magnesium levels promote platelet-dependent thrombosis in patients with coronary artery disease. *Am Heart J* 2000;140(2):212-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10925332&dopt=Abstract
- Shechter M, Merz CN, Paul-Labrador M, Meisel SR, Rude RK, Molloy MD, Dwyer JH, Shah PK, Kaul S. Beneficial antithrombotic effects of the association of pharmacological oral magnesium therapy with aspirin in coronary heart disease patients. *Magnes Res* 2000;13(4):275-84. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11153897&dopt=Abstract
- Sheen SR, Spiller HA, Grossman D. Symptomatic brodifacoum ingestion requiring high-dose phytonadione therapy. *Vet Hum Toxicol* 1994;36(3):216-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8066968&dopt=Abstract
- Shen TY, Hwang SB, Chang MN, Doepper TW, Lam MH, Wu MS, Wang X, Han GQ, Li RZ. Characterization of a platelet-activating factor receptor antagonist isolated from haifenteng (Piper futokadsura): specific inhibition of in vitro and in vivo platelet-activating factor-induced effects. *Proc Natl Acad Sci U S A* 1985;82(3):672-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2983307&dopt=Abstract
- Shen D, Shen L, Wang AL. [Effect of xiaoyu pian on new platelet aggregation defect]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1994;14(10):589-91. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7719089&dopt=Abstract
- Shen D. SJAMP-induced platelet aggregation defect. *Chin Med J (Engl)* 1996;109(1):46-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8758364&dopt=Abstract
- Shen JG, Guo ZG, Tong L. [Mechanisms of yiqi tongluo pill on oxygen free radicals, nitric oxide and fibrinolysis in coronary heart diseases and hypertension patients]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1997;17(7):410-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10322861&dopt=Abstract
- Shen Z, Chen Z, Li L, Lei W, Hao X. Antiplatelet and antithrombotic effects of the diterpene spiramine Q from *Spiraea japonica* var. incisa. *Planta Med* 2000;66(3):287-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10821062&dopt=Abstract

- Sherry S. Fibrinolytic agents. Dis Mon 1969;3:32. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4241828&dopt=Abstract
- Shershevskii MG. [Ascorbic acid and fibrinolysis in atherosclerosis]. Kardiologija 1965;5(4):64-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5880735&dopt=Abstract
- Shershevskii MG, Rassokhin VM. [Effects of iodine on the blood coagulation, anticoagulation and fibrinolytic systems in patients with atherosclerosis]. Kardiologija 1966;6(1):74-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5970414&dopt=Abstract
- Shetty HG, Backhouse G, Bentley DP, Routledge PA. Effective reversal of warfarin-induced excessive anticoagulation with low dose vitamin K1. Thromb Haemost 1992;67(1):13-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1615468&dopt=Abstract
- Sheu JR, Kan YC, Hung WC, Ko WC, Yen MH. Mechanisms involved in the antiplatelet activity of tetramethylpyrazine in human platelets. Thromb Res 1997;88(3):259-70. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9526946&dopt=Abstract
- Sheu JR, Kan YC, Hung WC, Su CH, Lin CH, Lee YM, Yen MH. The antiplatelet activity of rutaecarpine, an alkaloid isolated from *Evodia rutaecarpa*, is mediated through inhibition of phospholipase C. Thromb Res 1998;92(2):53-64. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9792112&dopt=Abstract
- Sheu JR, Hung WC, Wu CH, Lee YM, Yen MH. Antithrombotic effect of rutaecarpine, an alkaloid isolated from *Evodia rutaecarpa*, on platelet plug formation in vivo experiments. Br J Haematol 2000;110(1):110-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10930986&dopt=Abstract
- Sheu JR, Kan YC, Hung WC, Lin CH, Yen MH. The antiplatelet activity of tetramethylpyrazine is mediated through activation of NO synthase. Life Sci 2000;67(8):937-47. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10946853&dopt=Abstract
- Shiao MS. Natural products of the medicinal fungus *Ganoderma lucidum*: occurrence, biological activities, and pharmacological functions. Chem Rec 2003;3(3):172-80. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12900937&dopt=Abstract
- Shimizu M, Hatta Y, Hayashi H, Itokawa M, Yanagisawa Y. Effect of ascorbic acid on fibrinolysis. Nippon Ketsueki Gakkai Zasshi 1970;33(1):137-48. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5530148&dopt=Abstract
- Shults CW, Beal MF, Fontaine D, Nakano K, Haas RH. Absorption, tolerability, and effects on mitochondrial activity of oral coenzyme Q10 in parkinsonian patients. Neurology 1998;50(3):793-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9521279&dopt=Abstract
- Siani A, Pagano E, Iacone R, Iacoviello L, Scopacasa F, Strazzullo P. Blood pressure and metabolic changes during dietary L-arginine supplementation in humans. Am J Hypertens 2000;13(5 Pt 1):547-51. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10826408&dopt=Abstract

Sie P. [How do we manage the hemorrhagic risk on hypovitaminosis K and treatments with antivitamin K]. Ann Fr Anesth Reanim 1998;17 Suppl 1:14s-17s. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9750673&dopt=Abstract

Siegel G, Walter A, Engel S, Walper A, Michel F. [Pleiotropic effects of garlic]. Wien Med Wochenschr 1999;149(8-10):217-24. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10483684&dopt=Abstract

Sierpina VS. Use of herbal medications before surgery. JAMA 2001;286(20):2543; author reply 2543-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11722257&dopt=Abstract

Simopoulos AP. Omega-3 fatty acids and antioxidants in edible wild plants. Biol Res 2004;37(2):263-77. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15455656&dopt=Abstract

Singh M. Vitamin K during infancy: current status and recommendations. Indian Pediatr 1997;34(8):708-12. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9492399&dopt=Abstract

Sirdofsky M, Kattah J, Macedo P. Intracranial hypertension in a dieting patient. J Neuroophthalmol 1994;14(1):9-11. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8032485&dopt=Abstract

Skogh M. Extracts of Ginkgo biloba and bleeding or haemorrhage. Lancet 1998;352(9134):1145-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9798614&dopt=Abstract

Skrha J, Sindelka G, Kvasnicka J, Hilgertova J. Insulin action and fibrinolysis influenced by vitamin E in obese Type 2 diabetes mellitus. Diabetes Res Clin Pract 1999;44(1):27-33. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10414937&dopt=Abstract

Slattery JM. Why we need a clinical trial for vitamin K. Br Med J 1994;308(6933):908-10. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8173376&dopt=Abstract

Smith EC, Skalski RJ, Johnson GC, Rossi GV. Interaction of ascorbic acid and warfarin. JAMA 1972;221(10):1166. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4679014&dopt=Abstract

Smith P, Arnesen H, Opstad T, Dahl K, Ertsland J. Influence of highly concentrated N-3 fatty acids on serum lipids and hemostatic variables in survivors of myocardial infarction receiving either oral anticoagulants or matching placebo. Thromb Res 1989;53(5):467-474. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2660319&dopt=Abstract

Smith PF, MacLennan K, Darlington CL. The neuroprotective properties of the Ginkgo biloba leaf: a review of the possible relationship to platelet-activating factor (PAF). J Ethnopharmacol 1996;50(3):131-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8691847&dopt=Abstract

Smith L, Ernst E, PaulEwings, Myers P, Smith C. Co-ingestion of herbal medicines and warfarin. Br J Gen Pract 2004;54(503):439-41. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15186565&dopt=Abstract

Son DJ, Cho MR, Jin YR, Kim SY, Park YH, Lee SH, Akiba S, Sato T, Yun YP. Antiplatelet effect of green tea catechins: a possible mechanism through arachidonic acid pathway. Prostaglandins Leukot Essent Fatty Acids 2004;71(1):25-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15172681&dopt=Abstract

Sorensen JD, Olsen SF, Secher NJ, Jespersen J. Effects of fish oil supplementation in late pregnancy on blood lipids, serum urate, coagulation and fibrinolysis. A randomised controlled study. Fibrinolysis 1994;8(1):54-60.

Sorokovoi KV, Pogozheva AV, Kulakova SN, Lupinovich VL, Karagodina ZV, Levachev MM, Samsonov MA, Vorsanovich EA. [Study of metabolic and clinical effects of polyunsaturated fatty acids omega-3 from "Eicovit" in patients with ischemic heart disease and familial hyperlipoproteinemia]. Vopr Pitan 1998(2):29-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9680669&dopt=Abstract

Souto JC, Almasy L, Borrell M, Stone WH, Blanco-Vaca F, Soria JM, Blangero J, Fontcuberta J. Thromboplastin-thrombomodulin-mediated time and serum folate levels are genetically correlated with the risk of thromboembolic disease: results from the GAIT project. Thromb Haemost 2002;87(1):68-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11848458&dopt=Abstract

Spigset O. Reduced effect of warfarin caused by ubidecarenone. Lancet 1994;344(8933):1372-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7968059&dopt=Abstract

Srivastava KC. Effects of dietary fatty acids, prostaglandins and related compounds on the role of platelets in thrombosis. Biochem Exp Biol 1980;16(3):317-38. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6268128&dopt=Abstract

Srivastava KC. Evidence for the mechanism by which garlic inhibits platelet aggregation. Prostaglandins Leukot Med 1986;22(3):313-21. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3088604&dopt=Abstract

Stampfer MJ, Jakubowski JA, Faigel D, Vaillancourt R, Deykin D. Vitamin E supplementation effect on human platelet function, arachidonic acid metabolism, and plasma prostacyclin levels. Am J Clin Nutr 1988;47(4):700-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3128100&dopt=Abstract

Stanger O, Herrmann W, Pietrzik K, Fowler B, Geisel J, Dierkes J, Weger M. Clinical use and rational management of homocysteine, folic acid, and B vitamins in cardiovascular and thrombotic diseases. Z Kardiol 2004;93(6):439-53. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15252738&dopt=Abstract

Stanojevic M, Gjuric G. [Comparison between peroral and intramuscular vitamin K-1 administration to the newborns with prothrombin time of 4-6 weeks old infants]. Paediatr Croat 1995;39(1):7-11.

Steiner M. Effect of alpha-tocopherol administration on platelet function in man. Thromb Haemost 1983;49(2):73-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6868015&dopt=Abstract

Steiner M. Influence of vitamin E on platelet function in humans. J Am Coll Nutr 1991;10(5):466-73. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1955623&dopt=Abstract

Steiner M. Alpha-tocopherol: a potent inhibitor of platelet adhesion. J Nutr Sci Vitaminol (Tokyo) 1992;Spec No:191-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1297738&dopt=Abstract

Steiner M. Vitamin E: more than an antioxidant. Clin Cardiol 1993;16(4 Suppl 1):I16-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8472393&dopt=Abstract

Steiner M, Glantz M, Lekos A. Vitamin E plus aspirin compared with aspirin alone in patients with transient ischemic attacks. Am J Clin Nutr 1995;62(6 Suppl):1381S-1384S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7495235&dopt=Abstract

Steiner M, Li W. Aged garlic extract, a modulator of cardiovascular risk factors: a dose-finding study on the effects of AGE on platelet functions. J Nutr 2001;131(3s):980S-4S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11238801&dopt=Abstract

Steinhauer HB, Kluthe R, Lubrich I, Schollmeyer P. Effect of L-histidine in vivo on human platelet function and arachidonic acid metabolism. Prostaglandins Leukot Med 1985;18(2):245-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3925464&dopt=Abstract

Stirling Y. Warfarin-induced changes in procoagulant and anticoagulant proteins. Blood Coagul Fibrinolysis 1995;6(5):361-73. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8589201&dopt=Abstract

Stoclet JC, Chataigneau T, Ndiaye M, Oak MH, El Bedoui J, Chataigneau M, Schini-Kerth VB. Vascular protection by dietary polyphenols. Eur J Pharmacol 2004;500(1-3):299-313. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15464042&dopt=Abstract

Stone NJ. Fish consumption, fish oil, lipids, and coronary heart disease. Am J Clin Nutr 1997;65(4):1083-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9094898&dopt=Abstract

Straus SE. Herbal medicines--what's in the bottle? N Engl J Med 2002;347(25):1997-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12490680&dopt=Abstract

Striegler G. [Anticoagulants. 43]. Pharm Prax 1969;12:279-87. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4191772&dopt=Abstract

Stuart MJ, Osaki FA. Vitamin E and platelet function. Am J Pediatr Hematol Oncol 1979;1(1):77-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=396795&dopt=Abstract

Su CT, Hung FC, Huang CB. Hemorrhagic disease in a newborn due to inadequate vitamin K prophylaxis: case report. Chang Gung Med J 2000;23(5):309-13. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10916233&dopt=Abstract

Suehiro A, Higasa S, Ueda M, Oura Y, Kakishita E. Combination effect of eicosapentaenoic acid and platelet suppressive agents on platelets. Curr Ther Res Clin Exp 1994;55(6):653-659.

Sullivan DM, Ford MA, Boyden TW. Grapefruit juice and the response to warfarin. Am J Health Syst Pharm 1998;55(15):1581-3. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9706183&dopt=Abstract

Sumiyoshi H. [New pharmacological activities of garlic and its constituents]. Nippon Yakurigaku Zasshi 1997;110 Suppl 1:93P-97P. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9503413&dopt=Abstract

Sutor AH. New aspects of vitamin K prophylaxis. Semin Thromb Hemost 2003;29(4):373-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14517749&dopt=Abstract

- Suttie JW. The biochemical basis of warfarin therapy. *Adv Exp Med Biol* 1987;214:3-16. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3310547&dopt=Abstract
- Suttie JW, Mummah-Schendel LL, Shah DV, Lyle BJ, Greger JL. Vitamin K deficiency from dietary vitamin K restriction in humans. *Am J Clin Nutr* 1988;47(3):475-80. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3348159&dopt=Abstract
- Suttie JW. Vitamin K and human nutrition. *J Am Diet Assoc* 1992;92(5):585-90. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1573141&dopt=Abstract
- Suvarna R, Pirmohamed M, Henderson L. Possible interaction between warfarin and cranberry juice. *Br Med J* 2003;327(7429):1454. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14684645&dopt=Abstract
- Suzuki S. [Changes brought about in blood coagulation in the newborn by administration of vitamin K2. I. Studies of the physiology of coagulation (author's transl)]. *Z Kinderheilkd* 1973;115(3):245-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4770088&dopt=Abstract
- Suzuki S, Maki M, Shirakawa K, Terao T. The effects of vitamin K2 syrup on neonatal hypoprothrombinemia--double blind study. *Nippon Ketsueki Gakkai Zasshi* 1982;45(4):876-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7136474&dopt=Abstract
- Suzuki S, Kanagawa K, Maki M, Shirahawa K, Terao T. [Effect of vitamin K2 syrup in neonatal hypoprothrombinemia]. *Monatsschr Kinderheilkd* 1984;132(5):290-2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6749152&dopt=Abstract
- Suzuki K, Fukushima T, Meguro K, Aoki T, Kamezaki T, Saitoh H, Enomoto T, Nose T. Intracranial hemorrhage in an infant owing to vitamin K deficiency despite prophylaxis. *Childs Nerv Syst* 1999;15(6-7):292-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10461777&dopt=Abstract
- Svaneborg N, Kristensen SD, Hansen LM, Bullow I, Husted SE, Schmidt EB. The acute and short-time effect of supplementation with the combination of n-3 fatty acids and acetylsalicylic acid on platelet function and plasma lipids. *Thromb Res* 2002;105(4):311-316. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12031825&dopt=Abstract
- Takeshita A, Shinjo K, Ohnishi K, Ohno R. Allergic reaction involving liver dysfunction and disseminated intravascular coagulation caused by a health food, Proporis. *Intern Med* 1995;34(12):1207-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8929652&dopt=Abstract
- Tam DA, Jr., Myer EC. Vitamin K-dependent coagulopathy in a child receiving anticonvulsant therapy. *J Child Neurol* 1996;11(3):244-6. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8734031&dopt=Abstract
- Tan YZ. [Research of cellular membrane fluidity and traditional Chinese medicine]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1992;12(11):699-701. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1301854&dopt=Abstract
- Tang QZ, Huang CX, Jiang H. [Effect of buyang huanwu decoction on platelet function and fibrinolytic activity of unstable angina pectoris patients]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1997;17(9):523-5. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10322871&dopt=Abstract

- Tang MK, Ren DC, Zhang JT, Du GH. Effect of salvianolic acids from Radix Salviae miltorrhizae on regional cerebral blood flow and platelet aggregation in rats. *Phytomedicine* 2002;9(5):405-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12222659&dopt=Abstract
- Taylor JR, Wilt VM. Probable antagonism of warfarin by green tea. *Ann Pharmacother* 1999;33(4):426-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10332534&dopt=Abstract
- Teede HJ, Dalais FS, Kotsopoulos D, McGrath BP, Malan E, Gan TE, Peverill RE. Dietary soy containing phytoestrogens does not activate the hemostatic system in postmenopausal women. *J Clin Endocrinol Metab* 2005;90(4):1936-1941. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15657372&dopt=Abstract
- Temme EH, Mensink RP, Hornstra G. Effects of diets enriched in lauric, palmitic or oleic acids on blood coagulation and fibrinolysis. *Thromb Haemost* 1999;81(2):259-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10064003&dopt=Abstract
- Tenenbein M, Israels SJ. Early coagulopathy in severe iron poisoning. *J Pediatr* 1988;113(4):695-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3171793&dopt=Abstract
- Teng CM, Yu SM, Chen CC, Huang YL, Huang TF. EDRF-release and Ca⁺⁺-channel blockade by magnolol, an antiplatelet agent isolated from Chinese herb Magnolia officinalis, in rat thoracic aorta. *Life Sci* 1990;47(13):1153-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2172682&dopt=Abstract
- Tessler L. [Bromelines in phlebology]. *Phlebologie* 1965;18(2):137-41. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5829341&dopt=Abstract
- Tholstrup T, Marckmann P, Jespersen J, Vessby B, Jart A, Sandstrom B. Effect on blood lipids, coagulation, and fibrinolysis of a fat high in myristic acid and a fat high in palmitic acid. *Am J Clin Nutr* 1994;60(6):919-25. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7985634&dopt=Abstract
- Thomas PR. Supplement use among US adults: Implications for the dietetics professional. *J Am Diet Assoc* 2004;104(6):950-951. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15175593&dopt=Abstract
- Thomson C, Diekman C, Fragakis AS, Meerschaert C, Holler H, Devlin C. Guidelines regarding the recommendation and sale of dietary supplements. *J Am Diet Assoc* 2002;102(8):1158-64. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12171465&dopt=Abstract
- Thorngren M, Gustafson A. Effects of 11-week increases in dietary eicosapentaenoic acid on bleeding time, lipids, and platelet aggregation. *Lancet* 1981;2(8257):1190-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6118628&dopt=Abstract
- Thorngren M, Gustafson A, Wohlfart G. Effects of acetylsalicylic acid on platelet aggregation before and during increase in dietary eicosapentaenoic acid. *Haemostasis* 1983;13(4):244-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6311694&dopt=Abstract
- Thorp JA, Caspers DR, Cohen GR, Zucker ML, Strope BD, McKenzie DR. The effect of combined antenatal vitamin K and phenobarbital therapy on umbilical blood coagulation studies in infants less than 34 weeks' gestation. *Obstet Gynecol* 1995;86(6):982-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7501353&dopt=Abstract

Tofler GH, Stec JJ, Stubbe I, Beadle J, Feng D, Lipinska I, Taylor A. The effect of vitamin C supplementation on coagulability and lipid levels in healthy male subjects. *Thromb Res* 2000;100(1):35-41. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11053614&dopt=Abstract

Toft I, Bonaa KH, Ingebretsen OC, Nordoy A, Jenssen T. Fibrinolytic function after dietary supplementation with omega3 polyunsaturated fatty acids. *Arterioscler Thromb Vasc Biol* 1997;17(5):814-819. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9157942&dopt=Abstract

Tognoni G, Avanzini F, Pangrazzi J, Roncaglioni MC, Bertele V, De Gaetano G, Caimi V, Tombesi M, Colombo F, Barlera S, Clerici F, Palumbo A, Sgaroni G, Geraci E, Del Favero A, Decarli A, Alli C, Beghi E, Coen D, Volpi A, Accattoli P, Agneta A, Alberino S, Amoroso U, Angeletti M, Antiga G, Ariutti R, Armani F, Bacci G, Balzan C, Banchi G, Barba G, Baron P, Barone A, Bartoli M, Bartoli PL, Barucca G, Bedon R, Bellini M, Bencivenni A, Benetti R, Beretta E, Bertini L, Bertolissi S, Berton G, Besozzi E, Bevilacqua S, Bianchi A, Bigotto D, Bini MI, Bizzarri G, Boldini L, Bosisio Pioltelli M, Bossi S, Bozzetto RM, Brizzi A, Bruno B, Bussorti A, Buzzatti A, Cadioli T, Calciano FP, Calderini L, Calienno S, Caltaginone P, Cancian M, Cantamessa GL, Caporali N, Carli M, Cascini G, Casella P, Casella M, Caso C, Cassanelli M, Catalano A, Cavallini M, Cazzaniga F, Cedaro P, Celia M, Celli L, Chiara P, Ciardullo AV, Ciccone G, Ciociano C, Cipolla A, Ciprietti E, Cocco L, Cocconi F, Conio S, Corasaniti F, Cozzani L, Cressotti ML, Cuozzo E, Cusmai L, D'Errico GB, D'Innocente G, De Angelis C, De Chirico C, De Grandi M, et al. Low-dose aspirin and vitamin E in people at cardiovascular risk: A randomised trial in general practice. *Lancet* 2001;357(9250):89-95. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11197445&dopt=Abstract

Tohgi N. Effect of (alpha)-linolenic acid-containing linseed oil on coagulation in type 2 diabetes. *Diabetes Care* 2004;27(10):2563-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15451940&dopt=Abstract

Tomer A, Kasey S, Connor WE, Clark S, Harker LA, Eckman JR. Reduction of pain episodes and prothrombotic activity in sickle cell disease by dietary n-3 fatty acids. *Thromb Haemost* 2001;85(6):966-74. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11434703&dopt=Abstract

Tousoulis D, Antoniades C, Tountas C, Bosinakou E, Kotsopoulos M, Toutouzas P, Stefanadis C. Vitamin C affects thrombosis/ fibrinolysis system and reactive hyperemia in patients with type 2 diabetes and coronary artery disease. *Diabetes Care* 2003;26(10):2749-53. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14514574&dopt=Abstract

Tran MT, Mitchell TM, Kennedy DT, Giles JT. Role of coenzyme Q10 in chronic heart failure, angina, and hypertension. *Pharmacotherapy* 2001;21(7):797-806. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11444576&dopt=Abstract

Tranquilli AL, Mazzanti L, Staffolani R, Salvolini E, Garzetti GG, Romanini C. Functional platelet modifications induced by oral magnesium supplementation in normotensive and hypertensive pregnancy. *Boll Soc Ital Biol Sper* 1994;70(10-11):249-56. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7702828&dopt=Abstract

Tremoli E, Maderna P, Marangoni F, Colli S, Eligini S, Catalano I, Angeli MT, Pazzucconi F, Gianfranceschi G, Davi G. Prolonged inhibition of platelet aggregation after n-3 fatty acid ethyl ester ingestion by healthy volunteers. *Am J Clin Nutr* 1995;61(3):607-13. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7872228&dopt=Abstract

- Trifiletti A, Scamardi R, Gaudio A, Lasco A, Frisina N. Hemostatic effects of diets containing olive or soy oil in hypertensive patients. *J Thromb Haemost* 2005;3(1):179-180. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15634286&dopt=Abstract
- Tsai AC, Kelley JJ, Peng B, Cook N. Study on the effect of megavitamin E supplementation in man. *Am J Clin Nutr* 1978;31(5):831-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=347918&dopt=Abstract
- Tsen LC, Segal S, Pothier M, Bader AM. Alternative medicine use in presurgical patients. *Anesthesiology* 2000;93(1):148-51. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10861158&dopt=Abstract
- Tsuruta K, Ogawa H, Yasue H, Sakamoto T, Miyao Y, Tanae H, Kaiga K. Effect of purified eicosapentaenoate ethyl ester on fibrinolytic capacity in patients with stable coronary artery disease and lower extremity ischaemia. *Coronary Artery Disease* 1996;7(11):837-842. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8993942&dopt=Abstract
- Tsutaoka BT, Miller M, Fung SM, Patel MM, Olson KR. Superwarfarin and glass ingestion with prolonged coagulopathy requiring high-dose vitamin K1 therapy. *Pharmacotherapy* 2003;23(9):1186-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14524650&dopt=Abstract
- Turazza G, Spreafico PL, Frandoli G. Comparative investigations on the effect of nicotinic acid alone and in association with a synthetic, heparin-like sulfated polyanion on fibrinolysis, platelet aggregation and lipidic fractions. *Arzneimittelforschung* 1973;23(5):654-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4575777&dopt=Abstract
- Turini ME, Powell WS, Behr SR, Holub BJ. Effects of a fish-oil and vegetable-oil formula on aggregation and ethanolamine-containing lysophospholipid generation in activated human platelets and on leukotriene production in stimulated neutrophils. *Am J Clin Nutr* 1994;60(5):717-24. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7942578&dopt=Abstract
- Turpeinen AM, Pajari AM, Freese R, Sauer R, Mutanen M. Replacement of dietary saturated by unsaturated fatty acids: Effects on platelet protein kinase C activity, urinary content of 2,3-dinor-TXB₂ and in vitro platelet aggregation in healthy man. *Thromb Haemost* 1998;80(4):649-655. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9798986&dopt=Abstract
- Udut VV, Kairov GT, Borodulina EV, V'Iugova L M. [The duration of the action of a single dose of aspirin, kurantil and nicotinic acid during pregnancy complicated by EPH gestosis]. *Eksp Klin Farmakol* 1999;62(3):37-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10439946&dopt=Abstract
- Ulusahin N, Arsan S, Ertogan F. Effects of oral and intramuscular vitamin K prophylaxis on PIVKA-II assay parameters in breastfed infants in Turkey. *Turk J Pediatr* 1996;38(3):295-300. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8827897&dopt=Abstract
- Unchern S, Laoharuangpanya N, Phumala N, Sipankapracha P, Pootrakul P, Fuchareon S, Wanachivanawin W, Chantharaksri U. The effects of vitamin E on platelet activity in beta-thalassaemia patients. *Br J Haematol* 2003;123(4):738-744. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14616980&dopt=Abstract
- Undeland I, Ellegard L, Sandberg A-S. Fish and cardiovascular health. *Scan J Nutr* 2004;48(3):119-130.

- Uner A, Caliskan U, Oner AF, Koc H, Kasap AF. Platelet functions in patients with protein-energy malnutrition. *Clin Appl Thromb Hemost* 2001;7(4):286-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11697710&dopt=Abstract
- Urakaze M, Hamazaki T, Yano S, Kashiwabara H, Oomori K, Yokoyama T. Effect of fish oil concentrate on risk factors of cardiovascular complications in renal transplantation. *Transplant Proc* 1989;21(1 Pt 2):2134-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2652688&dopt=Abstract
- Usui Y, Tanimura H, Nishimura N, Kobayashi N, Okanoue T, Ozawa K. Vitamin K concentrations in the plasma and liver of surgical patients. *Am J Clin Nutr* 1990;51(5):846-52. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2333843&dopt=Abstract
- Vaes LP, Chyka PA. Interactions of warfarin with garlic, ginger, ginkgo, or ginseng: nature of the evidence. *Ann Pharmacother* 2000;34(12):1478-82. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11144706&dopt=Abstract
- Vakrilova L, Mladenova A, Sluncheva B. [Coagulation tests in newborn infants and their dynamics in relation to vitamin K prophylaxis]. Akush Ginekol (Sofia) 1993;32(3):20-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8037311&dopt=Abstract
- Vakrilova L, Sluncheva B, Mladenova A. [The effects of intramuscular and oral prophylaxis with vitamin K on the coagulation status of low-weight newborn infants]. Akush Ginekol (Sofia) 1995;34(1):12-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7485790&dopt=Abstract
- Valdes S, Arruzazabala ML, Fernandez L, Mas R, Carballo D, Aleman C, Molina V. Effect of policosanol on platelet aggregation in healthy volunteers. *Int J Clin Pharmacol Res* 1996;16(2-3):67-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9063758&dopt=Abstract
- Vale S. Subarachnoid haemorrhage associated with Ginkgo biloba. *Lancet* 1998;352(9121):36. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9800751&dopt=Abstract
- van Dam-Mieras MC, Hemker HC. Half-life time and control frequency of vitamin K-dependent Coagulation factors. Theoretical considerations on the place of factor VII in the control of oral anticoagulation therapy. *Haemostasis* 1983;13(3):201-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6350124&dopt=Abstract
- van den Besselaar AM. Magnesium and manganese ions accelerate tissue factor-induced coagulation independently of factor IX. *Blood Coagul Fibrinolysis* 2002;13(1):19-23. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11994563&dopt=Abstract
- Van Dokkum W, Van der Torre HW, Schaafsmma G, Kistemaker C, Ockhuizen T. Supplementation with selenium-rich bread does not influence platelet aggregation in healthy volunteers. *Eur J Clin Nutr* 1992;46(6):445-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1639053&dopt=Abstract
- van Hasselt PM, Houwen RH, van Dijk AT, de Koning TJ. [Vitamin K deficiency bleeding in an infant despite adequate prophylaxis]. *Ned Tijdschr Geneeskd* 2003;147(16):737-40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12731461&dopt=Abstract

- van Iersel MD, Blenke AA, Kremer HP, Hekster YA. [A patient with lessened sensitivity to acenocoumarol during a period of enteral feeding]. Ned Tijdschr Geneeskd 2004;148(23):1155-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15211967&dopt=Abstract
- van Poppel G, Hospers J, Nieuwenhuizen W, Laterveer R. No influence of beta-carotene on haemostatic balance in healthy male smokers. Blood Coagul Fibrinolysis 1995;6(1):55-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7795155&dopt=Abstract
- van Wyk V, Luus HG, Heyns AD. The in vivo effect in humans of pyridoxal-5'-phosphate on platelet function and blood coagulation. Thromb Res 1992;66(6):657-68. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1519226&dopt=Abstract
- Vaynshtein G, Rosenbaum H, Groisman GM, Markel A. Celiac sprue presenting as severe hemorrhagic diathesis due to vitamin K deficiency. Isr Med Assoc J 2004;6(12):781-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15609898&dopt=Abstract
- Verma SK, Singh J, Khamesra R, Bordia A. Effect of ginger on platelet aggregation in man. Indian J Med Res 1993;98(OCT.):240-242. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8119760&dopt=Abstract
- Verma SK, Bordia A. Ginger, fat and fibrinolysis. Indian J Med Sci 2001;55(2):83-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11482162&dopt=Abstract
- Vermeer C, Knapen MH, Jie KS, Grobbee DE. Physiological importance of extra-hepatic vitamin K-dependent carboxylation reactions. Ann N Y Acad Sci 1992;669:21-31; discussion 31-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1444027&dopt=Abstract
- Verstraete M. Prevention of thrombosis in arteries: novel approaches. J Cardiovasc Pharmacol 1985;7 Suppl 3:S191-205. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2409394&dopt=Abstract
- Veveris M, Koch E, Chatterjee SS. Crataegus special extract WS 1442 improves cardiac function and reduces infarct size in a rat model of prolonged coronary ischemia and reperfusion. Life Sci 2004;74(15):1945-55. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14761675&dopt=Abstract
- Vianelli N, Gugliotta L, Gianni L, Belmonte MM, Catani L, Tura S. Ascorbic acid for the treatment of chronic refractory idiopathic thrombocytopenic purpura (ITP). Haematologica 1992;77(1):92-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1398290&dopt=Abstract
- Vicario IM, Malkova D, Lund EK, Johnson IT. Olive oil supplementation in healthy adults: effects in cell membrane fatty acid composition and platelet function. Ann Nutr Metab 1998;42(3):160-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9657460&dopt=Abstract
- Violi F, Micheletta F, Iuliano L. Vitamin E, atherosclerosis and thrombosis. Thromb Haemost 2001;85(5):766-70. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11372665&dopt=Abstract

- von Kries R, Reifenhäuser A, Gobel U, McCarthy P, Shearer MJ, Barkhan P. Late onset haemorrhagic disease of newborn with temporary malabsorption of vitamin K1. Lancet 1985;1(8436):1035. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2859476&dopt=Abstract
- von Kries R, Gobel U. Vitamin K prophylaxis: oral or parenteral? Am J Dis Child 1988;142(1):14-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3341297&dopt=Abstract
- von Kries R. Vitamin K prophylaxis--a useful public health measure? Paediatr Perinat Epidemiol 1992;6(1):7-13. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1553320&dopt=Abstract
- von Kries R, Greer FR, Suttie JW. Assessment of vitamin K status of the newborn infant. J Pediatr Gastroenterol Nutr 1993;16(3):231-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8492247&dopt=Abstract
- von Kries R, Hanawa Y. Neonatal vitamin K prophylaxis. Report of Scientific and Standardization Subcommittee on Perinatal Haemostasis. Thromb Haemost 1993;69(3):293-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8470054&dopt=Abstract
- von Kries R. Oral versus intramuscular phytomenadione: safety and efficacy compared. Drug Saf 1999;21(1):1-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10433349&dopt=Abstract
- von Schacky C, Weber PC. Metabolism and effects on platelet function of the purified eicosapentaenoic and docosahexaenoic acids in humans. J Clin Invest 1985;76(6):2446-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3001149&dopt=Abstract
- Voronkov MG. Biological activity of silatrane. Top Curr Chem 1979;84:77-135. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=388722&dopt=Abstract
- Walker T, Singh PK, Wyatt KM, O'Brien PMS. The effect of prostanoid precursors and inhibitors on platelet angiotensin II binding. J Obstet Gynaecol 1999;19(1):56-58. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15512224&dopt=Abstract
- Wang Z, Roberts JM, Grant PG, Colman RW, Schreiber AD. The effect of a medicinal Chinese herb on platelet function. Thromb Haemost 1982;48(3):301-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6298967&dopt=Abstract
- Wang J, Xu J, Zhong JB. [Effect of Radix notoginseng saponins on platelet activating molecule expression and aggregation in patients with blood hyperviscosity syndrome]. Zhongguo Zhong Xi Yi Jie He Za Zhi 2004;24(4):312-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15143716&dopt=Abstract
- Wang J, Jing L, Zhong JB, Wang YY, Ma LH, Liu JG. [Clinical study on compatibility and dismantlement of Xuefu Zhuyu decoction]. Zhongguo Zhong Yao Za Zhi 2004;29(8):803-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15506300&dopt=Abstract
- Wang N. Effect of the principle of activating blood circulation to break stasis on GMP-140 and D2 dimer in patients with acute cerebral infarction. Chin J Integr Med 2005;11(1):69-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15975314&dopt=Abstract

- Wasantapruék S, Poolsuppasit S, Pibolnukarinr O. Enhanced fibrinolytic activity after capsaicin ingestion. *N Engl J Med* 1974;290(22):1259-60. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4825858&dopt=Abstract
- Weibert RT, Dzung The L, Kayser SR, Rapaport SI. Correction of excessive anticoagulation with low-dose oral vitamin K 1. *Ann Intern Med* 1997;126(12):959-962. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9182473&dopt=Abstract
- Weiner M. Clinical pharmacology and pharmacokinetics of nicotinic acid. *Drug Metab Rev* 1979;9(1):99-106. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=376259&dopt=Abstract
- Weitz JI, Hirsh J, Samama MM. New anticoagulant drugs: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126(3 Suppl):265S-286S. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15383475&dopt=Abstract
- Weitzel JN, Sadowski JA, Furie BC, Moroose R, Kim H, Mount ME, Murphy MJ, Furie B. Surreptitious ingestion of a long-acting vitamin K antagonist/rodenticide, brodifacoum: clinical and metabolic studies of three cases. *Blood* 1990;76(12):2555-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2265249&dopt=Abstract
- Wensing AG, Mensink RP, Hornstra G. Effects of dietary n-3 polyunsaturated fatty acids from plant and marine origin on platelet aggregation in healthy elderly subjects. *Br J Nutr* 1999;82(3):183-91. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10655965&dopt=Abstract
- Weschler A, Aviram M, Levin M, Better OS, Brook JG. High dose of L-carnitine increases platelet aggregation and plasma triglyceride levels in uremic patients on hemodialysis. *Nephron* 1984;38(2):120-4. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6472539&dopt=Abstract
- Westerveld HT, de Graaf JC, van Breugel HH, Akkerman JW, Sixma JJ, Erkelens DW, Banga JD. Effects of low-dose EPA-E on glycemic control, lipid profile, lipoprotein(a), platelet aggregation, viscosity, and platelet and vessel wall interaction in NIDDM. *Diabetes Care* 1993;16(5):683-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8495604&dopt=Abstract
- Wheaton DH, Hoffman DR, Locke KG, Watkins RB, Birch DG. Biological safety assessment of docosahexaenoic acid supplementation in a randomized clinical trial for X-linked retinitis pigmentosa. *Arch Ophthalmol* 2003;121(9):1269-78. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12963609&dopt=Abstract
- White JG, Rao GH, Gerrard JM. Vitamin E and platelets: cooperative interactions with nitroblue tetrazolium on inhibition of adhesion, aggregation and secretion. *Am J Pediatr Hematol Oncol* 1979;1(2):155-68. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=396798&dopt=Abstract
- White RH, Minton SM, Andya MD, Hutchinson R. Temporary reversal of anticoagulation using oral vitamin K. *J Thromb Trombolysis* 2000;10(2):149-153. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11005937&dopt=Abstract
- Whiting AM, Bussey HI, Lyons RM. Comparing different routes and doses of phytonadione for reversing excessive anticoagulation. *Arch Intern Med* 1998;158(19):2136-40. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9801181&dopt=Abstract

Wilkinson IB, Megson IL, MacCallum H, Sogo N, Cockcroft JR, Webb DJ. Oral vitamin C reduces arterial stiffness and platelet aggregation in humans. *J Cardiovasc Pharmacol* 1999;34(5):690-3. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10547085&dopt=Abstract

Willems HPJ, Den Heijer M, Bos GMJ. Homocysteine and venous thrombosis: Outline of a vitamin intervention trial. *Semin Thromb Hemost* 2000;26(3):297-304. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11011847&dopt=Abstract

Williams JC, Forster LA, Tull SP, Wong M, Bevan RJ, Ferns GA. Dietary vitamin E supplementation inhibits thrombin-induced platelet aggregation, but not monocyte adhesiveness, in patients with hypercholesterolaemia. *Int J Exp Pathol* 1997;78(4):259-66. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9505937&dopt=Abstract

Wilson SE, Watson HG, Crowther MA. Low-dose oral vitamin K therapy for the management of asymptomatic patients with elevated international normalized ratios: a brief review. *Can Med Assoc J* 2004;170(5):821-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14993179&dopt=Abstract

Windrum P, Hull DR, Morris TC. Herb-drug interactions. *Lancet* 2000;355(9208):1019-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10768466&dopt=Abstract

Winther K, Kharazmi A, Himmelstrup H, Drabaek H, Mehlsen J. PADMA-28, a botanical compound, decreases the oxidative burst response of monocytes and improves fibrinolysis in patients with stable intermittent claudication. *Fibrinolysis* 1994;8(SUPPL. 2):47-49.

Wiss O, Gloor U. Nature and distribution of terpene quinones. *Biochem Soc Symp* 1970;29:79-87. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4944439&dopt=Abstract

Wittkowsky AK. Drug interactions update: Drugs, herbs, and oral anticoagulation. *J Thromb Trombolysis* 2001;12(1):67-71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11711691&dopt=Abstract

Wjasow C, McNamara R. Anaphylaxis after low dose intravenous vitamin K. *J Emerg Med* 2003;24(2):169-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12609647&dopt=Abstract

Wolf A, Zalpour C, Theilmeier G, Wang B, Ma A, Anderson B, Tsao PS, Cooke JP. Dietary L-arginine supplementation normalizes platelet aggregation in hypercholesterolemic humans. *J Am Coll Cardiol* 1997;29(3):479-485. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9060881&dopt=Abstract

Wolters M, Strohle A, Hahn A. Cobalamin: a critical vitamin in the elderly. *Prev Med* 2004;39(6):1256-66. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15539065&dopt=Abstract

Wong DA, McMulloch JA. Heads up on herbals. *Spine J* 2001;1(6):446. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14626234&dopt=Abstract

Wong AL, Chan TY. Interaction between warfarin and the herbal product quilinggao. *Ann Pharmacother* 2003;37(6):836-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12773074&dopt=Abstract

- Wong RS, Cheng G, Chan TY. Use of herbal medicines by patients receiving warfarin. *Drug Saf* 2003;26(8):585-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12825970&dopt=Abstract
- Woodman RJ, Mori TA, Burke V, Puddey IB, Barden A, Watts GF, Beilin LJ. Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. *Atherosclerosis* 2003;166(1):85-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12482554&dopt=Abstract
- Wozny E, Szostak WB, Mirkiewicz E, Michorowska M, Wisniewska B. The influence of soya-bean oil in the diet on circulating platelet aggregates. *Zywienie Czlowieka* 1984;11(1):75-8.
- Wren KR, Kimball S, Norred CL. Use of complementary and alternative medications by surgical patients. *J Perianesth Nurs* 2002;17(3):170-7. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12046012&dopt=Abstract
- Wu HP, Tai TY, Chuang LM, Lin BJ, Wang JD, Teng CM. Effect of tocopherol on platelet aggregation in non-insulin-dependent diabetes mellitus: ex vivo and in vitro studies. *J Formos Med Assoc* 1992;91(3):270-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1354687&dopt=Abstract
- Wynn RL, Bergman SA. Drugs and herbal remedies that affect blood clotting. *Gen Dent* 2002;50(6):484-8, 490. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12572177&dopt=Abstract
- Yabusaki K. [Analysis of manganese-induced platelet aggregation]. *Rinsho Byori* 1997;Suppl 104:89-98. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9128369&dopt=Abstract
- Yang YM, Simon N, Maertens P, Brigham S, Liu P. Maternal-fetal transport of vitamin K1 and its effects on coagulation in premature infants. *J Pediatr* 1989;115(6):1009-13. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2585215&dopt=Abstract
- Yang YF, Zhou AX, Ma R. [Progress in the study of traditional Chinese medicine in idiopathic thrombocytopenic purpura]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1994;14(11):699-702. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7703640&dopt=Abstract
- Yang M, Collis CS, Kelly M, Diplock AT, Rice-Evans C. Do iron and vitamin C co-supplementation influence platelet function or LDL oxidizability in healthy volunteers? *Eur J Clin Nutr* 1999;53(5):367-74. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10369491&dopt=Abstract
- Yasaka M, Sakata T, Minematsu K, Naritomi H. Correction of INR by prothrombin complex concentrate and vitamin K in patients with warfarin related hemorrhagic complication. *Thromb Res* 2002;108(1):25-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12586128&dopt=Abstract
- Yasunaga K. [Comparative studies on the effectiveness of vitamin K1 and vitamin K2]. *Naika Hokan* 1970;17(9):279-83. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5531458&dopt=Abstract
- Yazdanparast R, Mianabadi M. The effect of the active component of Dendrostellera lessertii on the adhesive property of human platelets and HL-60 cells. *Life Sci* 2004;75(6):733-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15172181&dopt=Abstract

Yoon SJ, Pereira MS, Pavao MS, Hwang JK, Pyun YR, Mourao PA. The medicinal plant Porana volubilis contains polysaccharides with anticoagulant activity mediated by heparin cofactor II. *Thromb Res* 2002;106(1):51-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12165289&dopt=Abstract

Yoon SJ, Yu MA, Pyun YR, Hwang JK, Chu DC, Juneja LR, Mourao PA. The nontoxic mushroom Auricularia auricula contains a polysaccharide with anticoagulant activity mediated by antithrombin. *Thromb Res* 2003;112(3):151-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14967412&dopt=Abstract

Yosefy C, Viskoper JR, Varon D, Ilan Z, Pilpel D, Lugassy G, Schneider R, Savyon N, Adan Y, Raz A. Repeated fasting and refeeding with 20:5, n-3 eicosapentaenoic acid (EPA): a novel approach for rapid fatty acid exchange and its effect on blood pressure, plasma lipids and hemostasis. *J Hum Hypertens* 1996;10 Suppl 3:S135-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8872845&dopt=Abstract

Yosefy C, Viskoper JR, Laszt A, Priluk R, Guita E, Varon D, Illan Z, Berry EM, Savion N, Adan Y, Lugassy G, Schneider R, Raz A. The effect of fish oil on hypertension, plasma lipids and hemostasis in hypertensive, obese, dyslipidemic patients with and without diabetes mellitus. *Prostaglandins Leukot Essent Fatty Acids* 1999;61(2):83-87. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10509862&dopt=Abstract

Yu Z, Chen KJ, Qian ZH. [A clinical trial of sheng-mai liquor in the treatment of ischemic heart disease]. *Zhonghua Xin Xue Guan Bing Za Zhi* 1987;15(3):144-7, 190-1. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2963736&dopt=Abstract

Yu CM, Chan JC, Sanderson JE. Chinese herbs and warfarin potentiation by 'danshen'. *J Intern Med* 1997;241(4):337-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9159606&dopt=Abstract

Yuan CS, Wei G, Dey L, Garrison T, Nahlik L, Maleckar S, Kasza K, Ang-Lee M, Moss J. Brief communication: American ginseng reduces warfarin's effect in healthy patients: a randomized, controlled Trial. *Ann Intern Med* 2004;141(1):23-7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15238367&dopt=Abstract

Yue QY, Jansson K. Herbal drug curcumin and anticoagulant effect with and without warfarin: possibly related to the vitamin E component. *J Am Geriatr Soc* 2001;49(6):838. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11454132&dopt=Abstract

Zamaria N. Alteration of polyunsaturated fatty acid status and metabolism in health and disease. *Reprod Nutr Dev* 2004;44(3):273-82. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15460166&dopt=Abstract

Zanaldi H, Peyrade F, Burel F, Montaz-Rosset N, Pesce A, Cassuto JP. [The hematologist, the nutritionist and the plastician: vitamin K deficiency during a weight reducing diet]. *Presse Med* 1998;27(24):1219-20. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9767780&dopt=Abstract

Zeng FC, Hong F, Yang YQ. [Clinical study of zhinu-I,II in treating 61 patients with idiopathic thrombocytopenic purpura]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1996;16(4):207-9. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9206241&dopt=Abstract

- Zha LL, Shen ZY, Zhang P. [Clinical and experimental research of buyang huanwu tang granule in treatment of ischemic apoplexy]. Zhongguo Zhong Xi Yi Jie He Za Zhi 1994;14(2):74-6, 67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8044011&dopt=Abstract
- Zhang XH, Lowe D, Giles P, Fell S, Board AR, Baughan JA, Connock MJ, Maslin DJ. A randomized trial of the effects of garlic oil upon coronary heart disease risk factors in trained male runners. Blood Coagul Fibrinolysis 2001;12(1):67-74. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11229829&dopt=Abstract
- Zhang RJ, You C, Cai BW, Wan Y, He M, Li H. Effect of compound Salvia injection on blood coagulation in patients with traumatic cerebral infarction. Zhongguo Zhong Xi Yi Jie He Za Zhi 2004;24(10):882-884. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15553818&dopt=Abstract
- Zhou S, Chan E. Effect of ubidecarenone on warfarin anticoagulation and pharmacokinetics of warfarin enantiomers in rats. Drug Metabol Drug Interact 2001;18(2):99-122. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11460879&dopt=Abstract
- Zhou W, Chai H, Lin PH, Lumsden AB, Yao Q, Chen C. Clinical use and molecular mechanisms of action of extract of Ginkgo biloba leaves in cardiovascular diseases. Cardiovasc Drug Rev 2004;22(4):309-19. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15592576&dopt=Abstract
- Zhu XH. [Role of eicosapentaenoic acid in ischemic diseases]. Sheng Li Ke Xue Jin Zhan 1986;17(2):166-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3024313&dopt=Abstract
- Ziae S, Hantoshzadeh S, Rezasoltani P, Lamyian M. The effect of garlic tablet on plasma lipids and platelet aggregation in nulliparous pregnants at high risk of preeclampsia. Eur J Obstet Gynecol Reprod Biol 2001;99(2):201-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11788172&dopt=Abstract
- Zingg JM, Azzi A. Non-antioxidant activities of vitamin E. Curr Med Chem 2004;11(9):1113-33. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15134510&dopt=Abstract
- Zipursky A, Milner RA, Blanchette VS, Johnston MA. Effect of vitamin E therapy on blood coagulation tests in newborn infants. Pediatrics 1980;66(4):547-50. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7001332&dopt=Abstract
- Zurn H. [Problems of directed hemostasis and coagulation stimulation in pathological tendency to bleed]. Dtsch Gesundheitsw 1969;24(50):2353-60. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4915757&dopt=Abstract



National Heart, Lung, and Blood Institute
www.nhlbi.nih.gov

Office of Dietary Supplements
<http://ods.od.nih.gov>

NIH Clinical Center
www.cc.nih.gov

National Center for Complementary and Alternative Medicine
www.nccam.nih.gov

National Institute of Neurological Disorders and Stroke
www.ninds.nih.gov

Office of Rare Diseases
<http://rarediseases.info.nih.gov>

Foundation for the National Institutes of Health
www.fnih.org