



Maternal Iodine Supplementation: Clinical Trials and Assessment of Outcomes

September 22–23, 2014

PRESENTATION ABSTRACT

Cohort Studies of Maternal Thyroid Status

Brian Casey, M.D. — University of Texas Southwestern Medical Center, Dallas, TX

Abstract

Maternal and fetal hypothyroidism can certainly occur as a result of iodine deficiency during pregnancy. Even transient or mild maternal thyroid dysfunction has been linked to untoward pregnancy outcomes and impaired neurodevelopment in offspring. Although there are several large cohort studies of maternal thyroid function, many have allegedly been done in iodine-sufficient areas. Unfortunately, few have directly evaluated maternal iodine status. Although the impact of severe maternal iodine deficiency on outcomes seems certain, the effects of milder degrees of deficiency are less clear. The effect of mild-to-moderate iodine deficiency on pregnancy and offspring outcomes and the potential benefits of iodine supplementation during pregnancy using previous or ongoing cohort studies should be investigated.

References

1. ClinicalTrials.gov
2. Casey BM, Dashe JS, Wells CE, McIntire DD, Byrd W, Leveno KJ, Cunningham FG. Pregnancy outcomes in women with subclinical thyroid insufficiency. *Obstet Gynecol* 2005;105:239-45.
3. Lazarus JH, Bestwick JP, Channon S, et al: Antenatal Thyroid Screening and Childhood Cognitive Function. *N Eng J Med* 2012;366(6):493-501
4. Haddow JE, Palomaki GE, Allan WC, Williams JR, Knight GJ, Gagnon J, et al: Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *N Eng J Med* 1999;341:549-55.
5. Pop VJ, Kuijpers JL, van Baar AI, et al. Low maternal free thyroxine concentrations during early pregnancy are associated with impaired

