SELECTED BACKGROUND READINGS SUGGESTED BY SPEAKERS AND PANELISTS

VITAMIN D: MOVING TOWARD EVIDENCE-BASED DECISION MAKING IN PRIMARY CARE

REPORTS SPECIFICALLY ADDRESSED BY THE CONFERENCE

IOM Report on Calcium and Vitamin D 2011

- Dietary Reference Intakes for Calcium and Vitamin D

Endocrine Society Guidelines 2011

- Evaluation, Treatment, and Prevention of Vitamin D Deficiency: An Endocrine Society Clinical Practice

AHRQ Reports

- Vitamin D and Calcium: A Systematic Review of Health Outcomes (Update) – 2014
- Vitamin D and Calcium: A Systematic Review of Health Outcomes – 2009

US Preventive Services Task Force 2014

- Screening for Vitamin D Deficiency
  Note: This is a draft report; final report is scheduled to be issued prior to December 1

RELATED CLINICAL RECOMMENDATION AND PUBLIC HEALTH GUIDANCE DOCUMENTS (SELECTED)

American Geriatrics Society

- AGS/BGS Clinical Practice Guideline: Prevention of Falls in Older Persons

American Academy of Pediatrics

- Vitamin D Supplementation for Infants
  Note: To view this information, you need to be a member of AAP.

Canadian Pediatric Society

- Vitamin D supplementation: Recommendations for Canadian Mothers and Infants

International Osteoporosis Federation

- IOF Position Statement: Vitamin D Recommendations for Older Adults

REFERENCES SUGGESTED BY WORKSHOP SPEAKERS AND PANELISTS

- Aloia, J.F. (2008). African Americans, 25-hydroxyvitamin D, and osteoporosis: a paradox. *AJCN;*88(2):545S-550S.
- Aloia, J.F., et al, (2014). Vitamin D supplementation increases calcium absorption without a threshold effect. *AJCN;* 99(3):624-31.
- Aloia, J.F., Talwar, S.A., Pollack, S., Yeh, J. (2005). A randomized controlled trial of vitamin D3 supplementation in African American women. *Arch. Intern. Med.*;165(14):1618-1623.
- Barrett-Connor, E., Siris, E.S., Wehren, L.E., et al. (2005). Osteoporosis and fracture risk in women of different ethnic groups. *JBMR.*;20(2):185-194.
- Bouillon, R., Van Schoor, N.M., Gielen, E., et al. (2013). Optimal vitamin d status: a critical analysis on the basis of evidence-based medicine. *The Journal of Clinical Endocrinology and Metabolism.* 98(8):E1283-1304.

- Braun, M., Palacios, C., Wigertz, K., et al. (2007). Racial differences in skeletal calcium retention in adolescent girls with varied controlled calcium intakes. *AJCN*;85(6):1657-1663.

- Brazerol, W. F., A. J. McPhee, et al. (1988). Serial ultraviolet B exposure and serum 25-hydroxyvitamin D response in young adult American blacks and whites: No racial differences. *J Amer Coll Nutr*, 7: 111-118.

- Cauley, J.A., et al. (2011). Serum 25-hydroxyvitamin D and clinical fracture risk in a multiethnic cohort of women: the Women's Health Initiative (WHI). *JBMR;*26(10):2378-88.

- Clemens, T. L., S. L. Henderson, et al. (1982). Increased skin pigment reduces the capacity of skin to synthesize vitamin D3. *Lancet*: 74-76.

- Durazo-Arvizu, R.A., et al. (2014). 25-Hydroxyvitamin D in African-origin populations at varying latitudes challenges the construct of a physiologic norm. *AJCN*; 100(3):908-14.

- Freedman, B.I. & Register, T.C. (2012). Effect of race and genetics on vitamin D metabolism, bone and vascular health. *Nat Rev Nephrol,. 8(8):459-66.*

- Gallagher, J.C., et al. (2013). Effects of vitamin D supplementation in older African American women. *JCEM*;98(3):1137-46.

- Gallagher, J.C., Smith, L.M., & Yalamanchili, V. (2014). Incidence of hypercalciuria and hypercalcemia during vitamin D and calcium supplementation in older women. *Menopause*, 21(11), 1173-1180. doi:10.1097/GME.0000000000000270

- Gallagher, J.C., Jindal, P.S., & Smith, L.M. (2014). Vitamin D does not increase calcium absorption in young women: a randomized clinical trial. *J Bone Miner Res, 29*(5), 1081-1087. doi:10.1002/jbmr.2121

- Grade Series. Grade Guidelines 4-15. *Journal of Clinical Epidemiology.*

- Gutierrez, O.M., Farwell, W.R., et al. (2011). Racial differences in the relationship between vitamin D, bone mineral density, and parathyroid hormone in the National Health and Nutrition Examination Survey. *Osteoporos Int*, 22:1745-53.

- Hansen, K.E., Jones, A.N., Lindstrom, M.J., Davis, L.A., Engelke, J.A., Shafer, M.M. (2008). Vitamin D insufficiency: disease or no disease? *JBMR*;23(7):1052-1060.

- Harris, S. S. and Dawson-Hughes, B. (2007). Reduced sun exposure does not explain the inverse association of 25-hydroxyvitamin D with percent body fat in older adults. *J Clin Endocrinol Metabol*, 92: 3155-3157.

- Heaney, R.P. (2014). Toward a physiological referent for the vitamin D requirement. *Journal of Endocrinological Investigation, 37*(11), 1127-1130.

- Heaney, R.P. (2013). Guidelines for optimizing design and analysis of clinical trials of nutrient effects. *Nutrition Reviews, 72*(1), 48-54. doi:10.1111/nure.12090

- Holick, M. F. (1995). Environmental factors that influence the cutaneous production of vitamin D. *Am J Clin Nutr*, 61: 638S-645S.

- Lewis, R.D., et al. (2013). A randomized trial of vitamin D3 supplementation in children: dose-response effects on vitamin D metabolites and calcium absorption. *JCEM*; 98(12):4816-25.

- Lo, C. W., P. W. Paris, et al. (1986). Indian and Pakistani immigrants have the same capacity as Caucasians to produce vitamin D in response to ultraviolet irradiation. *Am J Clin Nutr*, 44: 683-685.

- MacLaughlin, L. Y., Holick, M.F. (1985). Aging decreases the capacity of skin to produce vitamin D3. *J Clin Invest,* 76: 1536.

- Marks, R., P. A. Foley, et al. (1995). The effect of regular sunscreen use on vitamin D levels in an Australian population: results of a randomized controlled trial. *Arch Dermatol*, 131: 415-421.

- Matsuoka, L. Y., J. Wortsman, et al. (1991). Racial pigmentation and the cutaneous synthesis of vitamin D. *Arch Dermatol,* 127: 536-538.

- Murphy, S.P., & Barr, S.I. (2011). Practice Paper of the American Dietetic Association: Using the Dietary Reference Intakes. *Journal of the American Dietetic Association*, 111(5), 762-770. doi:10.1016/j.jada.2011.03.022

- Need, A. G., H. A. Morris, et al. (1993). Effects of skin thickness, age, body fat, and sunlight on serum 25-hydroxyvitamin D. *Am J Clin Nutr*, 58: 882-885.

- Need, A.G., Nordin, B.E. (2008). Misconceptions - vitamin D insufficiency causes malabsorption of calcium. *Bone*, 42(6): 1021-4.

- Powe, C.E., et al. (2013). Vitamin D-binding protein and vitamin D status of black Americans and white Americans. *NEJM* 369(21):1991-2000 DOI: 10.1056/NEJMoa1306357

- Rosen, C. J., Abrams, S.A., Aloia, J.F., Brannon, P.M, et al. (2012). IOM Committee Members Respond to Endocrine Society Vitamin Guideline. *J Clin Endocrinol Metab*, 97(4), 1146-1152.

- Rosen, C.J & Taylor, C.L. (2014). *Vitamin D supplementation and fall risk. The Lancet Diabetes & Endocrinology*, Retrieved from http://dx.doi.org/10.1016/S2213-8587(14)70084-1

- Sempos, C.T., et al. (2013). Is there a Reverse J-shaped Association between 25-Hydroxyvitamin D and All-Cause Mortality? Results from the US Nationally Representative. *NHANES.JCEM*; 98(7):3001-9.

- Talwar, S.A., et al. (2007). Dose response to vitamin D supplementation among postmenopausal African American women. *AJCN*; 86(6):1657-62.

- Tarasuk, V. (2014). Discretionary Fortification—A Public Health Perspective. *Nutrients*, 6(10), 4421-4433.

- Webb, A. R., L. Kline, et al. (1988). Influence of season and latitude on the cutaneous synthesis of vitamin D3: Exposure to winter sunlight in Boston and Edmonton will not promote vitamin D3 synthesis in human skin. *J Clinical Endocrinol Metabol*, 67: 373-378.

- Wortsman, J., L. Y. Matsuoka, et al. (2000). Decreased bioavailability of vitamin D in obesity. *Am J Clin Nutr*, 72: 690-693.